```
//////////////////////////////////////////
// Navigation Software
// WARNING: DO NOT EDIT OR DELETE THIS FILE!
//////////////////////////////////////////

Includes
{
      Include: PFSpecial.skn;
      Include: PFLang.skn;
}

Strings
{
       // CLIENT_AREA_PARAMS
    102: 0,0,480,272;

    // KEYBD_AREA_PARAMS
    103: 0,0,480,272;

    // horizon bitmaps for the 3D map
    8020: 150,0,0,500,125,0,0;
    8021: 151,0,0,500,125,0,0;

      // COM ports, reserved from 7450-7499
      7450: "COM1/4800";
      7451: "COM1/9600";
      7452: "COM1/38400";

      7453: "COM2/4800";
      7454: "COM2/9600";
      7455: "COM2/38400";

      7456: "COM3/4800";
      7457: "COM3/9600";
      7458: "COM3/38400";

      7459: "COM4/4800";
      7460: "COM4/9600";
      7461: "COM4/38400";

      7462: "COM5/4800";
      7463: "COM5/9600";
      7464: "COM5/38400";

      7465: "COM6/4800";
      7466: "COM6/9600";
      7467: "COM6/38400";

      7468: "COM7/4800";
      7469: "COM7/9600";
      7470: "COM7/38400";

      7471: "COM8/4800";
      7472: "COM8/9600";
      7473: "COM8/38400";

      7474: "COM9/4800";
      7475: "COM9/9600";
      7476: "COM9/38400";
}

Bitmaps
{
```

Formatiert: Englisch (Großbritannien)

```
      2: PPSkin\SplashScreen.png;
      3:  PPSkin\CornerButtons.png;                    //outdated
      4: PPSkin\button_icons.png;
      5: PPSkin\About.png;

      7:  PPSkin\poi.png;
      8:  PPSkin\settings_icons.png;
      9:  PPSkin\MiddleButtons.png;                    //outdated

      11: PPSkin\main_menu_icons.png;

      12: PPSkin\navi_type_icons.png;
      13: PPSkin\route_type_icons.png;

      15: PPSkin\traffic_info_icons.png;
      16: PPSkin\route_calculation.png;
      17: PPSkin\start_destination.png;
      18: PPSkin\offboard.png;
      19: PPSkin\store_dest.png;
      20: PPSkin\show_in_map.png;
      21: PPSkin\poi_categories.png;
      22: PPSkin\route_options_icon.png;
      23: PPSkin\navi_menu.png;
      24: PPSkin\map_menu_icon.png;
      25: PPSkin\auto_zoom_icon.png;
      26: PPSkin\MiddleButtonLargeRight.png;          //outdated
      28: PPSkin\SmallDownloadProgress.png;           //outdated

      30: PPSkin\distance_bar.png;
      31: PPSkin\CurrentRoadMarker.png;               //outdated
      32: PPSkin\NextRoadMarker.png;                  //outdated
      33: PPSkin\destination_icons.png;
      34: PPSkin\next_icon.png;                        //outdated
      35: PPSkin\MapCurrentNextMarker.png;            //outdated

      37: PPSkin\gps_check_icons.png;

      44: PPSkin\volume_level.png;
      45: PPSkin\udlr_icons.png;
      46: PPSkin\button2x1.png;                    //outdated. use button1x1.png
instead.

      //  48: PPSkin\RAS.png;
      49: PPSkin\progress_icon_290.png;
      50: PPSkin\bg_image.png;
      51: PPSkin\background.png;

      //  53: PPSkin\NextRoadNameBG.png;                 //outdated
      //  54: PPSkin\CurrentRoadNameBG.png;              //outdated
      // 55: PPSkin\DistanceBG.png;                   //outdated
      56: PPSkin\flag.png;                            //used for TurnByTurnArea
      // 57: PPSkin\flagge_kl.png;                       //outdated

      // 60: PPSkin\A2Z_Group.png;                       // outdated. use
button2x1 instead.

      66: PPSkin\gps_quality_icon.png;

      84: PPSkin\map_config.png;

      //91: PPSkin\MapNextRoadMarker.png;               //outdated
```

```
      //95: PPSkin\destination_icons.png;

      //99: PPSkin\HLine.png;                        //outdated?
      101:PPSkin\gps_status.png;

      106:PPSkin\comm_config.png;

      113:PPSkin\CountryFlags.png;
      119:PPSkin\gps_quality.png;
      //120:PPSkin\Button105x80.png;                    //outdated
      121:PPSkin\destination_icons.png;            //same as Bitmap 33
      //122:PPSkin\Button240x80.png;                    //outdated
      //123:PPSkin\Button120x40.png;                    //outdated
      124:PPSkin\map_zoom_icons.png;
      //125:PPSkin\KBD_Key.png;                       //outdated. use button1x1
instead.
      //126:PPSkin\Button240x40.png;                    //outdated
      //127:PPSkin\KBD_TitlebarKeys.png;                //outdated
      //128:PPSkin\MapZoomButtons.png;                  //outdated
      129:PPSkin\stored_locations.png;
      130:PPSkin\delete.png;
      131:PPSkin\map_goto_icons.png;
      //135:PPSkin\TitlebarPopUp.png;                   //outdated. Use
titlebar1 instead
      //136:PPSkin\KBD_DelKey.png;                    //outdated
      // ersetzen Thomas
      //137:PPSkin\KBD_Icons.png;                       //outdated
      138:PPSkin\route_options.png;
      139:PPSkin\battery_state.png;
      140:PPSkin\gps_signal.png;
      141:PPSkin\tmc_signal.png;
      //142:PPSkin\MiddleButtonsBIG.png;                //outdated
      //143:PPSkin\InfoTextBackGround.png;              //outdated
      144:PPSkin\dd_arrow.png;
      145:PPSkin\map_compass.png;

      150:PPSkin\horizon_3d_day.png;
      151:PPSkin\horizon_3d_night.png;
      155:PPSkin\map_gimmick_star.png;
      //  156:PPSkin\map_gimmick_falling_star.png;
      //157:PPSKin\PhoneKBD_Key.png;                    //outdated
      //158:PPSkin\TMC_Station_BG.png;                  //outdated
      //159:PPSkin\leftrightButtons.png;                //outdated
      160:TTI\TTI.png;
      161:PPSkin\tti_warning_icon.png;
      //162:PPSkin\MapButton.png;                       //outdated
      163:PPSkin\traffic_warning_icon.png;
      164:PPSkin\manual_automatic.png;
      165:PPSkin\tmc_icon.png;
      166:PPSkin\tmc_map_icon.png;
      167:PPSkin\keyboard_icons.png;
      170:PPSkin\map_gimmick_plane.png;
      171:PPSkin\Map_gimmick_cloud.png;
      //172:PPSkin\Map24ProgressIcon.png;               //outdated
      //173:PPSkin\Map24DownloadIcons.png;              //outdated
      //174:PPSkin\MLogo.png;                         //outdated
      175:PPSkin\telephone.png;
      176:PPSkin\speed_limit_sign.png;
      //177:PPSkin\MiddleButtons_3.png;               //outdated
      178:PPSkin\traffic_jam_bypass.png;
      179:PPSkin\gmt_time_text_icons.png;
      180:PPSkin\daylight_saving_time.png;
      //New skin files added
```

```
    181:PPSkin\button1x1_rounded.png;
    182:PPSkin\bg_image.png;
    183:PPSkin\button2x1.png;
    184:PPSkin\button3x1.png;
    185:PPSkin\button4x1.png;
    186:PPSkin\button5x1.png;
    187:PPSkin\button6x1.png;
    188:PPSkin\button7x1.png;
    189:PPSkin\button10x1.png;
    190:PPSkin\del_button.png;
    191:PPSkin\info_box_blue.png;
    192:PPSkin\info_box_white.png;
    193:PPSkin\titlebar1.png;
    194:PPSkin\titlebar2.png;
    195:PPSkin\audio_options.png;
    196:PPSkin\delete_icon.png;
    197:PPSkin\button10x2.png;
    198:PPSkin\button9x1.png;
    199:PPSkin\button8x1.png;
    202:PPSkin\keyboard_button_icons.png;
    //    203:PPSkin\please_wait_animation.png; // reserved
    //    204:PPSkin\button8x2.png;
    204:PPSkin\microphone_40.png;
    205:PPSkin\compass_bg_image.png;
    // 206:PPSkin\MainMenuIcons.png;
    206:PPSkin\compass_36_states.png;
    207:PPSkin\exit.png;
    208:PPSkin\button_map_menu.png;
    209:PPSkin\view2_menu_icons.png;
    210:PPSkin\button1x1.png;
    211:PPSkin\more_settings_blue.png;
    212:PPSkin\list_dropdown_box.png;
    213:PPSkin\button_1x1_map.png;
    214:PPSkin\titlebar_info_box.png;
    215:PPSkin\button108x48.png;

    220:PPSkin\icon_panel_arrows_150_1.png;
    221:PPSkin\icon_panel_arrows_150_2.png;
    222:PPSkin\icon_panel_arrows_150_3.png;
    223:PPSkin\icon_panel_arrows_150_4.png;
    224:PPSkin\icon_panel_arrows_150_5.png;
    225:PPSkin\icon_panel_arrows_150_6.png;
    226:PPSkin\icon_panel_specials_150.png;
    227:PPSkin\metal_hole.png;
    230:PPSkin\icon_panel_arrows_junction.png;
    231:PPSkin\icon_panel_arrows.png;
    232:PPSkin\icon_panel_specials.png;

    233:PPSkin\poi_mapselection_icons.png;
    234:Poi\poi.png;
    235:PPSkin\bg_image_middle.png;
    236:PPSkin\progress_icon_map.png;
    237:PPSkin\route_planning_icons.png;
    238:PPSkin\stopover_flags.png;
    239:PPSkin\activation_key_bg.png;
    240:PPSkin\del_button_2.png;

    241: PPSkin\check_mark.png;

245:PPSkin\vehicle_arrow_car.png;     // reserved for future use
246:PPSkin\vehicle_arrow_car_3D.png;
    247:PPSkin\vehicle_arrow_bicycle.png;
    248:PPSkin\vehicle_arrow_bicycle_3D.png;
```

```
        249:PPSkin\vehicle_arrow_motorcycle.png;
        250:PPSkin\vehicle_arrow_motorcycle_3D.png;
        251:PPSkin\vehicle_arrow_pedestrian.png;
        252:PPSkin\vehicle_arrow_pedestrian_3D.png;
        253:PPSkin\view_icon.png;

        255:PPSkin\button_phone_kbd.png;
        256:PPSkin\select_deselect_icons.png;
        257:PPSkin\more_applications.png;
        258:PPSkin\tmc_standard_premium_select.png;

        260:PPSkin\icon_panel_arrows_25_out.png;
        261:PPSkin\icon_panel_arrows_25_in.png;
        262:PPSkin\icon_panel_separator_25.png;
}

Fonts
{
        0: Arial,18;              // Original Font VERDANA     //Normal text
        1: Arial,23,BOLD;         // Original Font VERDANA     //For titles
        2: Arial,16,BOLD;         // Original Font VERDANA     //Normal text
        3: Arial,18,BOLD;               //   Original Font VERDANA    //Used     in
TurnByTurnArea
        4: Arial,15;              // Original Font VERDANA
        5: ArialNarrow,18;
        6: Arial,16;                                            // Used by the drawing
board for displaying meter units in the meter
        7: Arial,15,BOLD;         // Original Font VERDANA     // Used for Button
Text (Standard)
        8: Arial,12;              // Original Font VERDANA     //small font used for
distance unit in route overview
        9: Arial,19,BOLD;         // Original Font VERDANA     // large adress font
used in AmbiguityListEntryInfoArea
        10: Arial,16,BOLD;        // Original Font VERDANA     // Used for Hybrid
License Dlg.
        11: Arial,21,BOLD;        // Original Font VERDANA     // Used for infos in
map.
        12: Arial,14,BOLD;              // Original Font VERDANA      // Used for
ScaleElement
        32: Arial,13,BOLD;                                      // Used for Road Icons
        45: ArialNarrow,12;       // for am/pm in time strings

        // 50-59 reserved for address formatting
        50:   Arial,18,BOLD;            // Original Font VERDANA      // large
address font for short  addresses
        51: Arial,18,BOLD;        // Original Font VERDANA     // large address font
for short addresses

        // 60-69 reserved for TTI
        60: Arial,16,BOLD;
        61: Arial,18;
        62: Arial,18,BOLD;
        63: Arial,18;

        100: Font\CityFontInline.bf,Font\CityFontOutline.bf;  //BitmapFont
(CityNames)...
        //  100: Arial,16,BOLD; // (CityNames)
        101: Font\RoadFontInline.bf,Font\RoadFontOutline.bf;  //BitmapFont
(RoadNames)...
        //  101: Arial,12,BOLD; // (RoadNames)
}

Defines
```

```
{
      // Note: Only general defines may be defined here. Specific defines
(colours, coordinates, etc.) must appear in PFSpecial.skn!

      LETTERS_LABEL_COORDS: 0,35,480,45;
      LETTERS_TEXT_COORDS: 65,0,415,45;
      LETTERS_FORMAT:
      "^F0^^C100,100,100^%s^F1^^C0,0,0^%c^F0^^C100,100,100^%s";

      //  %1: country
      //  %2: region
      //  %3: zip
      //  %4: city
      //  %5: district
      //  %6: street & hnr
      //  %7: name
      //  %8: beeline distance
      //  %9: additional info
      //  %10: small font for address = ^F50^
      //  %11: icon index
      //  %12: street
      //  %13: hnr
      //  %14: state

      // Settings for all countries
      ADDRESS_SHORT: "%7;(%7&(4|5|6);:
)(%7;%10;)(%!6;^b^)%4;(%4&5;/)%5;(%(4|5)&6;,^b^(%!7;%10;) )%6;";
      ADDRESS_LONG: "%7;(%7;^n^)%6(%6;^n^)%1;(%2&1;/)%2;(%(1|2)&(3|4|5);-
)%3;(%3&(4|5); )%4;(%4&5;/)%5;";
      //  ADDRESS_AMBIG: "%7;(%7&(2|3|4|5|6);: )%2;(%2&(3|4|5|6);-
)%3;(%3&(4|5|6); )%4;(%4&5;/)%5;(%(4|5)&6;, )%6;"; //(%!(7|8);%10;)
      ADDRESS_AMBIG: "%8;(%8&(2|3|4|5|6|7);: )%7;(%7&(2|3|4|5|6);,
^b^)(%7|8;%10;)%2;(%2&(3|4|5|6);-)%3;(%3&(4|5|6); )%4;(%4&5;/)%5;(%(4|5)&6;,
^b^)(%!(7|8);%10;)%6;";
      ADDRESS_AMBIGTOUR: "%11;#%8;(%8&(2|3|4|5|6|7);: )%7;(%7&(2|3|4|5|6);,
^b^)(%7|8;%10;)%2;(%2&(3|4|5|6);-)%3;(%3&(4|5|6); )%4;(%4&5;/)%5;(%(4|5)&6;,
^b^)(%!(7|8);%10;)%6;";
      ADDRESS_INFO: "%7;(%7;^n^)%6;(%6;^n^)%1;(%2&1;/)%2;(%(1|2)&(3|4|5);-
)%3;(%3&(4|5); )%4;(%4&5;/^b^)%5;(%9;^n^Tel: %9;)";
      ADDRESS_TOUR_PLAN:
"(%4|7;%11;^n^)^F50^(%(4&!6&!7)|(7&!4&!6);^n^)(%7;%7;^n^)(%6;%6;^n^)(%4;%4;)";
      ADDRESS_SHORT_ICON_INDEX: "%7;(%7&(4|5|6);:
)(%7;%10;)(%!6;^b^)%4;(%4&5;/)%5;(%(4|5)&6;,^b^(%!7;%10;) )%6;";

      // Settings for USA only
      ADDRESS_SHORT_USA: "%7;(%7&(4|5|6);: )(%7;%10;)(%!6;^b^)%13;(%12&13;
)%12;(%(12|13)&(4|5);,^b^(%!7;%10;) )%4;(%4&5;/)%5;";
      ADDRESS_LONG_USA: "%7;(%7;^n^)%13;(%13;
)%12;(%12;^n^)%4;(%4&5;,)%5;(%(4|5); )%3;";
      ADDRESS_AMBIG_USA: "%8;(%8&(2|3|4|5|6|7);: )%7;(%7&(2|3|4|5|6);,
^b^)(%7|8;%10;)%2;%13;(%(13&12); )%12;(%12&4;, ^b^)%4;(%4&14;, )%14;(%4|14;
)%3;";
      ADDRESS_AMBIGTOUR_USA: "%11;#%8;(%8&(2|3|4|5|6|7);: )%7;(%7&(2|3|4|5|6);,
^b^)(%7|8;%10;)%2;%13;(%(13&12); )%12;(%12&4;, ^b^)%4;(%4&14;, )%14;(%4|14;
)%3;";
      ADDRESS_INFO_USA: "%7;(%7;^n^)%13;(%13;
)%12;(%(12|13);^n^)%4;(%(4&5);,)%5;(%(4|5); )%3;(%9;^n^Tel: %9;)";
      ADDRESS_TOUR_PLAN_USA:
"(%4|7;%11;^n^)^F50^(%(4&!6&!7)|(7&!4&!6);^n^)(%7;%7;^n^)(%6;%6;^n^)(%4;%4;)";
      ADDRESS_SHORT_ICON_INDEX_USA: "%7;(%7&(4|5|6);:
)(%7;%10;)(%!4&!5;^b^)%13;(%(13&12); )%12;(%(4|5)&6;,^b^(%!7;%10;)
)%4;(%4&5;/)%5;";
```

```
      AREA_COORDS: 0,0,480,272;
   TITLE_COORDS: 50,0,304,35;  // Not all titles have these coordinates
(SettingErrorArea)
   TITLE_COORDS_WO_EXIT: 5,0,354,35;
   TITLEBAR_CORDS: 0,0,480,35;
   TITLEBAR_ICON: 193,0,0,480,35,0,0;
   POPUP_TITLE_COORDS: 8,0,184,30;
   MAIN_MENU_COORDS: 0,280,240,40;
   SUB_MENU_COORDS: 0,240,240,40;
   VERSION_COORDS: 48,224,384,48;

   BUTTONTEXT_COORDS_120x80: 5,40,110,35;
   BUTTONTEXT_COORDS_105x80: 4,40,97,33;
   BUTTONTEXT_COORDS_240x40: 45,0,195,40;
   BUTTONTEXT_COORDS_320x40: 45,0,275,40;
   BUTTONTEXT_COORDS_120x40: 40,0,75,40;
   BUTTONTEXT_COORDS_4x1: 53,0,136,48;  //189
   BUTTONTEXT_COORDS_5x1: 75,0,165,48;  //240
   BUTTONTEXT_COORDS_9x1: 75,0,352,48;
   BUTTONTEXT_COORDS_480x48: 75,0,425,48;

   FREE_PLZ_TEXT_COORDINATES: 15,85,80,15;
   FREE_PLZ_COORDINATES: 15,100,80,30;
   FREE_CITY_TEXT_COORDINATES: 105,85,200,15;
   FREE_CITY_COORDINATES: 105,100,200,30;
   FREE_STREET_TEXT_COORDINATES: 15,135,200,15;
   FREE_STREET_COORDINATES: 15,150,200,30;
   FREE_HNR_TEXT_COORDINATES: 225,135,80,15;
   FREE_HNR_COORDINATES: 225,150,80,30;
   FREE_STATE_TEXT_COORDINATES: 0,0,0,0;
   FREE_STATE_COORDINATES: 0,0,0,0;
   FREE_POINAME_COORDINATES: 15,150,290,30;

   COMPASS_HEIGHT_TEXT_COORDS: 0,0,0,0;
   COMPASS_HEIGHT_VALUE_COORDS: 0,0,0,0;

   LEFT_CORNER_BUTTON_COORDS: 0,224,48,48;
   RIGHT_CORNER_BUTTON_COORDS: 432,224,48,48;
   DROPPED_LEFT_CORNER_BUTTON_COORDS: 0,189,48,48;
   DROPPED_RIGHT_CORNER_BUTTON_COORDS: 432,189,48,48;
   LEFT_CORNER_BUTTON_COORDS_NO_Y: 0,0,48,48;
   RIGHT_CORNER_BUTTON_COORDS_NO_Y: 432,0,48,48;
   CORNER_BUTTON_ENABLED: 181,96,0,48,48,255,0,255;
   CORNER_BUTTON_PUSHED: 181,96,96,48,48,255,0,255;
   CORNER_BUTTON_DISABLED: 181,96,144,48,48,255,0,255;

   LEFT_MIDDLE_BUTTON_COORDS: 42,205,78,35;
   RIGHT_MIDDLE_BUTTON_COORDS: 200,205,78,35;
   CORNER_BUTTON_COORDS: 0,224,480,48;//Used for subskin with both corner
Buttons
   MIDDLE_BUTTON_COORDS: 48,224,240,40;//Used for subskin with both middle
Buttons
   KEYPAD_LEFT_BUTTON_ENABLED: 181,0,0,48,48,255,0,255;
   KEYPAD_LEFT_BUTTON_FOCUSSED: 181,0,48,48,48,255,0,255;
   KEYPAD_LEFT_BUTTON_PUSHED: 181,0,96,48,48,255,0,255;
   KEYPAD_RIGHT_BUTTON_ENABLED: 181,48,0,48,48,255,0,255;
   KEYPAD_RIGHT_BUTTON_FOCUSSED: 181,48,48,48,48,255,0,255;
   KEYPAD_RIGHT_BUTTON_PUSHED: 181,48,96,48,48,255,0,255;
      MAPMENU_BUTTON_STATE_ENABLED: 186,0,0,240,48,0,0;
      MAPMENU_BUTTON_STATE_FOCUSSED: 186,0,48,240,48,0,0;
      MAPMENU_BUTTON_STATE_PUSHED: 186,0,96,240,48,0,0;
      MAPMENU_BUTTON_STATE_DISABLED: 186,0,144,240,48,0,0;
```

Gelöscht: 30,205,225,20

```
    BUTTON_BOTTOM_COORDS: 48,224,432,48;
    BUTTON_ENABLED_9x1: 198,0,0,432,48,0,0;
BUTTON_FOCUSSED_9x1: 198,0,48,432,48,0,0;
BUTTON_PUSHED_9x1: 198,0,96,432,48,0,0;
BUTTON_DISABLED_9x1: 198,0,144,432,48,0,0;

 BACK_ARROW_ICON: 4,0,90,30,30,9,9,255,0,255;
 EXIT_ICON: 4,0,60,30,30,9,9,255,0,255;
 CANCEL_ICON: 4,0,210,30,30,9,9,255,0,255;
 OK_ICON: 4,0,180,30,30,9,9,255,0,255;
 DELETE_ICON: 130,0,0,30,30,9,9,255,0,255;

 //ListBox Parameters
 SCROLLBAR_COORDS: 432,83,48,93;

 SCROLLBAR_BUTTON_UP_COORDS: 432,35,48,48;
 SCROLLBAR_BUTTON_UP_ENABLED: 210,0,0,48,48,0,0;
 SCROLLBAR_BUTTON_UP_PUSHED: 210,0,96,48,48,0,0;
 SCROLLBAR_BUTTON_UP_DISABLED: 210,0,144,48,48,0,0;
 SCROLLBAR_BUTTON_UP_ICON: 45,0,0,30,30,9,9,255,0,255;

 SCROLLBAR_BUTTON_DOWN_COORDS: 432,176,48,48;
 SCROLLBAR_BUTTON_DOWN_ENABLED: 210,0,0,48,48,0,0;
 SCROLLBAR_BUTTON_DOWN_PUSHED: 210,0,96,48,48,0,0;
 SCROLLBAR_BUTTON_DOWN_DISABLED:210,0,144,48,48,0,0;
 SCROLLBAR_BUTTON_DOWN_ICON: 45,0,30,30,30,9,9,255,0,255;

 LISTBOX_COORDS: 0,35,432,189;
 LISTBOX_ELEM_MINHEIGHT: 46;
 LISTBOX_ELEM_DIST: 1;
 LISTBOX_ELEM_BORDER: 1;
 LISTBOX_TEXT_SPACE: 3;
 LISTBOX_TEXT_COORDS: 75,0,357,46;  //240

 LISTBOX_WO_SCROLLBAR_COORDS: 0,0,480,189;
 LISTBOX_WBMP_TEXT_SPACE: 5;

 DROPPED_COORDS: 0,35; //note, for non-dropped Lists, this value is 0,0
 DROPPED_LISTBOX_COORDS: 0,0,432,189;
 DROPPED_SCROLLBAR_COORDS: 432,48,48,93;
 DROPPED_SCROLLBAR_BUTTON_UP_COORDS: 432,0,48,48;
 DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS: 432,141,48,48;
 DROPPED_SUBFORM_COORDS: 0,0,480,237;
 DROPPED_SUBFORM_BG: 51,0,35,480,237,0,0;

 MORE_RESULTS_BUTTON_COORDS: 360,0,120,40;
 RESULT_ONE_BUTTON_COORDS: 0,0,120,40;
 RESULT_TWO_BUTTON_COORDS: 120,0,120,40;  //82,32,75,40
 RESULT_THREE_BUTTON_COORDS: 240,0,120,40;
 //MORE_RESULTS_BUTTON_TEXT_COORDS: 6,0,50,40;
 MORE_RESULTS_BUTTON_TEXT_COORDS: 6,0,90,40;
 MATCHES_BUTTON_TEXT_COORDS: 5,5,110,30;

 ERROR_MESSAGE_COORD: 0,80,480,144;
 ERROR_MESSAGE_TEXT_COORD: 96,0,288,144;

 TBT_BG_BITMAP: 51,0,0,480,272,0,0;

    //Phone_Keyboard
    PHONE_KEY_1x1:   48,80,96,64;
    PHONE_KEY_2x1:  144,80,96,64;
    PHONE_KEY_3x1:  240,80,96,64;
    PHONE_KEY_4x1:  336,80,96,64;
```

```
PHONE_KEY_1x2:   48,144,96,64;
PHONE_KEY_2x2:  144,144,96,64;
PHONE_KEY_3x2:  240,144,96,64;
PHONE_KEY_4x2:  336,144,96,64;

PHONE_KEY_1x3:   48,208,96,64;
PHONE_KEY_2x3:  144,208,96,64;
PHONE_KEY_3x3:  240,208,96,64;
PHONE_KEY_4x3:  336,208,96,64;

PHONE_BUTTON_ENABLED: 255,0,0,96,64,255,0,255;
PHONE_BUTTON_FOCUSSED: 255,0,64,96,64,255,0,255;
PHONE_BUTTON_PUSHED: 255,0,128,96,64,255,0,255;
PHONE_BUTTON_DISABLED: 255,0,192,96,64,255,0,255;

PHONE_KEY_TEXT_COORDS: 8,8,50,20;
PHONE_KEY_FONT: 9;
PHONE_ADDITIONAL_TEXT_COORDS: 77,45,15,15;
PHONE_ADDITIONAL_TEXT_COLOR: 255,255,255;
PHONE_ADDITIONAL_TEXT_FONT: 10;


//Keyboard additional text stuff
AddKeyTxtColor: 255,255,255;
AddKeyTxtHAlign: right;
AddKeyTxtVAlign: top;
AddKeyTxtFont: 10;


STANDARD_KEY_1x1:    0,78,48,48;
STANDARD_KEY_2x1:   48,78,48,48;
STANDARD_KEY_3x1:   96,78,48,48;
STANDARD_KEY_4x1:  144,78,48,48;
STANDARD_KEY_5x1:  192,78,48,48;
STANDARD_KEY_6x1:  240,78,48,48;
STANDARD_KEY_7x1:  288,78,48,48;
STANDARD_KEY_8x1:  336,78,48,48;
STANDARD_KEY_9x1:  384,78,48,48;
STANDARD_KEY_10x1: 432,78,48,48;

STANDARD_KEY_1x2:    0,126,48,48;
STANDARD_KEY_2x2:   48,126,48,48;
STANDARD_KEY_3x2:   96,126,48,48;
STANDARD_KEY_4x2:  144,126,48,48;
STANDARD_KEY_5x2:  192,126,48,48;
STANDARD_KEY_6x2:  240,126,48,48;
STANDARD_KEY_7x2:  288,126,48,48;
STANDARD_KEY_8x2:  336,126,48,48;
STANDARD_KEY_9x2:  384,126,48,48;
STANDARD_KEY_10x2: 432,126,48,48;

STANDARD_KEY_1x3:    0,174,48,48;
STANDARD_KEY_2x3:   48,174,48,48;
STANDARD_KEY_3x3:   96,174,48,48;
STANDARD_KEY_4x3:  144,174,48,48;
STANDARD_KEY_5x3:  192,174,48,48;
STANDARD_KEY_6x3:  240,174,48,48;
STANDARD_KEY_7x3:  288,174,48,48;
STANDARD_KEY_8x3:  336,174,48,48;
STANDARD_KEY_9x3:  384,174,48,48;
STANDARD_KEY_10x3: 432,174,48,48;
```

```
	STANDARD_KEY_TEXT_COORDS: 5,3,37,38;
	ADDITIONAL_TEXT_COORDS: 29,29,15,15;

	//KeyboardViews
	KeybdTxtColor: 0,0,0;
	KeybdCursorDist: 1;
	KeybdDrawRect: yo;

	KeybdDisplayCoords: 4,4,473,28;
	KeybdTextCoords: 9,2,418,23;


	KeybdLabelTxtColor: 103,103,103;
	KeybdLabelFont: 9;
	KeybdLabelHAlign: left;
	KeybdLabelVAlign: Center;

	KeybdLabelCoords: 18,6,249,23;


	KeybdDisplayWCountryCoords: 54,4,422,28;
	KeybdTextWCountryCoords: 9,2,370,23;

	KeybdLabelWCountryCoords: 73,6,354,23;

	KeybdCountryCodeCoords: 0,0,54,35;
	KeybdCountryCodeBMP: 113,0,0,30,18,6,8,255,0,255;
	KeybdCountryCodeDroppedCoords: 0,0;

	//System Message Coords (Screen Text without picture)
	SYSTEM_MESSAGE_COORDS: 0,35,480,189;
	SYSTEM_MESSAGE_TEXT: 80,10,320,184;
	SYSTEM_MESSAGE_FONT: 51;
	SYSTEM_MESSAGE_TEXT_COLOR: 0,0,0;
	SYSTEM_MESSAGE_BACKGROUND: 51,0,35,480,189,0,0;

	//Error Message Coords (Screen Text with picture)
	PICTURE_MESSAGE_COORDS: 0,80,480,144;
	PICTURE_MESSAGE_TEXT: 80,0,320,144;
	PICTURE_MESSAGE_FONT: 9;
	PICTURE_MESSAGE_TEXT_COLOR: 0,0,0;
	PICTURE_MESSAGE_BACKGROUND: 51,0,35,480,144,0,0;

	//question coords (inbetween back and ok button)
	QUESTION_COORDS: 48,224,384,48;
	QUESTION_COLOR: 0,0,0;
	QUESTION_FONT: 51;

	//Titlebar Help Button Coords
	TITLEBAR_HELP_BTN_COORDS: 445,2,30,30;
	TITLEBAR_HELP_BTN_ENABLED: 209,0,30,30,30,0,0;
	TITLEBAR_HELP_BTN_FOCUSSED: 209,0,30,30,30,0,0;
	TITLEBAR_HELP_BTN_PUSHED: 209,0,30,30,30,0,0;

	MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT: 9;
}

Skins
{
	MainMenuButtonSubform
	{
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		BGMode: Transparent;
```

Gelöscht: .¶

```
	DisableFocus: yo;

	MainMenuButton
	{
		ID: 10075;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: 4,0,0,30,30,5,5,255,0,255;
		PYOffset: 2;
		DisableFocus: yo;
		Action: MainMenu.216;
	}
}
ExitButtonSubform
{
	Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
	BGMode: Transparent;
	DisableFocus: yo;

	ExitButton
	{
		ID: 10078;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $EXIT_ICON$; // EXIT
		PYOffset: 2;
		DisableFocus: yo;
		Action: MainMenu.1;
	}
}
MapButtonSubform
{
	Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
	BGMode: Transparent;
	DisableFocus: yo;

	MapButton
	{
		ID: 10076;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: 4,0,30,30,30,5,5,255,0,255;
		PYOffset: 2;
		DisableFocus: yo;
		Action: MapTurnToggle.Map;
	}
}
DestinationPrevNextRightLeftSubform
{
	Coordinates: $CORNER_BUTTON_COORDS$;
	BGMode: Transparent;
	DisableFocus: yo;

	PrevButton
	{
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
```

```
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; // CANCEL marker
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      NextButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;  //ok
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            //Action:  DestinationSC.58;
            Action: DestinationSC.next;
            HKPush: $KEY_EVENT_OK$;
      }
}
DestinationSelectAndNextFullRightSubform
{
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;

      SelectAndNextButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$; //nextarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  KeyEvent.Enter;
            HKPush: $KEY_EVENT_OK$;
      }
}

DestinationSelectAndNextSubform
{
      Coordinates: $RIGHT_MIDDLE_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;

      SelectAndNextButton
      {
            ID:10080; // xxx to be changed
            Class: PushButton;
            Coordinates: 0,0,78,35;
            Enabled: 9,78,0,78,35,0,0,255,0,255;
            Pushed:  9,78,35,78,35,0,0,255,0,255;
            Disabled:  9,78,70,78,35,0,0,255,0,255;
            Icon: 4,0,180,30,30,20,2,255,0,255; //nextarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
```

```
            Action:  KeyEvent.Enter;
            HKPush: $KEY_EVENT_OK$;
      }
}

DestinationPrevFullLeftButtonSubform
{
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;

      PrevButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

DestinationPrevButtonSubform
{
      Coordinates: $LEFT_MIDDLE_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;

      PrevButton
      {
            ID:10079;
            Class: PushButton;
            Coordinates: 0,0,78,35;
            Enabled: 9,0,0,78,35,0,0,255,0,255;
            Pushed:  9,0,35,78,35,0,0,255,0,255;
            Disabled:  9,0,70,78,35,0,0,255,0,255;
            Icon: 4,0,210,30,30,28,2,255,0,255; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
DestinationCancelConnectSubform
{
      Coordinates: $CORNER_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;

      CancelButton
      {
            ID: 65;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
```

```
            DisableFocus: yo;
            Action:  DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }

      ConnectButton
      {
            ID: 80;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action:  DestinationSC.80;
            HKPush: $KEY_EVENT_OK$;
      }
}

AssistedPhoneInputKeyboard
{
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      Font: 1;
      HKBackSpace: Back;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }

      KeybdDisplay
      {
            ID: 903;
            Class: PhoneKeybdDisplay;
            Coordinates: $KeybdDisplayCoords$;
            TextCoordinates: $KeybdTextCoords$;
            TextColor: $KeybdTxtColor$;
            VCColor: 255,255,255;
            IVCColor: 50,50,50;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            CursorDist: $KeybdCursorDist$;
            DrawRectangle: $KeybdDrawRect$;
            BGmode: opaque;
      }
      KeybdLabel
      {
            ID: 905;
            Class: SkinText;
            Coordinates: $KeybdLabelCoords$;
            Align: $KeybdLabelHAlign$;
            VAlign: $KeybdLabelVAlign$;
            TextColor: $KeybdLabelTxtColor$;
            BGMode: Transparent;
            Font: $KeybdLabelFont$;
      }

      KeybdOkayContinueButton
      {
            //ID: 900;
```

```
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            Action:     DestinationSC.65;
            HKPush:     $KEY_EVENT_CANCEL$;
      }

      CityStreetEntry
      {
            Class: SkinContainer;
            Form: CityStreetMatchesSubform;
      }

      LettersLabel
      {
            ID: 10192;
            Class: SkinText;
            Coordinates: $LETTERS_LABEL_COORDS$;
            TextCoordinates: $LETTERS_TEXT_COORDS$;
            Text: $LETTERS_FORMAT$;
            HAlign: left;
            VAlign: center;
            TextColor: 0,0,0;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            Border: 1;
            BorderColor: 0,0,0;
            Font: 9;
            Layer: OnTop;
      }
}

AssistedCountryPhoneInputKeyboard
{
      BGColor: $AREA_BG_COLOR$;
      BGMode:     opaque;
      Font: 1;
      HKBackSpace: Back;
      EmptyStringNotAllowed: yo;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      CountryCodeData
      {
            ID: 68;
            Class: DropDown;
            Coordinates: $KeybdCountryCodeCoords$;
            BitmapReference: $KeybdCountryCodeBMP$;
            DroppedCoordinates: $KeybdCountryCodeDroppedCoords$;
            iconhasnotext: yo;
            ListBox: CountryCodeTextListBox;
            ListBoxForm: FreeTargetAreaSubSkin;
            VAlign:     center;
            TextHasIconIndex: yo;
```

```
      Layer: ontop;
      DDArrow: 144,3,2,9,4,40,16,255,0,255;
}
KeybdDisplay
{
      ID: 903;
      Class: PhoneKeybdDisplay;
      Coordinates: $KeybdDisplayWCountryCoords$;
      TextCoordinates: $KeybdTextWCountryCoords$;
      TextColor: $KeybdTxtColor$;
      VCColor: 255,255,255;
      IVCColor: 50,50,50;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      CursorDist: $KeybdCursorDist$;
      DrawRectangle: $KeybdDrawRect$;
      BGmode: opaque;

}

KeybdLabel
{
      ID: 905;
      Class: SkinText;
      Coordinates: $KeybdLabelWCountryCoords$;
      Align: $KeybdLabelHAlign$;
      VAlign:     $KeybdLabelVAlign$;
      TextColor: $KeybdLabelTxtColor$;
      BGMode: Transparent;
      Font: $KeybdLabelFont$;
}

KeybdOkayContinueButton
{
      //ID: 900;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
      DisableFocus: yo;
      Layer: OnTop;
      Action:     DestinationSC.65;
      HKPush:     $KEY_EVENT_CANCEL$;
}

CityStreetEntry
{
      Class: SkinContainer;
      Form: CityStreetMatchesSubform;
}

LettersLabel
{
      ID:   10192;
      Class: SkinText;
      Coordinates: $LETTERS_LABEL_COORDS$;
      TextCoordinates: $LETTERS_TEXT_COORDS$;
      Text: $LETTERS_FORMAT$;
      HAlign: left;
      VAlign: center;
      TextColor: 0,0,0;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
```

```
            BGMode: opaque;
            Border: 1;
            BorderColor: 0,0,0;
            Font: 9;
            Layer: OnTop;
      }
}

OBNKeyboard
{
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      Font: 1;
      HKBackSpace: Back;
      EmptyStringNotAllowed: yo;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }

      KeybdDisplay
      {
            ID: 903;
            Class: StandardKeybdDisplay;
            Coordinates: $KeybdDisplayCoords$;
            TextCoordinates: $KeybdTextCoords$;
            TextColor: $KeybdTxtColor$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            CursorDist: $KeybdCursorDist$;
            DrawRectangle: $KeybdDrawRect$;
      }
      KeybdLabel
      {
            ID: 905;
            Class: SkinText;
            Coordinates: $KeybdLabelCoords$;
            Align: $KeybdLabelHAlign$;
            VAlign: $KeybdLabelVAlign$;
            TextColor: $KeybdLabelTxtColor$;
            BGMode: Transparent;
            Font: $KeybdLabelFont$;
      }
      KeybdCancelButton
      {
            ID: 901;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; // CANCEL marker
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            HKPush: $KEY_EVENT_CANCEL$;
      }

      KeybdOkayButton
      {
            ID: 900;
            Class: PushButton;
```

```
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: 4,0,180,30,30,9,9,255,0,255;  // OK marker
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            HKPush: $KEY_EVENT_OK$;
      }
}

OBNAssistedKeyboard
{
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      Font: 1;
      HKBackSpace: Back;
      EmptyStringNotAllowed: yo;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }

      KeybdDisplay
      {
            ID: 903;
            Class: StandardKeybdDisplay;
            Coordinates: $KeybdDisplayCoords$;
            TextCoordinates: $KeybdTextCoords$;
            TextColor: $KeybdTxtColor$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            CursorDist: $KeybdCursorDist$;
            DrawRectangle: $KeybdDrawRect$;
      }
      KeybdLabel
      {
            ID: 905;
            Class: SkinText;
            Coordinates: $KeybdLabelCoords$;
            Align: $KeybdLabelHAlign$;
            VAlign: $KeybdLabelVAlign$;
            TextColor: $KeybdLabelTxtColor$;
            BGMode: Transparent;
            Font: $KeybdLabelFont$;
      }

      KeybdOkayContinueButton
      {
            //ID: 900;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            Action: DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }
```

```
	CityStreetEntry
	{
		Class: SkinContainer;
		Form: CityStreetMatchesSubform;
	}

}

OBNAssistedCountryKeyboard
{
	BGColor: $AREA_BG_COLOR$;
	BGMode: opaque;
	Font: 1;
	HKBackSpace: Back;
	EmptyStringNotAllowed: yo;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: 0,0,480,35;
		BitmapReference: 193,0,0,480,35,0,0;
	}

	CountryCodeData
	{
		ID: 68;
		Class: DropDown;
		Coordinates: $KeybdCountryCodeCoords$;
		BitmapReference: $KeybdCountryCodeBMP$;
		DroppedCoordinates: $KeybdCountryCodeDroppedCoords$;
		iconhasnotext: yo;
		ListBox: CountryCodeTextListBox;
		ListBoxForm: FreeTargetAreaSubSkin;
		VAlign: center;
		TextHasIconIndex: yo;
		Layer: ontop;
		DDArrow: 144,3,2,9,4,40,16,255,0,255;
	}

	KeybdDisplay
	{
		ID: 903;
		Class: StandardKeybdDisplay;
		Coordinates: $KeybdDisplayWCountryCoords$;
		TextCoordinates: $KeybdTextWCountryCoords$;
		TextColor: $KeybdTxtColor$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		CursorDist: $KeybdCursorDist$;
		DrawRectangle: $KeybdDrawRect$;
	}
	KeybdLabel
	{
		ID: 905;
		Class: SkinText;
		Coordinates: $KeybdLabelWCountryCoords$;
		Align: $KeybdLabelHAlign$;
		VAlign: $KeybdLabelVAlign$;
		TextColor: $KeybdLabelTxtColor$;
		BGMode: Transparent;
		Font: $KeybdLabelFont$;
	}
```

```
	KeybdOkayContinueButton
	{
		//ID: 900;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  181,96,0,48,48,255,0,255;
		Pushed:   181,96,96,48,48,255,0,255;
		Icon: $BACK_ARROW_ICON$;
		PYOffset: 2;
		DisableFocus: yo;
		Layer: OnTop;
		Action: DestinationSC.65;
		HKPush: $KEY_EVENT_CANCEL$;
	}

	CityStreetEntry
	{
		Class: SkinContainer;
		Form: CityStreetMatchesSubform;
	}
}

OBNContInputKeyboard
{
	BGColor: $AREA_BG_COLOR$;
	BGMode: opaque;
	Font: 1;
	HKBackSpace: Back;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	KeybdDisplay
	{
		ID: 903;
		Class: StandardKeybdDisplay;
		Coordinates: $KeybdDisplayCoords$;
		TextCoordinates: $KeybdTextCoords$;
		TextColor: $KeybdTxtColor$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		CursorDist: $KeybdCursorDist$;
		DrawRectangle: $KeybdDrawRect$;
	}
	KeybdLabel
	{
		ID: 905;
		Class: SkinText;
		Coordinates: $KeybdLabelCoords$;
		Align: $KeybdLabelHAlign$;
		VAlign: $KeybdLabelVAlign$;
		TextColor: $KeybdLabelColor$;
		BGMode: Transparent;
		Font: $KeybdLabelFont$;
	}

	ContinueSubform
	{
		Class: SkinContainer;
		Form: ContCenterSubform;
	}
```

```
	KeybdOkayContinueButton
	{
		//ID: 900;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		Layer: OnTop;
		Action: DestinationSC.65;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}

CityStreetMatchesSubform
{
	Coordinates: 0,37,480,40;
	Layer: OnTop;

	StreetMatchesOneButton
	{
		ID: 10274;
		Class: PushButton;
		Coordinates: $RESULT_ONE_BUTTON_COORDS$;
		Enabled: 192,240,0,120,40,255,0,255;
		Focussed: 192,240,40,120,40,255,0,255;
		Pressed: 192,240,80,120,40,255,0,255;
		TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
		PYOffset: 2;
		Font: 7;
		DisableFocus: yo;
		HAlign: left;
		VAlign: center;
		WordBreak: yes;
		WordbreakChars: "/.- ";
		Layer: OnTop;
		Visibility: hidden;
		Action: DestinationSC.10274;
	}
	StreetMatchesTwoButton
	{
		ID: 10275;
		Class: PushButton;
		Coordinates: $RESULT_TWO_BUTTON_COORDS$;
		Enabled: 192,240,0,120,40,255,0,255;
		Focussed: 192,240,40,120,40,255,0,255;
		Pressed: 192,240,80,120,40,255,0,255;
		TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
		PYOffset: 2;
		Font: 7;
		DisableFocus: yo;
		HAlign: left;
		VAlign: center;
		WordBreak: yes;
		WordbreakChars: "/.- ";
		Layer: OnTop;
		Visibility: hidden;
		Action: DestinationSC.10275;
	}
	StreetMatchesThreeButton
```

Gelöscht: Wordbreak

Gelöscht: Wordbreak

```
{
	ID: 10276;
	Class: PushButton;
	Coordinates: $RESULT_THREE_BUTTON_COORDS$;
	Enabled: 192,240,0,120,40,255,0,255;
	Focussed: 192,240,40,120,40,255,0,255;
	Pressed: 192,240,80,120,40,255,0,255;
	TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
	PYOffset: 2;
	Font: 7;
	DisableFocus: yo;
	Wordbreak: yes;
	HAlign: left;
	VAlign: Center;
	WordbreakChars: "/.- ";
	Layer: OnTop;
	Visibility: hidden;
	Action: DestinationSC.10276;
}
MoreStreetMatchesButton
{
	ID: 10260;
	Class: PushButton;
	Coordinates: $MORE_RESULTS_BUTTON_COORDS$;
	Enabled: 192,360,0,120,40,255,0,255;
	Focussed: 192,360,40,120,40,255,0,255;
	Pressed: 192,360,80,120,40,255,0,255;
	PYOffset: 2;
	TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
	TextId: 30091;
	Font: 7;
	HAlign: left;
	VAlign: center;
	WordBreak: yes;
	WordBreakChars: " ";
	Layer: OnTop;
	Visibility: hidden;
	Action: DestinationSC.10260;
}

CityMatchesOneButton
{
	ID: 10277;
	Class: PushButton;
	Coordinates: $RESULT_ONE_BUTTON_COORDS$;
	Enabled: 191,240,0,120,40,255,0,255;
	Focussed: 191,240,40,120,40,255,0,255;
	Pressed: 191,240,80,120,40,255,0,255;
	TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
	PYOffset: 2;
	Font: 7;
	DisableFocus: yo;
	Layer: OnTop;
	TextColor: 255,255,255;
	HAlign: left;
	VAlign: center;
	WordBreak: yes;
	WordBreakChars: " ";
	Visibility: hidden;
	Action: DestinationSC.10277;
}
CityMatchesTwoButton
{
```

Gelöscht: Wordbreak

Gelöscht: ...WordbreakChars: "-";¶

```
		ID: 10278;
		Class: PushButton;
		Coordinates: $RESULT_TWO_BUTTON_COORDS$;
		Enabled: 191,240,0,120,40,255,0,255;
		Focussed: 191,240,40,120,40,255,0,255;
		Pressed: 191,240,80,120,40,255,0,255;
		TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
		PYOffset: 2;
		Font: 7;
		DisableFocus: yo;
		Layer: OnTop;
		TextColor: 255,255,255;
		HAlign: left;
		VAlign: center;
		WordBreak: yes;
		WordBreakChars: " ";
		Visibility: hidden;
		Action: DestinationSC.10278;
	}
	CityMatchesThreeButton
	{
		ID: 10279;
		Class: PushButton;
		Coordinates: $RESULT_THREE_BUTTON_COORDS$;
		Enabled: 191,240,0,120,40,255,0,255;
		Focussed: 191,240,40,120,40,255,0,255;
		Pressed: 191,240,80,120,40,255,0,255;
		TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
		PYOffset: 2;
		Font: 7;
		DisableFocus: yo;
		Layer: OnTop;
		TextColor: 255,255,255;
		HAlign: left;
		VAlign: center;
		WordBreak: yes;
		WordBreakChars: " ";
		Visibility: hidden;
		Action: DestinationSC.10279;
	}
	MoreCityMatchesButton
	{
		Class: PushButton;
		Coordinates: $MORE_RESULTS_BUTTON_COORDS$;
		Enabled: 191,360,0,120,40,255,0,255;
		Focussed: 191,360,40,120,40,255,0,255;
		Pressed: 191,360,80,120,40,255,0,255;
		PYOffset: 2;
		TextId: 30091;
		TextColor: 255,255,255;
		TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
		Font: 7;
		HAlign: left;
		VAlign: center;
		WordBreak: yes;
		WordBreakChars: " ";
		Layer: OnTop;
		Visibility: hidden;
		Action: DestinationSC.10260;
	}

	CityCenterButton
	{
```

Gelöscht: Wordbreak

Gelöscht: ...WordbreakChars: ";¶

Gelöscht: Wordbreak

Gelöscht: ...WordbreakChars: ";¶

```
                Class: PushButton;
                Coordinates: 0,0,240,40;
                Enabled: 192,0,0,240,40,255,0,255;
                Focussed: 192,0,40,240,40,255,0,255;
                Pressed: 192,0,80,240,40,255,0,255;
                PYOffset: 2;
                TextId: 10093;
                TextColor: 0,0,0;
                Font: 7;
                HAlign: center;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                Layer: OnTop;
                Visibility: hidden;
                Action: DestinationSC.10260;
        }

        POIMatchesButton
        {
                Class: PushButton;
                Coordinates: $MORE_RESULTS_BUTTON_COORDS$;
                Enabled: 192,360,0,120,40,255,0,255;
                Focussed: 192,360,40,120,40,255,0,255;
                Pressed: 192,360,80,120,40,255,0,255;
                PYOffset: 2;
                TextCoordinates: $MORE_RESULTS_BUTTON_TEXT_COORDS$;
                TextId: 30092;
                Font: 7;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                Layer: OnTop;
                Visibility: hidden;
                Action: DestinationSC.10249;
        }
}

ContCenterSubform
{
        Coordinates: 0,37,480,40;
        Layer: OnTop;

        StreetCenterButton
        {
                Class: PushButton;
                Coordinates: 0,0,240,40;
                Enabled: 192,0,0,240,40,255,0,255;
                Focussed: 192,0,40,240,40,255,0,255;
                Pressed: 192,0,80,240,40,255,0,255;
                PYOffset: 2;
                TextId: 10092;
                Layer: OnTop;
                Font: 7;
                HAlign: center;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                Action: DestinationSC.10727;
        }

        MoreHnrMatchesButton
```

```
        {
                Class: PushButton;
                Coordinates: $MORE_RESULTS_BUTTON_COORDS$;
                Enabled: 192,360,0,120,40,255,0,255;
                Focussed: 192,360,40,120,40,255,0,255;
                Pressed: 192,360,80,120,40,255,0,255;
                PYOffset: 2;
                TextCoordinates: $MORE_RESULTS_BUTTON_TEXT_COORDS$;
                TextId: 30093;
                Font: 7;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                Layer: OnTop;
                Visibility: hidden;
                Action: DestinationSC.10727;
        }

        POIMatchesButton
        {
                Class: PushButton;
                Coordinates: $MORE_RESULTS_BUTTON_COORDS$;
                Enabled: 192,360,0,120,40,255,0,255;
                Focussed: 192,360,40,120,40,255,0,255;
                Pressed: 192,360,80,120,40,255,0,255;
                PYOffset: 2;
                TextCoordinates: $MORE_RESULTS_BUTTON_TEXT_COORDS$;
                TextId: 30092;
                Font: 7;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                Layer: OnTop;
                Visibility: hidden;
                Action: DestinationSC.10249;
        }

}

RecentDestinationsSubform
{
        Coordinates: 0,37,480,40;
        Layer: OnTop;

        RecentOneButton
        {
                ID: 10280;
                Class: PushButton;
                Coordinates: $RESULT_ONE_BUTTON_COORDS$;
                Enabled: 191,240,0,120,40,255,0,255;
                Focussed: 191,240,40,120,40,255,0,255;
                Pressed: 191,240,80,120,40,255,0,255;
                TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
                HAlign: left;
                VAlign: center;
                PYOffset: 2;
                Font: 7;
                DisableFocus: yo;
                Visibility: hidden;
                Action: DestinationSC.10280;
        }
```

Gelöscht: WordbreakChars: "."

```
		RecentTwoButton
		{
			ID: 10281;
			Class: PushButton;
			Coordinates: $RESULT_TWO_BUTTON_COORDS$;
			Enabled: 191,240,0,120,40,255,0,255;
			Focussed: 191,240,40,120,40,255,0,255;
			Pressed: 191,240,80,120,40,255,0,255;
			TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
			HAlign: left;
			VAlign: center;
			PYOffset: 2;
			Font: 7;
			DisableFocus: yo;
			Visibility: hidden;
			Action: DestinationSC.10281;
		}
		RecentThreeButton
		{
			ID: 10282;
			Class: PushButton;
			Coordinates: $RESULT_THREE_BUTTON_COORDS$;
			Enabled: 191,240,0,120,40,255,0,255;
			Focussed: 191,240,40,120,40,255,0,255;
			Pressed: 191,240,80,120,40,255,0,255;
			TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
			HAlign: left;
			VAlign: center;
			PYOffset: 2;
			Font: 7;
			DisableFocus: yo;
			Visibility: hidden;
			Action: DestinationSC.10282;
		}
		AllRecentsButton
		{
			ID: 10260;
			Class: PushButton;
			Coordinates: $MORE_RESULTS_BUTTON_COORDS$;
			Enabled: 191,360,0,120,40,255,0,255;
			Focussed: 191,360,40,120,40,255,0,255;
			Pressed: 191,360,80,120,40,255,0,255;
			PYOffset: 2;
			TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
			TextId: 51201;
			Font: 7;
			HAlign: left;
			VAlign: center;
			Visibility: hidden;
			Wordbreak: yes;
			WordbreakChars:   " ";
			Action: DestinationSC.301;
		}
	}

	MainTextEntrySubForm
	{
		TitleBar
		{
			Class: SkinIcon;
			Coordinates: 0,0,480,35;
			BitmapReference: 194,0,0,438,35,0,0;
		}
```

Gelöscht: WordbreakChars: " "

Gelöscht: WordbreakChars: " "

```
        KeybdDisplay
        {
                ID: 903;
                Class: StandardKeybdDisplay;
                Coordinates: $KeybdDisplayCoords$;
                TextCoordinates: $KeybdTextCoords$;
                TextColor: $KeybdTxtColor$;
                BGColor: $AREA_HIGHLIGHT_COLOR$;
                CursorDist: $KeybdCursorDist$;
        }
        KeybdLabel
        {
                ID: 905;
                Class: SkinText;
                Coordinates: $KeybdLabelCoords$;
                Align: $KeybdLabelHAlign$;
                VAlign: $KeybdLabelVAlign$;
                TextColor: $KeybdLabelTxtColor$;
                BGMode: Transparent;
                Font: $KeybdLabelFont$;
        }
}

StreetMatchesSubForm
{
        Coordinates: 0,30,480,48;

        StreetMatchesOneButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 2,32,75,40;
                Enabled: 192,240,0,120,40,255,0,255;
                Focussed: 192,240,40,120,40,255,0,255;
                Pressed: 192,240,80,120,40,255,0,255;
                PYOffset: 2;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordbreakChars: "/.- ";
                DisableFocus: yo;
                Layer: OnTop;
        }
        StreetMatchesTwoButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 82,32,75,40;
                Enabled: 192,240,0,120,40,255,0,255;
                Focussed: 192,240,40,120,40,255,0,255;
                Pressed: 192,240,80,120,40,255,0,255;
                PYOffset: 2;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordbreakChars: "/.- ";
                DisableFocus: yo;
                Layer: OnTop;
        }
        StreetMatchesThreeButton
        {
                //ID:
                Class: PushButton;
```

```
                Coordinates: 162,32,75,40;
                Enabled: 192,240,0,120,40,255,0,255;
                Focussed: 192,240,40,120,40,255,0,255;
                Pressed: 192,240,80,120,40,255,0,255;
                PYOffset: 2;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordbreakChars: "/.- ";
                DisableFocus: yo;
                Layer: OnTop;
        }
        MoreStreetMatchesButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 242,32,75,40;
                Enabled: 192,360,0,120,40,255,0,255;
                Focussed: 192,360,40,120,40,255,0,255;
                Pressed: 192,360,80,120,40,255,0,255;
                PYOffset: 2;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordbreakChars: " ";
                DisableFocus: yo;
                Layer: OnTop;
                Action: DestinationSC.10249;
        }
}
CityMatchesSubform
{
        Visibility: hidden;

        CityMatchesOneButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 2,37,75,40;
                Enabled: 191,160,0,75,40,255,0,255;
                Focussed: 191,160,40,75,40,255,0,255;
                Pressed: 191,160,80,75,40,255,0,255;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                PYOffset: 2;
                DisableFocus: yo;
                Layer: OnTop;
        }
        CityMatchesTwoButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 82,37,75,40;
                Enabled: 191,160,0,75,40,255,0,255;
                Focussed: 191,160,40,75,40,255,0,255;
                Pressed: 191,160,80,75,40,255,0,255;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                PYOffset: 2;
```

Gelöscht: WordbreakChars: ".

Gelöscht: WordbreakChars: ".

```
                DisableFocus: yo;
                Layer: OnTop;
        }
        CityMatchesThreeButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 162,37,75,40;
                Enabled: 191,160,0,75,40,255,0,255;
                Focussed: 191,160,40,75,40,255,0,255;
                Pressed: 191,160,80,75,40,255,0,255;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                PYOffset: 2;
                DisableFocus: yo;
                Layer: OnTop;
        }
        MoreCityMatchesButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 242,37,75,40;
                Enabled: 191,245,0,75,40,255,0,255;
                Focussed: 191,245,40,75,40,255,0,255;
                Pressed: 191,245,80,75,40,255,0,255;
                PYOffset: 2;
                HAlign: left;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                DisableFocus: yo;
                Layer: OnTop;
                Action: DestinationSC.10249;
        }
}
StreetCenterSubform

{
        Visibility: hidden;

        StreetCenterButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 2,37,240,40;
                Enabled: 192,0,0,240,40,255,0,255;
                Focussed: 192,0,40,240,40,255,0,255;
                Pressed: 192,0,80,240,40,255,0,255;
                PYOffset: 2;
                HAlign: center;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                DisableFocus: yo;
                Layer: OnTop;
        }
}
CityCenterSubform
{
        Visibility: hidden;
```

Gelöscht: `WordbreakChars: "`

```
        CityCenterButton
        {
                //ID:
                Class: PushButton;
                Coordinates: 2,37,240,40;
                Enabled: 191,0,0,240,40,255,0,255;
                Focussed: 191,0,40,240,40,255,0,255;
                Pressed: 191,0,80,240,40,255,0,255;
                PYOffset: 2;
                HAlign: center;
                VAlign: center;
                WordBreak: yes;
                WordBreakChars: " ";
                DisableFocus: yo;
                Layer: OnTop;
        }
}

LicenseKeyboard
{
        Coordinates: 0,140,480,84;
        Background: 51,0,140,480,84,0,0;
        BGMode: opaque;
        //BGMode: transparent;
        Font: 1;
        HKBackSpace: Back;

        DeleteButton
        {
                ID: 913;
                Class: SecondMeaningButton;
                Coordinates: 427,1,46,30;
                Enabled:  240,0,0,46,30,255,0,255;
                Focussed: 240,0,30,46,30,255,0,255;
                Pushed:   240,0,60,46,30,255,0,255;
                Icon: 196,0,0,23,21,20,4,255,0,255;
                PYOffset: 1;
                Font: 7;
                HAlign: center;
                VAlign: center;
                SetFocusOnLoad: yo;
                Action: SettingSC.913;
                Layer: OnTop;
        }
}
KeybdMenu
{
        Coordinates: $CORNER_BUTTON_COORDS$;
        //BGMode: opaque;

}
KeyboardBlockAlphaBig
{
        Coordinates: 0,0,480,272;
        BGMode: transparent;
        TextColor: 0,0,0;


        DeleteButton
        {
                ID: 913;
                Class: SecondMeaningButton;
                Coordinates: 430,4,46,28;
```

```
      Enabled:  190,0,0,46,28,255,0,255;
      Focussed: 190,0,28,46,28,255,0,255;
      Pushed:   190,0,56,46,28,255,0,255;
      Icon: 196,0,0,23,21,20,3,255,0,255;
      PYOffset: 1;
      BGMode: Transparent;
      Semantics: down;
}

//      VoiceInputButton
//              {
//                  ID: 10262;
//                  Class: PushButton;
//                  Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
//        Enabled:  181,80,0,40,40,255,0,255;
//        Icon: 195,0,0,30,30,9,9,255,0,255;
//                  PYOffset: 1;
//                  BGMode: Transparent;
//                  Font: 7;
//                  HAlign: center;
//                  VAlign: center;
//                  Semantics: down;
//                  SetFocusOnLoad: yo;
//              //  Visibility: hidden;
//                  Action: DestinationSC.10262;
//              }
AButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "A^F7^";
      Letter: A;
}

BButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "B^F7^";
      Letter: B;
}

CButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
```

```
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "C^F7^";
      Letter: C;
}

DButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "D^F7^";
      Letter: D;
}

EButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "E^F7^";
      Letter: E;
}

FButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "F^F7^";
      Letter: F;
}

GButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
```

```
      Semantics: down;
      Text: "G^F7^";
      Letter: G;
}

HButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "H^F7^";
      Letter: H;
}

IButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "I^F7^";
      Letter: I;
}

JButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "J^F7^";
      Letter: J;
}

KButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "K^F7^";
      Letter: K;
```

```
}

LButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "L^F7^";
      Letter: L;
}

MButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "M^F7^";
      Letter: M;
}

NButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "N^F7^";
      Letter: N;
}

OButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "O^F7^";
      Letter: O;
}

PButton
```

```
{
      Class: PushButton;
      Coordinates:  $STANDARD_KEY_6x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "P^F7^";
      Letter: P;
}

QButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "Q^F7^";
      Letter: Q;
}

RButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "R^F7^";
      Letter: R;
}

SButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "S^F7^";
      Letter: S;
}

TButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x2$;
```

```
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "T^F7^";
      Letter: T;
}

ShiftButton
{
      ID: 911;
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Font: 7;
      //Text: "ÄÖ";
      Icon: 202,0,60,30,30,9,9;
      Semantics: down;
      BlockSkin: KeyboardBlockLowerCase;
}

UButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "U^F7^";
      Letter: U;
}

VButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "V^F7^";
      Letter: V;
}

WButton
{
      Class: PushButton;
```

```
      Coordinates: $STANDARD_KEY_4x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "W^F7^";
      Letter: W;
}

XButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "X^F7^";
      Letter: X;
}

YButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "Y^F7^";
      Letter: Y;
}

ZButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "Z^F7^";
      Letter: Z;
}

Spc
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
```

```
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Icon: 202,0,90,30,30,9,9;
      Letter: " ";
}

Minus
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "-^F7^";
      Letter: "-";
}

SymbolicButton
{
      ID: 915;
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      //Text: "^F7^^n^123";
      Icon: 202,0,0,30,30,9,9;
      BlockSkin: KeyboardBlockSymbolic;
}


//additional Text on Keys
AddKeyTextAButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_1x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "0";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextBButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_2x1$;
```

```
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "1";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextCButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_3x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "2";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextDButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_4x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "3";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextEButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_5x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "4";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextFButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_6x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "5";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextGButton
{
```

```
      Class: SkinText;
      Coordinates: $STANDARD_KEY_7x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "6";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextHButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_8x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "7";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextIButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_9x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "8";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextJButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_10x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "9";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextKButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_1x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: ".";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}
```

```
AddKeyTextLButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_2x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: ":";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextMButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_3x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: ",";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextNButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_4x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: ";";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextOButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_5x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "'";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}



AddKeyTextPButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_6x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "(";
```

```
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextQButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_7x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: ")";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextRButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_8x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "+";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextSButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_9x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "-";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextTButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_10x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "*";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextUButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_2x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
```

```
      VAlign: $AddKeyTxtVAlign$;
      Text: "#";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextVButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_3x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "~";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextWButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_4x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "&";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextXButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_5x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "!";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextYButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_6x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "?";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}



AddKeyTextZButton
```

```
	{
		Class: SkinText;
		Coordinates: $STANDARD_KEY_7x3$;
		TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
		HAlign: $AddKeyTxtHAlign$;
		VAlign: $AddKeyTxtVAlign$;
		Text: "%";
		TextColor: $AddKeyTxtColor$;
		Font: $AddKeyTxtFont$;
		TapMode: TapThrough;
	}



}
KeyboardBlockLowerCase
{
	Coordinates: 0,0,480,272;
	BGMode: transparent;
	TextColor: 0,0,0;



	DeleteButton
	{
		ID: 913;
		Class: SecondMeaningButton;
		Coordinates: 430,4,46,28;
		Enabled:  190,0,0,46,28,255,0,255;
		Focussed: 190,0,28,46,28,255,0,255;
		Pushed:   190,0,56,46,28,255,0,255;
		Icon: 196,0,0,23,21,20,3,255,0,255;
		PYOffset: 1;
		BGMode: Transparent;
		Semantics: down;
	}

	//	VoiceInputButton
	//	{
	//		Class: PushButton;
	//		Coordinates: 261,30,60,40;
	//		Enabled:  136,0,0,60,40,255,0,255;
	//		Focussed: 136,0,40,60,40,255,0,255;
	//		Pushed:   136,0,80,60,40,255,0,255;
	//		Disabled: 136,0,120,60,40,255,0,255;
	//	//	Icon: 137,0,0,50,29,5,5,255,0,255;
	//		PYOffset: 1;
	//		BGMode: Transparent;
	//		Font: 7;
	//		HAlign: center;
	//		VAlign: center;
	//	//	DeleteMode: All;
	//		Semantics: down;
	//		SetFocusOnLoad: yo;
	//		Visibility: hidden;
	//	}

	AButton
	{
		Class: PushButton;
		Coordinates: $STANDARD_KEY_1x1$;
		Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
```

```
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Switchback: KeyboardBlockAlphaBig;
      Semantics: down;
      Text: "Ä";
      Letter: "Ä";
}

BButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ã";
      Letter: "Ã";
}

CButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Â";
      Letter: "Â";
}

DButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Á";
      Letter: "Á";
}
```

```
EButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "À";
      Letter: "À";
}

FButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text:   "Å";
      Letter: "Å";
}

GButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Æ";
      Letter: "Æ";
}

HButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
```

```
      Semantics: down;
      Text: "Ç";
      Letter: "Ç";
}

IButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ë";
      Letter: "Ë";
}

JButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ê";
      Letter: "Ê";
}

KButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "É";
      Letter: "É";

}

LButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
```

```
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "È";
      Letter: "È";
}

MButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ï";
      Letter: "Ï";

}

NButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      Switchback: KeyboardBlockAlphaBig;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Î";
      Letter: "Î";
}

OButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      Switchback: KeyboardBlockAlphaBig;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Í";
      Letter: "Í";
}
```

```
PButton
{
      Class: PushButton;
      Coordinates:  $STANDARD_KEY_6x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ì";
      Letter: "Ì";
}

QButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ñ";
      Letter: "Ñ";
}

RButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ö";
      Letter: "Ö";
}

SButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
```

```
      Semantics: down;
      Text: "Õ";
      Letter: "Õ";
}

TButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ô";
      Letter: "Ô";
}

ShiftButton
{
      ID: 910;
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Font: 7;
      //Text: "ABC";
      Icon: 202,0,30,30,30,9,9;
      Semantics: down;
      BlockSkin: KeyboardBlockAlphaBig;
}

UButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ó";
      Letter: "Ó";
}

VButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
```

```
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ò";
      Letter: "Ò";
}

WButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ø";
      Letter: "Ø";
}

XButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ü";
      Letter: "Ü";
}
YButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Û";
      Letter: "Û";
}
ZButton
{
```

```
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ú";
      Letter: "Ú";
}
AumlButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "Ù";
      Letter: "Ù";
}
OumlButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      Switchback: KeyboardBlockAlphaBig;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text:"Ý";
      Letter: "Ý";
}
SymbolicButton
{
      ID: 915;
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      //Text: "^F7^^n^123";
      Icon: 202,0,0,30,30,9,9;
      BlockSkin: KeyboardBlockSymbolic;
}
```

```
}

KeyboardBlockSymbolic
{
      Coordinates: 0,0,480,272;
      BGMode: transparent;
      TextColor: 0,0,0;



      DeleteButton
      {
            ID: 913;
            Class: SecondMeaningButton;
            Coordinates: 430,4,46,28;
            Enabled:  190,0,0,46,28,255,0,255;
            Focussed: 190,0,28,46,28,255,0,255;
            Pushed:   190,0,56,46,28,255,0,255;
            Icon: 196,0,0,23,21,20,3,255,0,255;
            PYOffset: 1;
            BGMode: Transparent;
            Semantics: down;
      }
      AButton
      {
            Class: PushButton;
            Coordinates: $STANDARD_KEY_1x1$;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            BGMode: Transparent;
            TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
            Semantics: down;
            Text: "0^F7^";
            Letter: "0";
      }


      BButton
      {
            Class: PushButton;
            Coordinates: $STANDARD_KEY_2x1$;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            BGMode: Transparent;
            TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
            Semantics: down;
            Text: "1^F7^";
            Letter: "1";

      }

      CButton
      {
            Class: PushButton;
            Coordinates: $STANDARD_KEY_3x1$;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
```

```
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "2^F7^";
      Letter: "2";
}

DButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "3^F7^";
      Letter: "3";
}

EButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "4^F7^";
      Letter: "4";
}

FButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "5^F7^";
      Letter: "5";
}

GButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
```

```
      Semantics: down;
      Text: "6^F7^";
      Letter: "6";
}

HButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "7^F7^";
      Letter: "7";
}

IButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "8^F7^";
      Letter: "8";
}

JButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x1$;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "9^F7^";
      Letter: "9";
}

KButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: ".^F7^";
      Letter: ".";
}
```

```
LButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: ":^F7^";
      Letter: ":";
}

MButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: ",^F7^";
      Letter: ",";
}

NButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: ";^F7^";
      Letter: ";";
}

OButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "'^F7^";
      Letter: "'";
}
```

```
PButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "(^F7^";
      Letter: "(";
}

QButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: ")^F7^";
      Letter: ")";
}

RButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "+^F7^";
      Letter: "+";
}

SButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "-^F7^";
      Letter: "-";
}

TButton
{
      Class: PushButton;
```

```
      Coordinates: $STANDARD_KEY_10x2$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "*^F7^";
      Letter: "*";
}




ShiftButton
{
      ID: 911;
      Class: PushButton;
      Coordinates: $STANDARD_KEY_1x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Font: 7;
      //Text: "ÄÖ";
      Icon: 202,0,60,30,30,9,9;
      Semantics: down;
      BlockSkin: KeyboardBlockLowerCase;
}

UButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_2x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "#^F7^";
      Letter: "#";
}

VButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_3x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "~^F7^";
      Letter: "~";
```

```
}

WButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_4x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "&^F7^";
      Letter: "&";
}

XButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_5x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "!^F7^";
      Letter: "!";
}

YButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_6x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "?^F7^";
      Letter: "?";
}



ZButton
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_7x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      TextCoordinates: $STANDARD_KEY_TEXT_COORDS$;
      Semantics: down;
      Text: "%^F7^";
      Letter: "%";
}
```

```
Spc
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_8x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Icon:   202,0,90,30,30,9,9;
      Letter: " ";
}
Minus
{
      Class: PushButton;
      Coordinates: $STANDARD_KEY_9x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: "-^F7^";
      Letter: "-";
}

AlphaBigButton
{
      ID: 910;
      Class: PushButton;
      Coordinates: $STANDARD_KEY_10x3$;
      Enabled:  $KEYPAD_RIGHT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_RIGHT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_RIGHT_BUTTON_PUSHED$;
      PYOffset: 1;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      //Text: "^F7^^n^ABC";
      Icon: 202,0,30,30,30,9,9;
      BlockSkin: KeyboardBlockAlphaBig;
}

//additional Text on Keys
AddKeyTextAButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_1x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "A";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}
```

```
AddKeyTextBButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_2x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "B";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextCButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_3x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "C";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextDButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_4x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "D";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextEButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_5x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "E";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextFButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_6x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "F";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
```

```
}

AddKeyTextGButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_7x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "G";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextHButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_8x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "H";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}


AddKeyTextIButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_9x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "I";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextJButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_10x1$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "J";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextKButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_1x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "K";
```

```
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextLButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_2x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "L";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextMButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_3x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "M";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextNButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_4x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "N";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextOButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_5x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "O";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextPButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_6x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
```

```
      VAlign: $AddKeyTxtVAlign$;
      Text: "P";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}


AddKeyTextQButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_7x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "Q";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextRButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_8x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "R";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextSButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_9x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "S";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextTButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_10x2$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "T";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextUButton
{
      Class: SkinText;
```

```
      Coordinates: $STANDARD_KEY_2x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "U";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextVButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_3x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "V";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextWButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_4x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "W";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}

AddKeyTextXButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_5x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "X";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}


AddKeyTextYButton
{
      Class: SkinText;
      Coordinates: $STANDARD_KEY_6x3$;
      TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
      HAlign: $AddKeyTxtHAlign$;
      VAlign: $AddKeyTxtVAlign$;
      Text: "Y";
      TextColor: $AddKeyTxtColor$;
      Font: $AddKeyTxtFont$;
      TapMode: TapThrough;
}
```

```
      AddKeyTextZButton
      {
            Class: SkinText;
            Coordinates: $STANDARD_KEY_7x3$;
            TextCoordinates: $ADDITIONAL_TEXT_COORDS$;
            HAlign: $AddKeyTxtHAlign$;
            VAlign: $AddKeyTxtVAlign$;
            Text: "Z";
            TextColor: $AddKeyTxtColor$;
            Font: $AddKeyTxtFont$;
            TapMode: TapThrough;
      }


}
KeyboardBlockNumericOnly //used for unlock Map
{
      Coordinates: 0,36,480,48;
      BGMode: transparent;

      Button0
      {
            Class: PushButton;
            Coordinates: 0,0,48,48;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 0;
            Letter: 0;
      }
      Button1
      {
            Class: PushButton;
            Coordinates: 48,0,48,48;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 1;
            Letter: 1;
      }
      Button2
      {
            Class: PushButton;
            Coordinates: 96,0,48,48;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 2;
            Letter: 2;
      }
      Button3
```

```
{
      Class: PushButton;
      Coordinates: 144,0,48,48;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 3;
      Letter: 3;
}
Button4
{
      Class: PushButton;
      Coordinates: 192,0,48,48;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 4;
      Letter: 4;
}
Button5
{
      Class: PushButton;
      Coordinates: 240,0,48,48;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 5;
      Letter: 5;
}
Button6
{
      Class: PushButton;
      Coordinates: 288,0,48,48;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 6;
      Letter: 6;
}
Button7
{
      Class: PushButton;
      Coordinates: 336,0,48,48;
      Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
      Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
      Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
      PYOffset: 1;
```

```
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 7;
            Letter: 7;
      }
      Button8
      {
            Class: PushButton;
            Coordinates: 384,0,48,48;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 8;
            Letter: 8;
      }
      Button9
      {
            Class: PushButton;
            Coordinates: 432,0,48,48;
            Enabled:  $KEYPAD_LEFT_BUTTON_ENABLED$;
            Focussed: $KEYPAD_LEFT_BUTTON_FOCUSSED$;
            Pushed:   $KEYPAD_LEFT_BUTTON_PUSHED$;
            PYOffset: 1;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 9;
            Letter: 9;
      }
}
KeyboardBlockNumeric
{
      Coordinates: 0,0,240,120;
      BGMode: transparent;

      // ersetzen Thomas
      DeleteButton
      {
            ID: 913;
            Class: PushButton;
            Coordinates: 165,0,60,40;
            Enabled:  136,0,0,60,40,255,0,255;
            Focussed: 136,0,40,60,40,255,0,255;
            Pushed:   136,0,80,60,40,255,0,255;
            Disabled: 136,0,120,60,40,255,0,255;
            //            Icon: 137,0,29,30,20,15,10,255,0,255;
            PYOffset: 1;
            Font: 7;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            SetFocusOnLoad: yo;
      }
      Button1
      {
            Class: PushButton;
            Coordinates: 20,40,40,40;
            Enabled:  125,0,0,40,40,255,0,255;
```

```
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 1;
      Letter: 1;
}
Button2
{
      Class: PushButton;
      Coordinates: 60,40,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 2;
      Letter: 2;
}
Button3
{
      Class: PushButton;
      Coordinates: 100,40,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 3;
      Letter: 3;
}
Button4
{
      Class: PushButton;
      Coordinates: 140,40,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 4;
      Letter: 4;
}
Button5
{
      Class: PushButton;
      Coordinates: 180,40,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
```

```
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 5;
      Letter: 5;
}
Button6
{
      Class: PushButton;
      Coordinates: 20,80,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 6;
      Letter: 6;
}
Button7
{
      Class: PushButton;
      Coordinates: 60,80,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 7;
      Letter: 7;
}
Button8
{
      Class: PushButton;
      Coordinates: 100,80,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
      Semantics: down;
      Text: 8;
      Letter: 8;
}
Button9
{
      Class: PushButton;
      Coordinates: 140,80,40,40;
      Enabled:  125,0,0,40,40,255,0,255;
      Focussed: 125,0,40,40,40,255,0,255;
      Pushed:   125,0,80,40,40,255,0,255;
      Disabled: 125,0,120,40,40,255,0,255;
      PYOffset: 1;
      HAlign: center;
      VAlign: center;
```

```
            Semantics: down;
            Text: 9;
            Letter: 9;
      }
      Button0
      {
            Class: PushButton;
            Coordinates: 180,80,40,40;
            Enabled:  125,0,0,40,40,255,0,255;
            Focussed: 125,0,40,40,40,255,0,255;
            Pushed:   125,0,80,40,40,255,0,255;
            Disabled: 125,0,120,40,40,255,0,255;
            PYOffset: 1;
            HAlign: center;
            VAlign: center;
            Semantics: down;
            Text: 0;
            Letter: 0;
      }
}

PhoneInputKeyboard
{
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      Font: 1;
      HKBackSpace: Back;
      EmptyStringNotAllowed: yo;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }

      KeybdDisplay
      {
            ID:   903;
            Class: PhoneKeybdDisplay;
            Coordinates: $KeybdDisplayCoords$;
            TextCoordinates: $KeybdTextCoords$;
            TextColor: 0,0,0;
            VCColor: 0,0,0;
            IVCColor: 50,50,50;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGmode:     opaque;
            CursorDist: 1;
            DrawRectangle: yo;
      }

      KeybdLabel
      {
            ID: 905;
            Class: SkinText;
            Coordinates: $KeybdLabelCoords$;
            Align: $KeybdLabelHAlign$;
            VAlign: $KeybdLabelVAlign$;
            TextColor: $KeybdLabelTxtColor$;
            BGMode: Transparent;
            Font: $KeybdLabelFont$;
      }
```

```
	LettersLabel
	{
		ID: 10192;
		Class: SkinText;
		Coordinates: $LETTERS_LABEL_COORDS$;
		TextCoordinates: $LETTERS_TEXT_COORDS$;
		Text: $LETTERS_FORMAT$;
		HAlign: left;
		VAlign: center;
		TextColor: 0,0,0;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		Border: 1;
	  BorderColor: 0,0,0;
		Font: 9;
		Layer: OnTop;
	}

	KeybdCancelButton
	{
		ID: 901;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		Layer: OnTop;
		HKPush: $KEY_EVENT_CANCEL$;
	}

	KeybdOkayButton
	{
		ID: 900;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $OK_ICON$;// OK Marker
		PYOffset: 2;
		DisableFocus: yo;
		HKPush: $KEY_EVENT_OK$;
		Layer: OnTop;
	}
}

PhoneContInputKeyboard
{
	BGColor: $AREA_BG_COLOR$;
	BGMode: opaque;
	Font: 1;
	HKBackSpace: Back;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}

	KeybdDisplay
	{
```

```
      ID:   903;
      Class: PhoneKeybdDisplay;
      Coordinates: $KeybdDisplayCoords$;
      TextCoordinates: $KeybdTextCoords$;
      TextColor: 0,0,0;
      VCColor: 0,0,0;
      IVCColor: 50,50,50;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGmode:     opaque;
      CursorDist: 1;
      DrawRectangle: yo;
}

KeybdLabel
{
      ID: 905;
      Class: SkinText;
      Coordinates: $KeybdLabelCoords$;
      Align: $KeybdLabelHAlign$;
      VAlign: $KeybdLabelVAlign$;
      TextColor: $KeybdLabelTxtColor$;
      BGMode: Transparent;
      Font: $KeybdLabelFont$;
}

ContinueSubform
{
      Class: SkinContainer;
      Form: ContCenterSubform;
}

LettersLabel
{
      ID: 10192;
      Class: SkinText;
      Coordinates: $LETTERS_LABEL_COORDS$;
      TextCoordinates: $LETTERS_TEXT_COORDS$;
      Text: $LETTERS_FORMAT$;
      HAlign: left;
      VAlign: center;
      TextColor: 0,0,0;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      Border: 1;
      BorderColor: 0,0,0;
      Font: 9;
      Layer: OnTop;
}

KeybdOkayContinueButton
{
      ID: 10247;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
      DisableFocus: yo;
      Layer: OnTop;
      HKPush: $KEY_EVENT_CANCEL$;
      Action: DestinationSC.65;
}
```

```
}

PhoneKeyboardBlockAlpha
{
      Coordinates: 0,0,480,272;
      BGMode: transparent;
      TextColor: 0,0,0;

      DeleteButton
      {
            ID: 913;
            Class: SecondMeaningButton;
            Coordinates: 430,4,46,28;
            Enabled:  190,0,0,46,28,255,0,255;
            Focussed: 190,0,28,46,28,255,0,255;
            Pushed:   190,0,56,46,28,255,0,255;
            Icon: 196,0,0,23,21,20,3,255,0,255;
            PYOffset: 1;
            BGMode: Transparent;
            Semantics: down;
      }

      ButtonPlusMinus
      {
            ID: 10194;
            Class: NStateButton;
            Coordinates: $PHONE_KEY_1x1$;
            TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
            Font: $PHONE_KEY_FONT$;
            Enabled1: $PHONE_BUTTON_ENABLED$;
            Focussed1: $PHONE_BUTTON_FOCUSSED$;
            Pushed1: $PHONE_BUTTON_PUSHED$;
            Disabled1: $PHONE_BUTTON_DISABLED$;
            PYOffset: 2;
            PYOffset: 1;
            States: 6;
            HAlign: left;
            VAlign: center;
            Semantics: down;
            Text1: "- + *";
            Text2: "- + *";
            Text3: "- + *";
            Text4: "- + *";
            Text5: "- + *";
            Text6: "- + *";
            Letters: "-+*()=";
      }

      ButtonABC
      {
            ID:   10193;
            Class: NStateButton;
            Coordinates: $PHONE_KEY_2x1$;
            TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
            Font: $PHONE_KEY_FONT$;
            Enabled1: $PHONE_BUTTON_ENABLED$;
            Focussed1: $PHONE_BUTTON_FOCUSSED$;
            Pushed1: $PHONE_BUTTON_PUSHED$;
            Disabled1: $PHONE_BUTTON_DISABLED$;
            PYOffset: 2;
            States:     11;
            BGMode:     Transparent;
```

```
        HAlign:     left;
        VAlign:     center;
        Semantics: down;
        Text1: "ABC";
        Text2: "ABC";
        Text3: "ABC";
        Text4: "ABC";
        Text5: "ABC";
        Text6: "ABC";
        Text7: "ABC";
        Text8: "ABC";
        Text9: "ABC";
        Text10:     "ABC";
        Text11:     "ABC";
        Letters: "ABCÄÀÁÂÃÅÆÇ";
}

ButtonDEF
{
        ID:   10195;
        Class: NStateButton;
        Coordinates: $PHONE_KEY_3x1$;
        TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
        Font: $PHONE_KEY_FONT$;
        Enabled1: $PHONE_BUTTON_ENABLED$;
        Focussed1: $PHONE_BUTTON_FOCUSSED$;
        Pushed1: $PHONE_BUTTON_PUSHED$;
        Disabled1: $PHONE_BUTTON_DISABLED$;
        PYOffset: 2;
        States:     8;
        HAlign:     left;
        VAlign:     center;
        Semantics: down;
        Text1: "DEF";
        Text2: "DEF";
        Text3: "DEF";
        Text4: "DEF";
        Text5: "DEF";
        Text6: "DEF";
        Text7: "DEF";
        Text8: "DEF";
        Letters: "DEFÐËÈÉÊ";
}

ButtonSpace
{
        //ID: 10194;
        Class: PushButton;
        Coordinates: $PHONE_KEY_4x1$;
        TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
        //Font: $PHONE_KEY_FONT$;
        Enabled: $PHONE_BUTTON_ENABLED$;
        Focussed: $PHONE_BUTTON_FOCUSSED$;
        Pushed: $PHONE_BUTTON_PUSHED$;
        Disabled: $PHONE_BUTTON_DISABLED$;
        PYOffset: 2;
        PYOffset: 1;
        HAlign:     center;
        VAlign:     center;
        Semantics: down;
          Icon: 202,0,90,30,30,15,11,255,0,255;
        Letters: " ";
}
```

Gelöscht: ABCÄÆÃÀÁÂÅÇ

Gelöscht: DEFÐÈÉÊË

```
ButtonGHI
{
	ID:   10196;
	Class: NStateButton;
	Coordinates: $PHONE_KEY_1x2$;
	TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
	Font: $PHONE_KEY_FONT$;
	Enabled1: $PHONE_BUTTON_ENABLED$;
	Focussed1: $PHONE_BUTTON_FOCUSSED$;
	Pushed1: $PHONE_BUTTON_PUSHED$;
	Disabled1: $PHONE_BUTTON_DISABLED$;
	PYOffset: 2;
	States:     7;
	HAlign:     left;
	VAlign:     center;
	Semantics: down;
	Text1: "GHI";
	Text2: "GHI";
	Text3: "GHI";
	Text4: "GHI";
	Text5: "GHI";
	Text6: "GHI";
	Text7: "GHI";
	Letters: "GHIÏÌÍÎ";
}

ButtonJKL
{
	ID:   10197;
	Class: NStateButton;
	Coordinates: $PHONE_KEY_2x2$;
	TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
	Font: $PHONE_KEY_FONT$;
	Enabled1: $PHONE_BUTTON_ENABLED$;
	Focussed1: $PHONE_BUTTON_FOCUSSED$;
	Pushed1: $PHONE_BUTTON_PUSHED$;
	Disabled1: $PHONE_BUTTON_DISABLED$;
	PYOffset: 2;
	States:     3;
	HAlign:     left;
	VAlign:     center;
	Semantics: down;
	Text1: "JKL";
	Text2: "JKL";
	Text3: "JKL";
	Letters: "JKL";
}

ButtonMNO
{
	ID:   10198;
	Class: NStateButton;
	Coordinates: $PHONE_KEY_3x2$;
	TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
	Font: $PHONE_KEY_FONT$;
	Enabled1: $PHONE_BUTTON_ENABLED$;
	Focussed1: $PHONE_BUTTON_FOCUSSED$;
	Pushed1: $PHONE_BUTTON_PUSHED$;
	Disabled1: $PHONE_BUTTON_DISABLED$;
	PYOffset: 2;
	States:     10;
	HAlign:     left;
```

Gelöscht: GHIÌÍÎÏ

```
	VAlign:     center;
	Semantics: down;
	Text1: "MNO";
	Text2: "MNO";
	Text3: "MNO";
	Text4: "MNO";
	Text5: "MNO";
	Text6: "MNO";
	Text7: "MNO";
	Text8: "MNO";
	Text9: "MNO";
	Text10:     "MNO";
	Letters: "MNOÑÖÒÓÔÕØ";
}

ButtonNumeric
{
	ID: 912;
	Class: PushButton;
	Coordinates: $PHONE_KEY_4x2$;
	TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
	Font: $PHONE_KEY_FONT$;
	Enabled: $PHONE_BUTTON_ENABLED$;
	Focussed: $PHONE_BUTTON_FOCUSSED$;
	Pushed: $PHONE_BUTTON_PUSHED$;
	Disabled: $PHONE_BUTTON_DISABLED$;
	PYOffset: 2;
	HAlign:     center;
	VAlign:     center;
	Semantics: down;
	//Text: "123";
	Icon: 202,0,0,30,30,15,11,255,0,255;
	BlockSkin: PhoneKeyboardBlockNumeric;
}

ButtonPQRS
{
	ID:   10199;
	Class: NStateButton;
	Coordinates: $PHONE_KEY_1x3$;
	TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
	Font: $PHONE_KEY_FONT$;
	Enabled1: $PHONE_BUTTON_ENABLED$;
	Focussed1: $PHONE_BUTTON_FOCUSSED$;
	Pushed1: $PHONE_BUTTON_PUSHED$;
	Disabled1: $PHONE_BUTTON_DISABLED$;
	PYOffset: 2;
	States:     4;
	HAlign:     left;
	VAlign:     center;
	Semantics: down;
	Text1: "PQRS";
	Text2: "PQRS";
	Text3: "PQRS";
	Text4: "PQRS";
	Letters: "PQRS";
}

ButtonTUV
{
	ID:   10214;
	Class: NStateButton;
	Coordinates: $PHONE_KEY_2x3$;
```

Gelöscht: MNOÑÖÓÔÕØ

```
        TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
        Font: $PHONE_KEY_FONT$;
        Enabled1: $PHONE_BUTTON_ENABLED$;
        Focussed1: $PHONE_BUTTON_FOCUSSED$;
        Pushed1: $PHONE_BUTTON_PUSHED$;
        Disabled1: $PHONE_BUTTON_DISABLED$;
        PYOffset: 2;
        States:     7;
        HAlign:     left;
        VAlign:     center;
        Semantics: down;
        Text1: "TUV";
        Text2: "TUV";
        Text3: "TUV";
        Text4: "TUV";
        Text5: "TUV";
        Text6: "TUV";
        Text7: "TUV";
        Letters: "TUVÜÙÚÛ";
}

ButtonWXYZ
{
        ID: 10215;
        Class: NStateButton;
        Coordinates: $PHONE_KEY_3x3$;
        TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
        Font: $PHONE_KEY_FONT$;
        Enabled1: $PHONE_BUTTON_ENABLED$;
        Focussed1: $PHONE_BUTTON_FOCUSSED$;
        Pushed1: $PHONE_BUTTON_PUSHED$;
        Disabled1: $PHONE_BUTTON_DISABLED$;
        PYOffset: 2;
        States:     5;
        HAlign:     left;
        VAlign:     center;
        Semantics: down;
        Text1: "WXYZ";
        Text2: "WXYZ";
        Text3: "WXYZ";
        Text4: "WXYZ";
        Text5: "WXYZ";
        Letters: "WXYZÝ";
}

ButtonRhombus
{
        ID: 10290;
        Class: NStateButton;
        Coordinates: $PHONE_KEY_4x3$;
        TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
        Font: $PHONE_KEY_FONT$;
        Enabled1: $PHONE_BUTTON_ENABLED$;
        Focussed1: $PHONE_BUTTON_FOCUSSED$;
        Pushed1: $PHONE_BUTTON_PUSHED$;
        Disabled1: $PHONE_BUTTON_DISABLED$;
        PYOffset: 2;
        PYOffset: 1;
        States: 7;
        HAlign: left;
        VAlign: center;
        Semantics: down;
        Text1: "# , ;";
```

Gelöscht: TUVÙÚÛÜ

Gelöscht: 8

```
            Text2: "# , ;";
            Text3: "# , ;";
            Text4: "# , ;";
            Text5: "# , ;";
            Text6: "# , ;";
            Text7: "# , ;";
            Text8: "# , ;";
            Letters: "#,;:'\/";
        }

    //additional Text on Keys
        AddKeyText1Button
        {
            Class: SkinText;
            Coordinates: $PHONE_KEY_1x1$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "1";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
        }

        AddKeyText2Button
        {
            Class: SkinText;
            Coordinates: $PHONE_KEY_2x1$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "2";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
        }
        AddKeyText3Button
        {
            Class: SkinText;
            Coordinates: $PHONE_KEY_3x1$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "3";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
        }
        AddKeyText4Button
        {
            Class: SkinText;
            Coordinates: $PHONE_KEY_1x2$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "4";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
        }
        AddKeyText5Button
        {
            Class: SkinText;
```

```
      Coordinates: $PHONE_KEY_2x2$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "5";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText6Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_3x2$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "6";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText7Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_1x3$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "7";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText8Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_2x3$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "8";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText9Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_3x3$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "9";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}

AddKeyText0Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_4x3$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
```

```
            HAlign: right;
            VAlign: top;
            Text: "0";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
      }
}

PhoneKeyboardBlockNumeric
{
      Coordinates: 0,0,480,272;
      BGMode: transparent;
      TextColor: 0,0,0;

      DeleteButton
      {
            ID: 913;
            Class: SecondMeaningButton;
            Coordinates: 430,4,46,28;
            Enabled:  190,0,0,46,28,255,0,255;
            Focussed: 190,0,28,46,28,255,0,255;
            Pushed:   190,0,56,46,28,255,0,255;
            Icon: 196,0,0,23,21,20,3,255,0,255;
            PYOffset: 1;
            BGMode: Transparent;
            Semantics: down;
      }

      Button1
      {
            Class: PushButton;
            Coordinates: $PHONE_KEY_1x1$;
            TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
            Font: $PHONE_KEY_FONT$;
            Enabled: $PHONE_BUTTON_ENABLED$;
            Focussed: $PHONE_BUTTON_FOCUSSED$;
            Pushed: $PHONE_BUTTON_PUSHED$;
            Disabled: $PHONE_BUTTON_DISABLED$;
            PYOffset: 2;
            HAlign:     left;
            VAlign:     center;
            Semantics: down;
            Text: 1;
            Letter: 1;
      }
      Button2
      {
            Class: PushButton;
            Coordinates: $PHONE_KEY_2x1$;
            TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
            Font: $PHONE_KEY_FONT$;
            Enabled: $PHONE_BUTTON_ENABLED$;
            Focussed: $PHONE_BUTTON_FOCUSSED$;
            Pushed: $PHONE_BUTTON_PUSHED$;
            Disabled: $PHONE_BUTTON_DISABLED$;
            PYOffset: 2;
            HAlign:     left;
            VAlign:     center;
            Semantics: down;
            Text: 2;
            Letter:     2;
      }
```

```
Button3
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_3x1$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 3;
      Letter:     3;
}
ButtonSpace
{
      //ID: 10194;
      Class: PushButton;
      Coordinates: $PHONE_KEY_4x1$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      PYOffset: 1;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
        Icon: 202,0,90,30,30,15,11,255,0,255;
      Letters: " ";
}
Button4
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_1x2$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 4;
      Letter:     4;
}
Button5
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_2x2$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
```

```
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 5;
      Letter:     5;
}
Button6
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_3x2$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 6;
      Letter:     6;
}
ButtonAlpha
{
      ID:   910;
      Class: PushButton;
      Coordinates: $PHONE_KEY_4x2$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     center;
      VAlign:     center;
      Semantics: down;
      //Text: "ABC";
      Icon: 202,0,30,30,30,15,11,255,0,255;
      BlockSkin: PhoneKeyboardBlockAlpha;
}
Button7
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_1x3$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 7;
      Letter:     7;
}
Button8
{
      Class: PushButton;
```

```
      Coordinates: $PHONE_KEY_2x3$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 8;
      Letter:     8;
}
Button9
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_3x3$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 9;
      Letter:     9;
}

Button0
{
      Class: PushButton;
      Coordinates: $PHONE_KEY_4x3$;
      TextCoordinates: $PHONE_KEY_TEXT_COORDS$;
      Font: $PHONE_KEY_FONT$;
      Enabled: $PHONE_BUTTON_ENABLED$;
      Focussed: $PHONE_BUTTON_FOCUSSED$;
      Pushed: $PHONE_BUTTON_PUSHED$;
      Disabled: $PHONE_BUTTON_DISABLED$;
      PYOffset: 2;
      HAlign:     left;
      VAlign:     center;
      Semantics: down;
      Text: 0;
      Letter:     0;
}

//additional Text on Keys
AddKeyText1Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_1x1$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "- + *";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
```

```
AddKeyText2Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_2x1$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "ABC";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText3Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_3x1$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "DEF";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText4Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_1x2$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "GHI";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText5Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_2x2$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "JKL";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText6Button
{
      Class: SkinText;
      Coordinates: $PHONE_KEY_3x2$;
      TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
      HAlign: right;
      VAlign: top;
      Text: "MNO";
      TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
      Font: $PHONE_ADDITIONAL_TEXT_FONT$;
      TapMode: TapThrough;
}
AddKeyText7Button
{
      Class: SkinText;
```

```
            Coordinates: $PHONE_KEY_1x3$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "PQR";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
      }
      AddKeyText8Button
      {
            Class: SkinText;
            Coordinates: $PHONE_KEY_2x3$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "TUV";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
      }
      AddKeyText9Button
      {
            Class: SkinText;
            Coordinates: $PHONE_KEY_3x3$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "WXYZ";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
      }
      AddKeyText0Button
      {
            Class: SkinText;
            Coordinates: $PHONE_KEY_4x3$;
            TextCoordinates: $PHONE_ADDITIONAL_TEXT_COORDS$;
            HAlign: right;
            VAlign: top;
            Text: "# , ;";
            TextColor: $PHONE_ADDITIONAL_TEXT_COLOR$;
            Font: $PHONE_ADDITIONAL_TEXT_FONT$;
            TapMode: TapThrough;
      }
}

ListMaintenance
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
```

```
      TextId: 30065;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,45,35;
      Enabled: 207,0,0,45,35,0,0;
      Focussed: 207,0,0,45,35,0,0;
      Pushed:     207,0,35,45,35,0,0;
      Action:     MainMenu.1;
      Layer: OnTop;
}

PictureMiddleBackground
{
      Class: SkinContainer;
      Form: BackgroundMiddleSubform;
}


//      SavePos
//      {
//          ID: 300;
//          Class: PushButton;
//          Coordinates: 0,30,105,80;
//          TextID: 51251;
//          TextCoordinates: $BUTTONTEXT_COORDS_105x80$;
//          HAlign: center;
//          VAlign: center;
//                Enabled: 185,0,0,105,80,0,0,255,0,255;
//                Focussed: 185,0,80,105,80,0,0,255,0,255;
//                Pushed:     185,0,160,105,80,0,0,255,0,255;
//          Icon: 129,0,0,30,30,38,10,255,0,255;
//          PYOffset: 2;
//          Wordbreak: yes;
//          Action: ListMaintenance.1;
//      }
FavRename
{
      ID: 301;
      Class: PushButton;
      Coordinates: 0,128,240,48;
      TextId: 51252;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      HAlign: left;
      VAlign: center;
      Enabled:  186,0,0,240,48,0,0;
      Focussed: 186,0,48,240,48,0,0;
      Pushed:   186,0,144,240,48,0,0;
      Disabled: 186,0,48,240,48,0,0;
      Icon: 129,0,30,30,30,22,6,255,0,255;
      //PYOffset: 2;
      Wordbreak: yes;
      Action: ListMaintenance.3;
}

FavDelete
{
      ID: 302;
```

```
                Class: PushButton;
                Coordinates: 240,128,240,48;
                TextId: 51253;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled:  186,0,0,240,48,0,0;
                Focussed: 186,0,48,240,48,0,0;
                Pushed:   186,0,144,240,48,0,0;
                Disabled: 186,0,48,240,48,0,0;
                Icon: 129,0,60,30,30,22,6,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Action:  ListMaintenance.2;
        }

        RecDelete
        {
                ID: 303;
                Class: PushButton;
                Coordinates: 0,176,240,48;
                TextId: 51254;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled:  186,0,0,240,48,0,0;
                Focussed: 186,0,48,240,48,0,0;
                Pushed:   186,0,144,240,48,0,0;
                Disabled: 186,0,48,240,48,0,0;
                Icon: 129,0,90,30,30,22,6,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Action:  ListMaintenance.4;
        }

        AllRecDelete
        {
                ID: 305;
                Class: PushButton;
                Coordinates: 240,176,240,48;
                TextId: 51255;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled:  186,0,0,240,48,0,0;
                Focussed: 186,0,48,240,48,0,0;
                Pushed:   186,0,144,240,48,0,0;
                Disabled: 186,0,48,240,48,0,0;
                Icon: 129,0,120,30,30,17,6,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Action:  ListMaintenance.5;
        }

//      ImportMyMap24
//      {
//              ID: 10230;
//              Class: PushButton;
//              Coordinates: 107,110,105,80;
//              TextID: 51258;
```

```
//                TextCoordinates: $BUTTONTEXT_COORDS_105x80$;
//                HAlign: center;
//                VAlign: center;
//                Enabled: 120,0,0,105,80,0,0,255,0,255;
//                Focussed: 120,0,80,105,80,0,0,255,0,255;
//                Pushed: 120,0,160,105,80,0,0,255,0,255;
//                Icon: 11,0,90,30,30,22,6,255,0,255;
//                PYOffset: 2;
//                Wordbreak: yes;
//                Visibility: $MAP24_VERSION_VISIBILITY$;
//                Action:  ListMaintenance.17;
//          }
            BackButton
            {
                  ID:10077;
                  Class: PushButton;
                  Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
                  Enabled:  $CORNER_BUTTON_ENABLED$;
                  Pushed:   $CORNER_BUTTON_PUSHED$;
                  Icon: $BACK_ARROW_ICON$; //backarrow
                  PYOffset: 2;
                  DisableFocus: yo;
                  BGMode: Transparent;
                  //            Action: MainMenu.216;
                  Action: MapMenu.leave;
                  HKPush: $KEY_EVENT_CANCEL$;
            }
      }
      RemoveAllRecent
      {
            Background: 51,0,0,480,272,0,0;
            DefaultFont: 7;
            TextColor: 0,0,0;

            TitleBar
            {
                  ID: 112233;
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  ID: 6677;
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  TextColor: 0,0,0;
                  TextId: 30055;
                  BGMode: Transparent;
                  Align: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,45,35;
                  Enabled: 207,0,0,45,35,0,0;
                  Focussed: 207,0,0,45,35,0,0;
                  Pushed:     207,0,35,45,35,0,0;
                  Action:     MainMenu.1;
                  Layer: OnTop;
            }
```

```
	ErrorMessage
	{
		ID: 73;
		Class: SkinText;
		TextID: 51262;
		Coordinates: $SYSTEM_MESSAGE_COORDS$;
		TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
		TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
		Font: $SYSTEM_MESSAGE_FONT$;
		HAlign: center;
		VAlign: center;
		Wordbreak: yes;
		BGMode: Transparent;
		//Font: 51;
	}
	CancelButton
	{
		ID: 10079;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $CANCEL_ICON$;
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListMaintenance.0;
		HKPush: $KEY_EVENT_CANCEL$;
	}

	OkayButton
	{
		ID: 10080;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $OK_ICON$;
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action:  ListMaintenance.11;
		HKPush: $KEY_EVENT_OK$;
	}
}
DownloadFromMyMap24
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;
	TextColor: 0,0,0;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		TextColor: 0,0,0;
```

```
            TextId: 30084;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,45,35;
            Enabled: 207,0,0,45,35,0,0;
            Focussed: 207,0,0,45,35,0,0;
            Pushed:     207,0,35,45,35,0,0;
            Action:     MainMenu.1;
            Layer: OnTop;
      }
      ErrorMessage
      {
            ID: 73;
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
            BGMode: Transparent;
            TextID: 51270;
            //Font: 51;
      }
      CancelButton
      {
            ID: 10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListMaintenance.0;
            HKPush: $KEY_EVENT_CANCEL$;
      }

      OkayButton
      {
            ID: 10080;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  ListMaintenance.15;
            HKPush: $KEY_EVENT_OK$;
      }
}
RemoveRecent
{
```

```
AddressFormat: $ADDRESS_SHORT$;
Background: 51,0,0,480,272,0,0;
DefaultFont: 7;

TitleBar
{
      ID: 112233;
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      ID: 6677;
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      TextColor: 0,0,0;
      TextId: 30054;
      BGMode: Transparent;
      Align: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,45,35;
      Enabled: 207,0,0,45,35,0,0;
      Focussed: 207,0,0,45,35,0,0;
      Pushed:     207,0,35,45,35,0,0;
      Action:     MainMenu.1;
      Layer: OnTop;
}

RecordListBox
{
      ID: 66;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      Font: 2;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      TextColor: 0,0,0;
      ElemMinHeight:  $LISTBOX_ELEM_MINHEIGHT$;
      DistBetweenEntries:     $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      HKUp: Up;
      HKDown: Down;
      HKSelect: UpDown;
      Wordbreak: yes;
      WordbreakChars: "/";
      TextSpace: $LISTBOX_TEXT_SPACE$;
      VAlign: center;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      StatusElementID: 10179;
}
ListBoxStatusElement
{
      ID: 10179;
      Class: SkinText;
      Coordinates: $SYSTEM_MESSAGE_COORDS$;
      TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
```

```
      TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
      Font: $SYSTEM_MESSAGE_FONT$;
      Background: $SYSTEM_MESSAGE_BACKGROUND$;
      TextId: 20205;
      BGMode: Transparent;
      Align: center;
      VAlign: center;
      //Font: 51;
      Wordbreak: yes;
}
RecentSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: RecordListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
RecentSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: RecentSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed: $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled: $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon: $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;

}
RecentSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: RecentSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed: $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled: $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon: $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
RemoveButton
{
      ID:10080;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $DELETE_ICON$;
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
      //            HKPush: $KEY_EVENT_OK_SPECIAL$;
      Action: ListMaintenance.10;
```

```
	}

	BackButton
	{
		ID: 10079;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListMaintenance.0;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}
RenameFavorite
{
	AddressFormat: $ADDRESS_SHORT_ICON_INDEX$;
	AddressFormat100: $ADDRESS_SHORT_ICON_INDEX_USA$;
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		ID: 112233;
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		ID: 6677;
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		TextColor: 0,0,0;
		TextId: 51252;
		BGMode: Transparent;
		Align: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,45,35;
		Enabled: 207,0,0,45,35,0,0;
		Focussed: 207,0,0,45,35,0,0;
		Pushed:     207,0,35,45,35,0,0;
		Action:     MainMenu.1;
		Layer: OnTop;
	}

	RecordListBox
	{
		ID: 66;
		Class: ListBox;
		Coordinates: $LISTBOX_COORDS$;
		Font: 2;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		TextColor: 0,0,0;
```

```
                ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
                DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                LineSeparator: full_line;
                HKUp: Up;
                HKDown: Down;
                HKSelect: UpDown;
                HKExecute: Enter;
                BitmapReference: 174,0,0,18,18,5,12,255,0,255;
                TextHasIconIndex: yo;
                //ExecuteAction: DestinationSC.404; //obsolete
                ExecuteAction: DestinationSC.openkeyboard;
                //          ExecuteAction: OpenKeyboard.5,AlphaBig,Name,904;
                //          ExecuteAction: ListMaintenance.8; // Do Rename One
Entry
                Wordbreak: yes;
                WordbreakChars: "/";
                TextSpace: $LISTBOX_TEXT_SPACE$;
                VAlign: center;
                Border: $LISTBOX_ELEM_BORDER$;
                FocussedTextColor: 0,0,0;
                StatusElementID: 10179;
                ShowLastEnry: yo;
        }

        ListBoxStatusElement
        {
                ID: 10179;
                Class: SkinText;
                Coordinates: $SYSTEM_MESSAGE_COORDS$;
                TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
                TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
                Font: $SYSTEM_MESSAGE_FONT$;
                Background: $SYSTEM_MESSAGE_BACKGROUND$;
                TextId: 20205;
                BGMode: Transparent;
                Align: center;
                VAlign: center;
                //Font: 51;
                Wordbreak: yes;
        }
        RecentSimpleScrollbar
        {
                Class: SimpleScrollbar;
                Coordinates: $SCROLLBAR_COORDS$;
                ScrollbarOwner: RecordListBox;
                AddScrollbarSizeToOwner: yo;
                BGColor: $AREA_BG_COLOR$;
                ThumbColor: $AREA_HIGHLIGHT_COLOR$;
                Layer: ontop;
                TextColor: $SCROLLBAR_BORDER_COLOR$;
        }
        RecentSimpleScrollbarUpButton
        {
                Class: SkinScrollbarButton;
                Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
                Scrollbar: RecentSimpleScrollbar;
                Type: up;
                BGMode: opaque;
                Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
                Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
                Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
                Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
                PYOffset: 2;
```

```
            Layer: ontop;

      }
      RecentSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: RecentSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            //          Enabled:  47,0,0,40,52,0,0,255,0,255;
            //          Pushed:   47,40,0,40,52,0,0,255,0,255;
            //          Disabled: 47,80,0,40,52,0,0,255,0,255;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      BackButton
      {
            ID:10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListMaintenance.0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
RemoveFavorite
{
      AddressFormat: $ADDRESS_SHORT_ICON_INDEX$;
      AddressFormat100: $ADDRESS_SHORT_ICON_INDEX_USA$;
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 51253;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
```

```
        Class: PushButton;
        Coordinates: 0,0,45,35;
        Enabled: 207,0,0,45,35,0,0;
        Focussed: 207,0,0,45,35,0,0;
        Pushed:     207,0,35,45,35,0,0;
        Action:     MainMenu.1;
        Layer: OnTop;
    }
    RecordListBox
    {
        ID: 66;
        Class: ListBox;
        Coordinates: $LISTBOX_COORDS$;
        Font: 2;
        BGColor: $AREA_HIGHLIGHT_COLOR$;
        BGMode: opaque;
        TextColor: 0,0,0;
        ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
        DistBetweenEntries: $LISTBOX_ELEM_DIST$;
        LineSeparator: full_line;
        BitmapReference: 174,0,0,18,18,5,12,255,0,255;
        TextHasIconIndex: yo;
        HKUp: Up;
        HKDown: Down;
        HKSelect: UpDown;
        Wordbreak: yes;
        WordbreakChars: "/";
        TextSpace: $LISTBOX_TEXT_SPACE$;
        VAlign: center;
        Border: $LISTBOX_ELEM_BORDER$;
        FocussedTextColor: 0,0,0;
        StatusElementID: 10179;
        ShowLastEnry: yo;
    }
    ListBoxStatusElement
    {
        ID: 10179;
        Class: SkinText;
        Coordinates: $SYSTEM_MESSAGE_COORDS$;
        TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
        TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
        Font: $SYSTEM_MESSAGE_FONT$;
        Background: $SYSTEM_MESSAGE_BACKGROUND$;
        TextId: 20205;
        BGMode: Transparent;
        Align: center;
        VAlign: center;
        //Font: 51;
        Wordbreak: yes;
    }
    RecentSimpleScrollbar
    {
        Class: SimpleScrollbar;
        Coordinates: $SCROLLBAR_COORDS$;
        ScrollbarOwner: RecordListBox;
        AddScrollbarSizeToOwner: yo;
        BGColor: $AREA_BG_COLOR$;
        ThumbColor: $AREA_HIGHLIGHT_COLOR$;
        Layer: ontop;
        TextColor: $SCROLLBAR_BORDER_COLOR$;
    }
    RecentSimpleScrollbarUpButton
    {
```

```
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: RecentSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;

      }
      RecentSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: RecentSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      RemoveButton
      {
            ID:10080;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $DELETE_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            //                HKPush: $KEY_EVENT_OK_SPECIAL$;
            Action: ListMaintenance.9;
      }

      BackButton
      {
            ID: 10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListMaintenance.0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

DefaultClientArea
{
      Background: 5,0,0,272,480,0,0;
}
```

```
      SplashScreenArea
      {
            Background: 2,0,0,272,480,0,0;
      }

TourPlanElementSelectionArea
      {
            Background: 51,0,0,480,272,0,0;
            DefaultFont: 7;
//          AddressFormat: $ADDRESS_TOUR_PLAN$;
//          AddressFormat100: $ADDRESS_TOUR_PLAN_USA$;
            AddressFormat: $ADDRESS_AMBIGTOUR$;
            AddressFormat100: $ADDRESS_AMBIGTOUR_USA$;

            TitleBar
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  TextColor: 0,0,0;
                  TextID: 30049;
                  HAlign: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }
            TourPlanList
            {
                  Class: ListBox;
//                Coordinates: $LISTBOX_COORDS$;
                  Coordinates:0,35,432,141;
                  Font: 51;
                  BGMode: opaque;
                  BGColor: $AREA_HIGHLIGHT_COLOR$;
                  BitmapReference: 238,0,0,30,30,5,8,255,0,255;
                  TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
                  //TextCoordinates: $MATCHES_BUTTON_TEXT_COORDS$;
                  TextColor: 0,0,0;
                  //TextColorEnterNVC: 0,0,0;
                  DistBetweenEntries:     $LISTBOX_ELEM_DIST$;
                  LineSeparator: full_line;
                  TextHasIconIndex: yo;
                  ElemMinHeight: 45;
                  HighlightedBGColor:     $AREA_HIGHLIGHT_COLOR$;
                  HKUp: Up;
                  HKDown:     Down;
                  HKSelect: UpDown;
                  HKExecute: Enter;
                  //ExecuteAction: DestinationSC.59;
```

```
            Wordbreak: yes;
            WordbreakChars:   "/";
            TextSpace: $LISTBOX_TEXT_SPACE$;
            VAlign:     center;
            Border:     $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
            ShowLastEntry: y;
      }
      TourPlanScrollbar
      {
            Class: SimpleScrollbar;
            CoorDinates: 432,83,48,45;
            ScrollbarOwner:   TourPlanList;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      TourPlanScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: TourPlanScrollbar;
            Type: up;
            BGMode:     transparent;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:     $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled: $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon: $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;

      }
      TourPlanScrollbarDownButton
      {
            Class: SkinScrollbarButton;
//          Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Coordinates: 432,128,48,48;
            Scrollbar: TourPlanScrollbar;
            Type: down;
            BGMode:     transparent;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:     $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled: $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon: $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      // Welcher text
      //          DefineStartPointButton
      //          {
      //                ID:   10066;
      //                Class: PushButton;
      //                Coordinates: 0,40,320,80;
      //    //            TextID: 51207;
      //                TextCoordinates: 45,0,190,80;
      //                VAlign:     center;
      //                Enabled: 197,0,0,320,80,0,0,255,0,255;
      //                Focussed: 197,0,80,320,80,0,0,255,0,255;
      //                Pushed:     197,0,160,320,80,0,0,255,0,255;
      //                Icon: 17,0,0,30,30,10,25,255,0,255;
      //                PYOffset: 2;
```

```
//                wordbreak: yes;
//                Action:     DestinationSC.10070;
//                WordbreakChars:   "
```

```
";
            //          }
            SetStartButton
            {
                  //                ID:   10067;
                  Class: PushButton;
                  Coordinates: 0,176,240,48;
                  //TextID:   6072;
                  TextID:     53019;
                  TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                  TextColor: $BUTTON_5x1_TEXT_COLOR$;
                  VAlign:     center;
                  Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                  Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                  Pushed:     $MAPMENU_BUTTON_STATE_PUSHED$;
                  Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                  Icon: 237,0,210,30,30,22,9,255,0,255;
                  PYOffset: 2;
                  wordbreak: yes;
                  Action:     DestinationSC.10070;
                  WordbreakChars: "
```

```
";
            }
            AddDestinationButton
            {
                  //                ID:   10067;
                  Class: PushButton;
                  Coordinates: 240,176,240,48;
                  TextID:     53020;
                  TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                  TextColor: $BUTTON_5x1_TEXT_COLOR$;
                  VAlign:     center;
                  Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                  Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                  Pushed:     $MAPMENU_BUTTON_STATE_PUSHED$;
                  Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                  Icon: 237,0,0,30,30,22,9,255,0,255;
                  PYOffset: 2;
                  wordbreak: yes;
                  Action:     DestinationSC.10071;
                  WordbreakChars: "
```

```
";
            }
            DeleteDestinationButton
            {
                  Class: PushButton;
                  Coordinates: 240,224,96,48;
                  //TextID:   6073;
                  //TextCoordinates: 45,0,190,80;
                  VAlign:     center;
                  Enabled: 183,96,0,96,48,0,0,255,0,255;
                  Focussed: 183,96,48,96,48,0,0,255,0,255;
                  Pushed:     183,96,96,96,48,0,0,255,0,255;
                  Disabled:183,96,144,96,48,0,0,255,0,255;
                  Icon: 130,0,0,30,30,33,9,255,0,255;
                  PYOffset: 2;
                  wordbreak: yes;
                  WordbreakChars: "
```

```
";
                Action: DestinationSC.tourelementdelete;
        }
        //          RouteOptionsButton
        //          {
        //                ID:   10085;
        //                Class: PushButton;
        //                Coordinates: 40,200,280,40;
        //                TextId:     20214;
        //                TextCoordinates: 100,0,235,40;
        //                VAlign:     center;
        //                Enabled:  188,280,0,280,40,0,0;
        //                Focussed: 188,280,40,280,40,0,0;
        //                Pushed:       188,280,80,280,40,0,0;
        //                Disabled: 188,280,120,280,40,0,0;
        //                Icon: 22,0,0,30,30,65,5,255,0,255;
        //                PYOffset: 2;
        //                Wordbreak: yes;
        //                Action:     DestinationSC.10085;
        //          }
        MoveUpButton
        {
                Class: PushButton;
                Coordinates: 48,224,96,48;
                Enabled: 183,96,0,96,48,0,0,255,0,255;
                Focussed: 183,96,48,96,48,0,0,255,0,255;
                Pushed:     183,96,96,96,48,0,0,255,0,255;
                Disabled:183,96,144,96,48,0,0,255,0,255;
                Icon: 237,0,90,30,30,33,9,255,0,255;
                PYOffset: 2;
                DisableFocus: yo;
                BGMode:     Transparent;
                HKPush:     $KEY_EVENT_OK$;
                Action:     DestinationSC.tourelementup;
        }
        MoveDownButton
        {
                Class: PushButton;
                Coordinates: 144,224,96,48;
                Enabled: 183,96,0,96,48,0,0,255,0,255;
                Focussed: 183,96,48,96,48,0,0,255,0,255;
                Pushed:     183,96,96,96,48,0,0,255,0,255;
                Disabled:183,96,144,96,48,0,0,255,0,255;
                Icon: 237,0,60,30,30,33,9,255,0,255;
                PYOffset: 2;
                DisableFocus: yo;
                BGMode: Transparent;
                HKPush: $KEY_EVENT_OK$;
                Action:     DestinationSC.tourelementdown;
        }
        OptionButton
        {
                Class: PushButton;
                Coordinates: 336,224,96,48;
                Enabled: 183,96,0,96,48,0,0,255,0,255;
                Focussed: 183,96,48,96,48,0,0,255,0,255;
                Pushed:     183,96,96,96,48,0,0,255,0,255;
                Disabled:183,96,144,96,48,0,0,255,0,255;
                Icon: 237,0,240,30,30,33,9,255,0,255;
                PYOffset: 2;
                DisableFocus: yo;
                BGMode: Transparent;
                HKPush:     $KEY_EVENT_OK$;
```

```
            Action:     DestinationSC.touroptimize;

        }

        StartRouteCalculationButton
        {
            ID:10068;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:       $CORNER_BUTTON_PUSHED$;
            Icon: 4,0,180,30,30,9,9,255,0,255;  // OK marker
            PYOffset: 2;
            DisableFocus: yo;
            BGMode:     Transparent;
            HKPush:     $KEY_EVENT_OK$;
            Action:     DestinationSC.tourcalculation;
        }
        BackButton
        {
            ID:10075;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:       $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; // Cancel
            PYOffset: 2;
            DisableFocus: yo;
            BGMode:     Transparent;
            //              Action:     MainMenu.216;
            Action:     DestinationSC.tourcancel;
            HKPush:     $KEY_EVENT_CANCEL$;
        }
    }

TourOptionsArea
    {
        Background: 51,0,0,480,272,0,0;
        DefaultFont: 7;

        TitleBar
        {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
        }
        Title
        {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 50260; //Route: ""
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
        }
        TitlebarExitButton
        {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
```

```
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}

PictureBackground
{
      Class: SkinContainer;
      Form: BackgroundSubform;
}

TourSaveButton
{
      Class: PushButton;
      Coordinates: 0,128,480,48;
      TextId: 6090; //Route speichern
      HAlign: left;
      VAlign: center;
      TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
      Enabled: 189,0,0,480,48,0,0,255,0,255;
      Focussed: 189,0,48,480,48,0,0,255,0,255;
      Pushed: 189,0,96,480,48,0,0,255,0,255;
      Disabled: 189,0,144,480,48,0,0,255,0,255;
      Icon: 237,0,120,30,30,22,9,255,0,255;
      PYOffset: 2;
      Wordbreak: yes;
      //EnabledState: disabled;
      Action: DestinationSC.TourPlanSav;
}

TourLoadButton
{
      Class: PushButton;
      Coordinates: 0,80,480,48;
      TextId: 6091;//Route laden
      //TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      HAlign: left;
      VAlign: center;
      TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
      Enabled: 189,0,0,480,48,0,0,255,0,255;
      Focussed: 189,0,48,480,48,0,0,255,0,255;
      Pushed: 189,0,96,480,48,0,0,255,0,255;
      Disabled: 189,0,144,480,48,0,0,255,0,255;
      Icon: 237,0,150,30,30,22,9,255,0,255;
      PYOffset: 2;
      Wordbreak: yes;
      //EnabledState: disabled;
      //KPush: enter,left;
      Action: DestinationSC.TourPlanLoad;
}

TourOptimize
{
      Class: PushButton;
      Coordinates: 0,176,480,48;
      TextId:     6092; //Route optimieren
      HAlign:     left;
      VAlign:     center;
      TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
      Enabled: 189,0,0,480,48,0,0,255,0,255;
      Focussed: 189,0,48,480,48,0,0,255,0,255;
      Pushed: 189,0,96,480,48,0,0,255,0,255;
      Disabled: 189,0,144,480,48,0,0,255,0,255;
```

```
            Icon: 237,0,240,30,30,22,9,255,0,255;
            PYOffset: 2;
            Wordbreak: yes;
            //KPush: enter,left;
            Action:     DestinationSC.touroptimize;
            //EnabledState: disabled;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            Action: MapMenu.back;
            MoveBehaviour: vertical;
            HKPush: hk3;
      }
}

FreeTargetArea
{
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      DefaultFont: 7;
      keyboard: "regCont";
      focusorder: lefttoprightbottom;
      //keyboard: "standardkeyboard,OBNContInputKeyboard";
      TextColor: 255,255,255;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }

      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextId: 30001;
            TextColor: 0,0,0;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }

      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }

      PictureBackground
```

```
	{
		Class: SkinContainer;
		Form: BackgroundSubform;
	}

	RecentDestinations
	{
		Class: SkinContainer;
		Form: RecentDestinationsSubform;
	}

	CityMatches
	{
		Class: SkinContainer;
		Form: CityMatchesSubform;
	}

	POICatagorySubForm
	{
		//ID:
		Class: SkinIcon;
		Coordinates: 0,80,480,48;
		BitmapReference: 189,0,0,480,48,0,0;
	}

	POICategoryTitle
	{
		Class: SkinText;
		Coordinates: 8,89,140,30;
		TextColor: 0,0,0;
		TextId: 53018;
		HAlign: left;
		VAlign: center;
		Font: 10;
		Wordbreak: yes;
	}

	POICatagoryListBox
	{
		//ID:
		Class: SkinIcon;
		Coordinates: 143,83,334,42;
		BitmapReference: 212,0,0,334,42,0,0;
	}

	POICategoryList
	{
		ID: 71;
		Class: DropDown;
		Coordinates: 146,86,330,38;
		DroppedCoordinates: $DROPPED_COORDS$;
		BitmapReference:
21,0,0,30,18,7,9,255,0,255;//POI_KategorienIcons
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		TextColor: 0,0,0;
		Font: 10;
		TextSpace: 3;
		VAlign: Center;
		ListBox: POICategoryTextListBox;
		ListBoxForm: POICategoryListSubForm;
		TextHasIconIndex: yo;
		TextCoordinates: 42,0,270,38;
		DDArrow: 144,3,2,9,4,317,15,255,0,255;
```

```
            }

            AreaCodeButton
            {
               ID: 612;
               Class: PushButton;
               Coordinates: 0,128,144,48;
               Enabled:  184,0,0,144,48,0,0,255,0,255;
               Focussed: 184,0,48,144,48,0,0,255,0,255;
               Pushed:   184,0,96,144,48,0,0,255,0,255;
               PYOffset: 2;
               BGMode: Transparent;
               TextCoordinates:48,9,91,30;//105,85,200,15
$FREE_CITY_TEXT_COORDINATES$
               TextID:10001;
               TextColor: 0,0,0;
               Font:10;
               Icon: 21,0,882,30,18,9,15,255,0,255;
               HAlign: left;
               VAlign: center;
               Action: DestinationSC.400;
        }

            CityButton  //PLZ oder Ort
            {
                  ID: 610;
                  Class: PushButton;
                  Coordinates: 144,128,336,48;
                  Enabled:  188,0,0,336,48,0,0,255,0,255;
                  Focussed: 188,0,48,336,48,0,0,255,0,255;
                  Pushed:   188,0,96,336,48,0,0,255,0,255;
                  PYOffset: 2;
                  BGMode: Transparent;
                  //TextCoordinates:8,6,0,30;//105,85,200,15
$FREE_CITY_TEXT_COORDINATES$
                  TextCoordinates:48,9,422,30;//105,85,200,15
$FREE_CITY_TEXT_COORDINATES$
                  TextID:10002;
                  TextColor: 0,0,0;
                  Font:10;
                  Icon: 21,0,864,30,18,9,15,255,0,255;
                  HAlign: left;
                  VAlign: center;
                  Action: DestinationSC.401;
                  SetFocusOnLoad: no;

            }

            StreetButton //Strasse/Hausnummer
            {
                  ID: 611; //613 HNR 611 Street
                  Class: PushButton;
                  Coordinates: 0,176,480,48;//$FREE_STREET_COORDINATES$;
                  Enabled: 189,0,0,480,48,0,0,255,0,255;
                  Focussed: 189,0,48,480,48,0,0,255,0,255;
                  Pushed: 189,0,96,480,48,0,0,255,0,255;
                  PYOffset: 2;
                  BGMode: Transparent;
                  TextCoordinates:48,9,422,30;//105,85,200,15
$FREE_CITY_TEXT_COORDINATES$
                  TextID:10003;
                  TextColor: 0,0,0;
                  Font:10;
```

```
                  Icon: 21,0,828,30,18,9,15,255,0,255;
                  HAlign: left;
                  VAlign: center;
                  Action: DestinationSC.402;
                  SetFocusOnLoad: no;

            }

            TransparentNameButton //PIO Name
            {
                  ID: 10171;
                  Class: PushButton;
                  Coordinates: 0,176,480,48;//$FREE_STREET_COORDINATES$;
                  Enabled: 189,0,0,480,48,0,0,255,0,255;
                  Focussed: 189,0,48,480,48,0,0,255,0,255;
                  Pushed: 189,0,96,480,48,0,0,255,0,255;
                  PYOffset: 2;
                  BGMode: Transparent;
                  TextCoordinates:48,9,422,30;//105,85,200,15
$FREE_CITY_TEXT_COORDINATES$
                  TextID:10110;
                  TextColor: 0,0,0;
                  Font:10;
                  Icon: 21,0,828,30,18,9,15,255,0,255;
                  IconOffsetAlways: yo;
                  TextHasIconIndex: yo;
                  HAlign: left;
                  VAlign: center;
                  Action: DestinationSC.405;
                  SetFocusOnLoad: no;
            }

            ButtonsNoContacts
            {
                  Class: SkinContainer;
                  Form: FreeTargetAreaNoContactsSubForm;
            }

            ButtonsWithContacts
            {
                  Class: SkinContainer;
                  Form: FreeTargetAreaContactsSubForm;
            }
      }


      FreeTargetAreaSubSkin
      {
            DefaultFont: 7;
            //Background: $DROPPED_SUBFORM_BG$;
            Background: 51,0,0,480,272,0,0;
            //Coordinates: $DROPPED_SUBFORM_COORDS$;
            Layer: ontop;

            TitleBar
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
                  Layer: ontop;
            }
            Title
            {
```

```
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS_WO_EXIT$;
                  TextColor: 0,0,0;
                  TextID:10000;
                  HAlign:     left;
                  VAlign:     center;
                  Font: 1;
                  Layer: ontop;
            }
//          TitlebarExitButton
//          {
//                Class: PushButton;
//                Coordinates: 0,0,45,35;
//                Enabled: 207,0,0,50,35,0,0;
//                Focussed: 207,0,0,50,35,0,0;
//                Pushed:     207,0,35,50,35,0,0;
//                Action:     MainMenu.1;
//                Layer: OnTop;
//          }

            CountryCodeTextListBox
            {
                  ID: 69;
                  Class: ListBox;
                  Coordinates: $LISTBOX_COORDS$;
                  BGColor: $AREA_HIGHLIGHT_COLOR$;
                  BGMode: opaque;
                  BitmapReference: 113,0,0,30,18,5,14,255,0,255;
                  TextColor: 0,0,0;
                  TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
                  DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                  LineSeparator: full_line;
                  VAlign: center;
                  TextHasIconIndex: yo;
                  Font: 2;
                  ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
                  HKUp: Up;
                  HKDown: Down;
                  HKExecute: Enter;
                  ExecuteAction: ListBox.CountryCodeData,1;
                  HKSelect: UpDown;
                  AlwaysConsumeKHK: yo;
                  Border: $LISTBOX_ELEM_BORDER$;
                  FocussedTextColor: 0,0,0;
            }
            CountryCodeSimpleScrollbar
            {
                  Class: SimpleScrollbar;
                  Coordinates: $SCROLLBAR_COORDS$;
                  ScrollbarOwner: CountryCodeTextListBox;
                  AddScrollbarSizeToOwner: yo;
                  BGColor: $AREA_BG_COLOR$;
                  ThumbColor: $AREA_HIGHLIGHT_COLOR$;
                  Layer: ontop;
                  TextColor: $SCROLLBAR_BORDER_COLOR$;
            }
            CountryCodeSimpleScrollbarUpButton
            {
                  Class: SkinScrollbarButton;
                  Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
                  Scrollbar: CountryCodeSimpleScrollbar;
                  Type: up;
                  BGMode: opaque;
```

```
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;

      }
      CountryCodeSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: CountryCodeSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.CountryCodeData,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

BackgroundSubform
{
      Coordinates: 0,35,480,44;

      PictureIcon
      {
            Class: SkinIcon;
            Coordinates: 0,0,480,44;
            BitmapReference: 182,0,0,480,44,0,0;
      }
}

BackgroundMiddleSubform
{
      Coordinates: 0,35,480,93;

      PictureIcon
      {
            Class: SkinIcon;
            Coordinates: 0,0,480,93;
            BitmapReference: 235,0,0,480,93,0,0;
      }
}

FreeTargetAreaNoContactsSubForm
{
```

```
	Coordinates: 0,224,480,48;
	DefaultFont: 10;
	SavedDestinationsButton //Favoriten
	{
		ID: 303;
		Class: PushButton;
		Coordinates: 48,0,384,48;
		TextID: 51203;
		TextCoordinates: 170,0,90,48;
		TextColor: 0,0,0;
		HAlign: left;
		VAlign: center;
		Enabled:  199,384,0,384,48,255,0,255;
		Focussed: 199,384,48,384,48,255,0,255;
		Pushed:   199,384,96,384,48,255,0,255;
		Disabled: 199,384,144,384,48,255,0,255;
		Icon: 121,0,90,30,30,125,9,255,0,255; //Star
		PYOffset: 2;
		Wordbreak: yes;
		Action:  DestinationSC.303;
	}

	NextButton
	{
		ID:10079;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled: 181,96,0,48,48,0,0;
		Pushed:  181,96,48,48,48,0,0;
		Disabled: 181,144,96,48,48,0,0;
		Icon: $OK_ICON$; // OK marker
		PYOffset: 2;
		BGMode: Transparent;
		//Action:  DestinationSC.58;
		Action: DestinationSC.next;
		HKPush: $KEY_EVENT_OK$;
	}
	PrevButton
	{
		ID:10080;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled: 181,96,0,48,48,0,0;
		Pushed:  181,96,48,48,48,0,0;
		Disabled: 181,96,96,48,48,0,0;
		Icon: $BACK_ARROW_ICON$; // back arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action:  DestinationSC.65;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}
FreeTargetAreaContactsSubForm
{
	Coordinates: 0,224,480,48;

	SavedDestinationsButton
	{

		ID: 303;
		Class: PushButton;
		Coordinates: 48,0,384,48;
```

```
      TextID: 51203;
      TextCoordinates: 140,5,70,30;
      TextColor: 0,0,0;
      HAlign: left;
      VAlign: center;
      Enabled:  199,384,0,384,48,255,0,255;
      Focussed: 199,384,48,384,48,0,255,0,255;
      Pushed:   199,384,96,384,48,0,255,0,255;
      Disabled: 199,384,144,384,48,0,255,0,255;
      Icon: 121,0,90,30,30,95,9,255,0,255; //Star
      PYOffset: 2;
      Wordbreak: yes;
      Action:  DestinationSC.303;

}
// ersetzen Thomas
DestinationFromContactsButton
{
      ID: 302;
      Class: PushButton;
      Coordinates: 123,15,74,35;
      TextID: 51202;
      TextCoordinates: 4,2,66,31;
      TextColor: 0,0,0;
      HAlign: center;
      VAlign: center;
      //            Enabled:  177,81,0,74,35,0,0,255,0,255;
      //            Pushed:   177,81,35,74,35,0,0,255,0,255;
      //            Disabled: 177,81,70,74,35,0,0,255,0,255;
      //            //Icon: 121,0,60,30,30,38,10,255,0,255;
      PYOffset: 2;
      Wordbreak: yes;
      WordbreakChars: " -/";
      Action:  DestinationSC.302;
}
NextButton
{
      ID:10079;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
      Enabled: 181,96,0,48,48,0,0;
      Pushed:  181,96,48,48,48,0,0;
      Disabled: 181,144,96,48,48,0,0;
      Icon: 4,0,180,30,30,7,5,255,0,255; // OK marker
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
      //Action:  DestinationSC.58;
      Action: DestinationSC.next;
      HKPush: $KEY_EVENT_OK$;

}
PrevButton
{

      ID:10080;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
      Enabled: 181,96,0,48,48,0,0;
      Pushed:  181,96,48,48,48,0,0;
      Disabled: 181,96,96,48,48,0,0;
      Icon: $BACK_ARROW_ICON$; // back arrow
      PYOffset: 2;
```

```
                DisableFocus: yo;
                BGMode: Transparent;
                Action:  DestinationSC.65;
                HKPush: $KEY_EVENT_CANCEL$;

          }
     }
     POICategoryListSubForm
     {
          Coordinates: $DROPPED_SUBFORM_COORDS$;
          Background: $DROPPED_SUBFORM_BG$;
          Layer: Ontop;

          POICategoryTextListBox
          {
                ID: 10172;//710;
                Class: ListBox;
                Coordinates: $DROPPED_LISTBOX_COORDS$;
                BGColor: $AREA_HIGHLIGHT_COLOR$;
                BGMode: opaque;
                BitmapReference: 21,0,0,30,18,5,14,255,0,255;//catagory list
first icon
                TextColor: 0,0,0;
                DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                LineSeparator: full_line;
                TextHasIconIndex: yo;
                TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
                Font: 2;
                ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
                VAlign: center;
                HKUp: Up;
                HKDown: Down;
                HKExecute: Enter;
                ExecuteAction: ListBox.POICategoryList,1;
                AlwaysConsumeKHK: yo;
                Border: $LISTBOX_ELEM_BORDER$;
                FocussedTextColor: 0,0,0;
          }
          POICatSimpleScrollbar
          {
                Class: SimpleScrollbar;
                Coordinates: $DROPPED_SCROLLBAR_COORDS$;
                ScrollbarOwner: POICategoryTextListBox;
                AddScrollbarSizeToOwner: yo;
                BGColor: $AREA_BG_COLOR$;
                ThumbColor: $AREA_HIGHLIGHT_COLOR$;
                Layer: ontop;
                TextColor: $SCROLLBAR_BORDER_COLOR$;
          }
          POICatUpButton
          {
                Class: SkinScrollbarButton;
                Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
                Scrollbar: POICatSimpleScrollbar;
                Type: up;
                BGMode: opaque;
                Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
                Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
                Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
                Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
                PYOffset: 2;
                Layer: ontop;
          }
```

```
	POICatDownButton
	{
		Class: SkinScrollbarButton;
		Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
		Scrollbar: POICatSimpleScrollbar;
		Type: down;
		BGMode: opaque;
		Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
		Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
		Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
		Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
		PYOffset: 2;
		Layer: ontop;
	}
	BackButton
	{
		Class: PushButton;
		Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListBox.POICategoryList,0;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}

POIAmbitDestinationArea
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;
	TextColor: 0,0,0;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		TextColor: 0,0,0;
		TextId: 30026;
		HAlign: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	POICategoryTitle
	{
```

```
                Class: SkinText;
                Coordinates: 5,43,70,20;
                TextId: 10111;
                HAlign: left;
                VAlign: center;
                Font: 7;
            }
            //      POICategoryList
            //      {
            //          ID: 71;
            //          Class: DropDown;
            //          Coordinates: 75,38,240,30;
            //          DroppedCoordinates: $DROPPED_COORDS$; // Nur wenn
ListBoxSkin angegeben wird. Nur x- und y-Koordinate. Alles optional.
            //          BitmapReference: 21,0,0,30,18,5,9,255,0,255;
            //          BGColor: $AREA_BG_COLOR$;
            //          BGMode: opaque;
            //          BGColor:  $AREA_HIGHLIGHT_COLOR$;
            //          TextColor: 0,0,0;
            //          Font: 0;
            //          TextSpace: 2;
            //          ListBox: POICategoryTextListBox;
            ////            PopupOS: Generate;
            //          ListBoxForm: POICategoryListSubForm;
            //          TextHasIconIndex: yo;
            //          VAlign: center;
            //          DDArrow: 144,3,2,9,4,228,20,255,0,255;
            //      }
            //      POIDistanceButton
            //      {
            //          ID: 72;
            //          Class: NStateButton;
            //          Coordinates: 2,105,235,36;
            //          States: 3;
            //          TextId1: 10125;
            //          TextId2: 10126;
            //          TextId3: 10127;
            //          TextCoordinates: 45,0,188,36;
            //          Enabled1: 107,0,0,40,33,0,0,255,255,255;
            //          Pushed1: 107,0,0,40,33,0,0;
            //          Enabled2: 107,0,33,40,33,0,0;
            //          Pushed2: 107,0,33,40,33,0,0;
            //          Enabled3: 107,0,66,40,33,0,0;
            //          Pushed3: 107,0,66,40,33,0,0;
            ////            FocussedColor1: 213,199,111;
            ////            PushedColor1: 213,199,111;
            //          HAlign: left;
            //          VAlign: center;
            //          Font: 0;
            //      }

            POICategoryTextListBox
            {
                ID: 10172;//710;
                Class: ListBox;
                Coordinates: $LISTBOX_COORDS$;
                BitmapReference: 21,0,0,30,18,5,14,255,0,255;
                BGColor: $AREA_HIGHLIGHT_COLOR$;
                BGMode: opaque;
                TextColor: 0,0,0;
                DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                LineSeparator: full_line;
                TextHasIconIndex: yo;
```

```
      TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      VAlign: center;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      //ExecuteAction: DestinationSC.58;
      ExecuteAction: DestinationSC.next;
      AlwaysConsumeKHK: yo;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}
POICatSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: POICategoryTextListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
POICatUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: POICatSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;

}
POICatDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: POICatSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
PrevButton
{
      ID:10079;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
      DisableFocus: yo;
```

```
                BGMode: Transparent;
                Action:  MapMenu.backPoiAmbitSearch;
                HKPush: $KEY_EVENT_CANCEL$;
          }
    }

    ContactDestinationArea
    {
          AddressFormat: $ADDRESS_SHORT$;
          AddressFormat100: $ADDRESS_SHORT_USA$;
          BGColor: $AREA_BG_COLOR$;
          BGMode: opaque;

          // CAUTION in this skin area the ids 70-99 are reserved for
LetterRadioButton!!!
          TitleBar
          {
                ID: 112233;
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
          }
          Title
          {
                ID: 6677;
                Class: SkinText;
                Coordinates: $TITLE_COORDS$;
                TextColor: 0,0,0;
                TextId: 30018;
                BGMode: Transparent;
                Align: left;
                VAlign: center;
                Font: 1;
          }
          TitlebarExitButton
          {
                Class: PushButton;
                Coordinates: 0,0,50,35;
                Enabled: 207,0,0,50,35,0,0;
                Focussed: 207,0,0,50,35,0,0;
                Pushed:207,0,35,50,35,0,0;
                Action:MainMenu.1;
                Layer: OnTop;
          }

          RecordListBox
          {
                ID: 66;
                Class: ListBox;
                Coordinates: $LISTBOX_COORDS$;
                Font: 2;
                BGColor: $AREA_HIGHLIGHT_COLOR$;
                BGMode: opaque;
                TextColor: 0,0,0;
                DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
                LineSeparator: full_line;
                HKUp: Up;
                HKDown: Down;
                HKSelect: UpDown;
                HKExecute: Enter;
                //ExecuteAction: DestinationSC.58;
                ExecuteAction: DestinationSC.next;
```

```
      Wordbreak: yes;
      WordbreakChars:   "/";
      TextSpace: $LISTBOX_TEXT_SPACE$;
      VAlign: center;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      StatusElementID: 10179;
      ShowLastEnry: yo;
}

ListBoxStatusElement
{
      ID: 10179;
      Class: SkinText;
      Coordinates: $SYSTEM_MESSAGE_COORDS$;
      TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
      TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
      Font: $SYSTEM_MESSAGE_FONT$;
      Background: $SYSTEM_MESSAGE_BACKGROUND$;
      TextId: 20205;
      BGMode: Transparent;
      Align: center;
      VAlign: center;
      //Font: 51;
      Wordbreak: yes;
}

WaitText
{
      ID: 10255;
      Class: SkinText;
      Coordinates: 0,30,320,160;
      TextColor: 0,0,0;
      TextId: 51209;
      BGMode: Transparent;
      Align: center;
      VAlign: center;
      Font: 51;
      Wordbreak: yes;
}

ContactSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: RecordListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
ContactsSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: ContactSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
```

```
      PYOffset: 2;
      Layer: ontop;
      //HKPush: left;

}
ContactsSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: ContactSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      //HKPush: right;
}

LetterButton1
{
      Class: LetterRadioButton;
      Id: 70;
      Coordinates: 40,30,40,40;
      //                  Enabled: 60,0,0,40,40,0,0;
      //                  Pushed:  60,0,40,40,40,0,0;
      //                  Chosen: 60,0,80,40,40,0,0;
      LetterConfig: "ABCD";
      GroupID: 8;
}
LetterButton2
{
      Class: LetterRadioButton;
      Id: 71;
      Coordinates: 80,30,40,40;
      //                  Enabled: 60,40,0,40,40,0,0;
      //                  Pushed:  60,40,40,40,40,0,0;
      //                  Chosen:  60,40,80,40,40,0,0;
      LetterConfig: "EFGH";
      GroupID: 8;
}
LetterButton3
{
      Class: LetterRadioButton;
      Id: 72;
      Coordinates: 120,30,40,40;
      //                  Enabled: 60,80,0,40,40,0,0;
      //                  Pushed:  60,80,40,40,40,0,0;
      //                  Chosen:  60,80,80,40,40,0,0;
      LetterConfig: "IJKL";
      GroupID: 8;
}
LetterButton4
{
      Class: LetterRadioButton;
      Id: 73;
      Coordinates: 160,30,40,40;
      //                  Enabled: 60,120,0,40,40,0,0;
      //                  Pushed:  60,120,40,40,40,0,0;
      //                  Chosen:  60,120,80,40,40,0,0;
      LetterConfig: "MNOPQ";
```

```
            GroupID: 8;
        }
        LetterButton5
        {
            Class: LetterRadioButton;
            Id: 74;
            Coordinates: 200,30,40,40;
            //                  Enabled: 60,160,0,40,40,0,0;
            //                  Pushed:  60,160,40,40,40,0,0;
            //                  Chosen:  60,160,80,40,40,0,0;
            LetterConfig: "RSTU";
            GroupID: 8;
        }
        LetterButton6
        {
            Class: LetterRadioButton;
            Id: 75;
            Coordinates: 240,30,40,40;
            //                  Enabled: 60,200,0,40,40,0,0;
            //                  Pushed:  60,200,40,40,40,0,0;
            //                  Chosen:  60,200,80,40,40,0,0;
            LetterConfig: "VWXYZ";
            GroupID: 8;
        }
        //      MainMenuButton
        //      {
        //          Class: SkinContainer;
        //          Form: MainMenuButtonSubform;
        //      }
        //      MapButton
        //      {
        //          Class: SkinContainer;
        //          Form: MapButtonSubform;
        //      }

        BackButton
        {
            ID: 10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
        }
        //      PrevNextButtons
        //      {
        //          Class: SkinContainer;
        //          Form: DestinationPrevNextRightLeftSubform;
        //      }
        // CAUTION in this skin area the ids 70-99 are reserved for
LetterRadioButton!!!
    }
    RecentDestinationArea
    {
        AddressFormat: $ADDRESS_SHORT$;
        AddressFormat100: $ADDRESS_SHORT_USA$;
        Background: 51,0,0,480,272,0,0;
        DefaultFont: 7;
```

```
TitleBar
{
      ID: 112233;
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      ID: 6677;
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      TextColor: 0,0,0;
      TextId: 30016;
      BGMode: Transparent;
      Align: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}

RecordListBox
{
      ID: 66;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      Font: 2;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      TextColor: 0,0,0;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      HKUp: Up;
      HKDown: Down;
      HKSelect: UpDown;
      HKExecute: Enter;
      //ExecuteAction: DestinationSC.58;
      ExecuteAction: DestinationSC.next;
      Wordbreak: yes;
      WordbreakChars:   "/";
      TextSpace: $LISTBOX_TEXT_SPACE$;
      VAlign: center;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      StatusElementID: 10179;
      ShowLastEnry: yo;
}
ListBoxStatusElement
{
      ID: 10179;
      Class: SkinText;
      Coordinates: $SYSTEM_MESSAGE_COORDS$;
```

```
      TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
      TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
      Font: $SYSTEM_MESSAGE_FONT$;
      Background: $SYSTEM_MESSAGE_BACKGROUND$;
      TextId: 20205;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      //Font: 51;
      Wordbreak: yes;
}
RecentSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: RecordListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
RecentSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: RecentSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;

}
RecentSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: RecentSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
BackButton
{
      ID: 10079;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
      Action:  DestinationSC.65;
```

```
                HKPush: $KEY_EVENT_CANCEL$;
        }
}
StoredDestinationArea
{
        AddressFormat: $ADDRESS_SHORT_ICON_INDEX$;
        AddressFormat100: $ADDRESS_SHORT_ICON_INDEX_USA$;
        Background: 51,0,0,480,272,0,0;
        DefaultFont: 7;

        TitleBar
        {
                ID: 112233;
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
        }
        Title
        {
                ID: 6677;
                Class: SkinText;
                Coordinates: $TITLE_COORDS$;
                TextColor: 0,0,0;
                TextId: 30017;
                BGMode: Transparent;
                Align: left;
                VAlign: center;
                Font: 1;
        }

        TitlebarExitButton
        {
                Class: PushButton;
                Coordinates: 0,0,50,35;
                Enabled: 207,0,0,50,35,0,0;
                Focussed: 207,0,0,50,35,0,0;
                Pushed:207,0,35,50,35,0,0;
                Action:MainMenu.1;
                Layer: OnTop;
        }

        RecordListBox
        {
                ID: 66;
                Class: ListBox;
                Coordinates: $LISTBOX_COORDS$;
                Font: 2;
                BGColor: $AREA_HIGHLIGHT_COLOR$;
                BGMode: opaque;
                TextColor: 0,0,0;
                ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
                DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                LineSeparator: full_line;
                HKUp: Up;
                HKDown: Down;
                HKSelect: UpDown;
                HKExecute: Enter;
                BitmapReference: 174,0,0,18,18,5,12,255,0,255;
                //TextHasIconIndex: yo;
                //ExecuteAction: DestinationSC.58;
                ExecuteAction: DestinationSC.next;
                Wordbreak: yes;
                WordbreakChars:   "/";
```

```
      TextSpace: $LISTBOX_TEXT_SPACE$;
      VAlign: center;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      StatusElementID: 10179;
      ShowLastEntry: yo;
}
ListBoxStatusElement
{
      ID: 10179;
      Class: SkinText;
      Coordinates: $SYSTEM_MESSAGE_COORDS$;
      TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
      TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
      Font: $SYSTEM_MESSAGE_FONT$;
      Background: $SYSTEM_MESSAGE_BACKGROUND$;
      TextId: 20205;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
      //Font: 51;
      Wordbreak: yes;
}

StoredSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: RecordListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
StoredSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: StoredSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
      //HKPush: left;

}
StoredSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: StoredSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
```

```
            Layer: ontop;
            //HKPush: right;
      }
      BackButton
      {
            ID: 10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }

      //      LoadFromExternalButton
      //      {
      //          ID: 10225;
      //          Class: PushButton;
      //          Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      //          Enabled: 3,50,0,50,50,0,0,255,0,255;
      //          Pushed:  3,50,50,50,50,0,0,255,0,255;
      //          Icon: 173,0,0,30,30,15,15,255,0,255;
      //          PYOffset: 2;
      //          DisableFocus: yo;
      //          BGMode: Transparent;
      //          Visibility: $MAP24_VERSION_VISIBILITY$;
      //          Action: ListMaintenance.15;
      //          HKPush: $KEY_EVENT_OK$;
      //      }
}
RouteOverviewArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;
      TextColor: 0,0,0;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30006;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
```

```
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }
            StreetNameList
            {
                  ID: 82;
                  Class: ListBox;
                  Coordinates: $LISTBOX_COORDS$;//50,35,230,210;
                  Font: 2; // general text like Streetname
                  LabelFont: 2; // small text like "until" !Lang file defines
font! Font used here is 8. See TextID 10013
                  //          Background: 51,0,30,240,240,0,0;
                  BGMode: opaque;
                  BGColor: $AREA_HIGHLIGHT_COLOR$;
                  TextColor: 0,0,0;
                  DefaultRouteListEntryTextColor: 0,0,0;
                  EntryAddDist: 0;
                  LinesPerEntry: 1;
                  SelectionOnTap: disable;
                  KHKScrollMode: page;
                  HKUp: Up;
                  HKDown: Down;
                  HKScrollPage: yo;
                  AlwaysConsumeKHK: yo;
                  ShowLastEntry: yo;
                  Label1: 10012;
                  Label2: 10013;
                  DistanceFormat: "^F8^ "; // small font used for distance unit,
eg. "km"
                  SepColumn: 52;
                  SepColWidth: 4;
                  // Border line configuration
                  BitmapReference: 113,0,0,30,18,5,2,255,0,255;
                  VAlign: center;
                  TextHasIconIndex: yo;
                  TextSpace: 3;
                  Border: 0;
            }

            NotAvailable
            {
                  ID: 83;
                  Class: SkinText;
                  //Coordinates: 5,100,470,40;
                  Coordinates: $SYSTEM_MESSAGE_COORDS$;
                  TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
                  TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
                  Font: $SYSTEM_MESSAGE_FONT$;
                  Background: $SYSTEM_MESSAGE_BACKGROUND$;
                  TextId: 10011;
                  //Font: 51;
                  Wordbreak: yes;
                  BGMode: Transparent;
                  HAlign: center;
                  VAlign: center;
            }

            OverviewScroller
            {
```

```
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;//280,75,40,125;
            ScrollbarOwner: StreetNameList;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      RLBUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: OverviewScroller;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }

      RLBDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;//280,200,40,40;
            Scrollbar: OverviewScroller;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            //HKPush: right;
      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            //          Action: MapTurnToggle.Map;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }

}
TTIOverviewArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 60;
      TextColor: 0,0,0;

      TitleBar
```

```
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  ID: 66;
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  //TextColor: 255,255,255;
                  TextColor: 0,0,0;
                  TextId: 30040;
                  HAlign: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }
            TMC_Icon
            {
                  ID: 10223;
                  Class: NStateIcon;
                  Coordinates: 393,7,30,20;
                  States: 5;
                  BitmapReference1: 166,0,80,30,20,0,0,255,0,255;
                  BitmapReference2: 166,0,40,30,20,0,0,255,0,255; //todo: n-
state animation
                  BitmapReference3: 166,0,100,30,20,0,0,255,0,255;
                  BitmapReference4: 166,0,120,30,20,0,0,255,0,255;
                  BitmapReference5: 166,0,140,30,20,0,0,255,0,255;
                  MoveBehaviour: Horizontal;
                  //Visibility: $MAP_TMC_ICON_VISIBILITY$;
            }
            //      RDS_TMC_ButtonTransparent
            //      {
            //          Class: PushButton;
            //          Coordinates: 285,0,30,30;
            //          BGMode: transparent;
            //          DisableFocus: yo;
            //          Action: SettingSC.42;
            //          Layer: ontop;
            //          MoveBehaviour: Horizontal;
            //          Visibility: $SETTINGS_TMC_BUTTON_VISIBILITY$;
            //      }
            TTINotAvailable
            {
                  ID: 10002;
                  Class: SkinText;
                  Coordinates: $SYSTEM_MESSAGE_COORDS$;
                  TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
                  TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
                  Font: $SYSTEM_MESSAGE_FONT$;
                  Background: $SYSTEM_MESSAGE_BACKGROUND$;
                  HAlign: center;
```

```
            VAlign: center;
            TextId: 10200;
            //Font: 51;
            Wordbreak: yes;
      }
      //      TimeInfo
      //      {
      //          ID: 10081;
      //          Class: SkinText;
      //          Coordinates: 5,30,390,20;
      //          VAlign: center;
      //          HAlign: center;
      //          Font: 60;
      //          TimeInfo: "^F61^%s: ^F60^%s";
      //      }
      TTIList
      {
            ID: 10001;
            Class: ListBox;
            Coordinates: $LISTBOX_COORDS$;
            BitmapReference: 160,0,0,28,28,5,5,255,0,255;
            TMCProBitmapReference: 258,0,90,30,30,5,25,255,0,255;
            CountryFlagsBitmapReference: 113,0,0,30,18,5,17,255,0,255;
            TextHasIconIndex: yo;
            Font: 60;
            BGMode: opaque;
            Border: $LISTBOX_ELEM_BORDER$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            TextColor: 0,0,0;
            HighlightedTextColor: 0,0,0;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            ElemMinHeight: 51;
            LineSeparator: full_line;
            HKUp: Up;
            HKDown: Down;
            HKSelect: UpDown;
            HKExecute: Enter;
//          ExecuteAction: NavigationMenu.trafficInfoDetail;
            ExecuteAction: MapMenu.trafficInfoDetail;
            Wordbreak: yes;
            TextSpace: $LISTBOX_TEXT_SPACE$;
            VAlign: center;
            ShowLastEntry: yo;
            //          MaxNumMessages: 30;
            RoadInfoBetween: "^F60^%s - %s";
            RoadInfoAt: "^F60^%s";
            TextCoordinates: 40,0,240,81;
      }
      TTIScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: TTIList;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      TTIScrollbarUpButton
      {
            Class: SkinScrollbarButton;
```

```
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: TTIScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      TTIScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: TTIScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      BackButton
      {
            //ID:10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: MapTurnToggle.BackFromGPS;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      RDS_TMC_Button
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: 165,0,30,30,30,9,9,255,0,255;
            PYOffset: 2;
            DisableFocus: yo;
            //Action:   SettingSC.42;
            Action:     MapMenu.tmcsender;
            HKPush: $KEY_EVENT_OK$;
      }
}

TTIDetailArea
{
      Background: 51,0,0,480,272;
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      DefaultFont: 60;

      TitleBar
      {
```

```
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      ID: 66;
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30040;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}

TTIStreetIdentifier
{
      ID: 10087;
      Class: SkinText;
      Coordinates: 40,35,270,16;
      //          VAlign: center;
      Font: 60;
}
TTIIcon
{
      ID: 10084;
      Class: SkinIcon;
      Coordinates: 5,36,28,28;
      BitmapReference: 160,0,0,28,28,0,0,255,0,255;
      TextHasIconIndex: yo;
}
TMCProIcon
{
      Class: SkinIcon;
      Coordinates: 5,56,30,30;
      BitmapReference: 258,0,90,30,30,0,0,255,0,255;
}
TTIRoadFromTo
{
      ID: 10082;
      Class: SkinText;
      Coordinates: 40,50,270,32;
      //          VAlign: center;
      Font: 60;
      Wordbreak: yes;
      RoadInfoBetween: "^F60^%s - %s";
      RoadInfoAt: "^F60^%s";
}
TTITextContainer
{
      Class: SkinContainer;
```

```
            Form: TTIDetailAreaSubForm;
      }
      TTIDetailScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: 432,132,48,44;
            ScrollbarOwner: TTIText;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      TTIDetailScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: 432,84,48,48;
            Scrollbar: TTIDetailScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      TTIDetailScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: TTIDetailScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      BackButton
      {
            //ID:10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            //Action: NavigationMenu.cancel;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

TTIDetailAreaSubForm
{
      Coordinates: 0,79,480,138;

      TTIText
```

```
	{
		ID: 10083;
		Class: SkinText;
		Coordinates: 5,10,422,123;
		Wordbreak: yes;
		KUp: Up;
		KDown: Down;
		MessageFont: "^F63^";
		WordbreakChars: " -/";
		LocInfoBetween: "^F61^%s^F62^ %s ^F61^%s^F62^ %s:";
		LocInfoAt: "^F62^%s:";
		Distance: "^F62^%s: %s";
		DistanceID: 51301;
		TravelTimeLoss: "^F62^%s: %s";
		TravelTimeLossID: 51302;
	}
}

AmbiguityArea
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;
	AddressFormat: $ADDRESS_AMBIG$;
	AddressFormat100: $ADDRESS_AMBIG_USA$;
	FormatStringPreferredPoi: "^F1^";

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}


	Title
	{
		ID: 6677;
		Class: SkinText;
		TextColor: 0,0,0;
		Coordinates: $TITLE_COORDS$;
		Align: left;
		VAlign: Center;
		TextColor: 0,0,0;
		BGMode: Transparent;
		Font: 9;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}


	NumberOfResults
	{
		ID: 10259;
		Class: SkinText;
		Coordinates: 345,0,130,30;
```

```
      Align: right;
      VAlign: Center;
      TextColor: 0,0,0;
      BGMode: Transparent;
      Font: 7;
}


AmbiguityList
{
      ID: 67;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      Font: 2;
      BGMode: opaque;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      //            BitmapReference: 58,0,0,38,38,1,1,255,0,255;
      TextColor: 0,0,0;
      TextColorEnterNVC: 0,0,0;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      TextHasIconIndex: yo;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HighlightedBGColor: $AREA_HIGHLIGHT_COLOR$;
      HKUp: Up;
      HKDown: Down;
      HKSelect: UpDown;
      HKExecute: Enter;
      ExecuteAction: DestinationSC.59;
      Wordbreak: yes;
      WordbreakChars: "/";
      TextSpace: $LISTBOX_TEXT_SPACE$;
      VAlign: center;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}
AmbiguitySimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: AmbiguityList;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
AmbiguitySimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: AmbiguitySimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed: $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled: $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon: $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;

}
AmbiguitySimpleScrollbarDownButton
```

```
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: AmbiguitySimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed: $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled: $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon: $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
}

LoadList
{
      Class: SkinText;
      //Coordinates: 5,100,390,40;
      Coordinates: $SYSTEM_MESSAGE_COORDS$;
      TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
      TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
      Font: $SYSTEM_MESSAGE_FONT$;
      Background: $SYSTEM_MESSAGE_BACKGROUND$;
      //          Coordinates: 5,120,390,40;
      TextId: 10091;
      //Font: 51;
      Wordbreak: yes;
      BGMode: Transparent;
      HAlign: center;
      VAlign: center;
}

//        VoiceInputButton
//        {
//            ID: 10249;
//            Class: PushButton;
//            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
//            Enabled:  $CORNER_BUTTON_ENABLED$;
//            Pushed:   $CORNER_BUTTON_PUSHED$;
//            Icon: 195,0,0,30,30,5,5,255,0,255;
//            PYOffset: 2;
//            DisableFocus: yo;
//            Layer: OnTop;
//        }
BackButton
{
      ID:10079;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
      Action:  DestinationSC.65;
      HKPush: $KEY_EVENT_CANCEL$;
}

//        SimilarResultsButton //Ähnliche Treffer
//        {
//            ID: 303;
//            Class: PushButton;
```

```
            //            Coordinates: 40,195,240,39;
            //            TextID: 20213;
            //            TextCoordinates: 68,5,192,30;
            //            TextColor: 0,0,0;
            //            Font: 9;
            //            HAlign: left;
            //            VAlign: center;
            //            Enabled:  187,240,0,240,39,0,0,255,0,255;
            //            Focussed: 187,240,39,240,39,0,0,255,0,255;
            //            Pushed:   187,240,78,240,39,0,0,255,0,255;
            //            Icon: 121,0,90,30,30,30,5,255,0,255; // TODO - Change
to spyglass icon
            //            PYOffset: 2;
            //            Action:  DestinationSC.351;
            //    }
      }

      AmbiguityListEntryInfoArea
      {
            Background: 51,0,0,480,272,0,0;
            DefaultFont: 0;
            AddressFormat: $ADDRESS_INFO$;
            TextColor: 0,0,0;

            TitleBar
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  //TextColor: 255,255,255;
                  TextColor: 0,0,0;
                  TextId: 30023;
                  HAlign: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }
            InfoText
            {
                  Class: SkinText;
                  Coordinates: 48,35,384,108;
                  TextColor: 0,0,0;
                  TextId: 10061;
                  HAlign: left;
                  VAlign: center;
                  Wordbreak: yes;
                  WordbreakChars: "
```

```
";
                Font: 51;
            }
            MoreInfoText
            {
                Class: SkinText;
                Coordinates: 48,143,192,18;
                TextColor: 0,0,0;
                HAlign: left;
                VAlign: center;
                Font: 51;
            }
            BeelineText
            {
                Class: SkinText;
                //Coordinates: 48,180,384,18;
                Coordinates: 245,143,144,18;
                TextColor: 0,0,0;
                VAlign: center;
                HAlign: left;
                //  Font: 50;
                  Font: 4;
            }
            DirInfoText
            {
                Class: SkinText;
//              Coordinates: 48,198,384,18;
                Coordinates: 245,158,144,18;
                VAlign: center;
                TextColor: 0,0,0;
                HAlign: left;
                //   Font: 50;
                  Font: 4;
            }

            ScrollContainer
            {
                Class: SkinContainer;
                Form: AmbiguityListEntryInfoViewport;
            }
            NextButton
            {
                ID: 352;
                Class: PushButton;
                Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
                Enabled:  $CORNER_BUTTON_ENABLED$;
                Pushed:   $CORNER_BUTTON_PUSHED$;
                Icon: $OK_ICON$;  // OK marker
                PYOffset: 2;
                DisableFocus: yo;
                Layer: OnTop;
                //Action: DestinationSC.58;
                Action: DestinationSC.next;
                HKPush: $KEY_EVENT_OK$;
            }
            PrevButton
            {
                ID:10079;
                Class: PushButton;
                Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
                Enabled:  $CORNER_BUTTON_ENABLED$;
                Pushed:   $CORNER_BUTTON_PUSHED$;
                Icon: $BACK_ARROW_ICON$; // BACK arrow
```

```
                PYOffset: 2;
                DisableFocus: yo;
                BGMode: Transparent;
                Action:  DestinationSC.65;
                HKPush: $KEY_EVENT_CANCEL$;
        }
}
AmbiguityListEntryInfoViewport
{
        Coordinates: 0,0,480,272;
        //      BGColor: $AREA_BG_COLOR$;
        BGMode: transparent;
        //      Background: 51,0,0,480,272,0,0;
        TextColor: 0,0,0;


        DialButton
        {
                Class: PushButton;
                Coordinates: 0,176,240,48;
                TextId: 50261;
                TextCoordinates: $BUTTONTEXT_COORDS_4x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                VAlign: center;
                Font: 7;
                Enabled: 186,0,0,240,48,0,0;
                Focussed: 186,0,48,240,48,0,0;
                Pushed: 186,0,96,240,48,0,0;
                Disabled: 186,0,144,240,48,0,0;
                Icon: 175,0,0,30,30,9,9,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Visibility: shown;
                Action: DestinationSC.dialphonenumber;
        }

        StoreDestButton
        {
                ID: 78;
                Class: PushButton;
                Coordinates: 240,176,240,48;
                TextId: 20212;
                TextCoordinates: $BUTTONTEXT_COORDS_4x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                VAlign: center;
                Font: 7;
                Enabled: 186,0,0,240,48,0,0;
                Focussed: 186,0,48,240,48,0,0;
                Pushed: 186,0,96,240,48,0,0;
                Disabled: 186,0,144,240,48,0,0;
                Icon: 19,0,0,30,30,9,9,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Visibility: $SAVE_FAVORITES$;
                Action: DestinationSC.81;
        }

        ShowInMapButton
        {

                Class: PushButton;
                Coordinates: 48,224,192,48;
                TextId: 20210;
```

```
                TextCoordinates: $BUTTONTEXT_COORDS_4x1$;
                TextColor: $BUTTON_4x1_TEXT_COLOR$;
                VAlign: center;
                Font: 7;
                Enabled:  185,192,0,192,48,0,0;
                Focussed: 185,192,48,192,48,0,0;
                Pushed: 185,192,96,192,48,0,0;
                Disabled: 185,192,144,192,48,0,0;
                Icon: 20,0,0,30,30,9,9,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Action: DestinationSC.showlocation;
        }
        RouteOptionsButton
        {
                ID: 10085;
                Class: PushButton;
                Coordinates: 240,224,192,48;
                TextId: 20211;
                TextCoordinates: $BUTTONTEXT_COORDS_4x1$;
                TextColor: $BUTTON_4x1_TEXT_COLOR$;
                VAlign: center;
                Font: 7;
                Enabled:  185,192,0,192,48,0,0;
                Focussed: 185,192,48,192,48,0,0;
                Pushed:   185,192,96,192,48,0,0;
                Disabled: 185,192,144,192,48,0,0;
                Icon: 22,0,0,30,30,9,9,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Action: DestinationSC.10085;
        }

        //      MoreDestButton // offboard
        //      {
        //          ID: 351;
        //          Class: PushButton;
        //          Coordinates: 200,150,120,40;
        //          TextId: 20213;
        //          TextCoordinates: $BUTTONTEXT_COORDS_120x40$;
        //          VAlign: center;
        //          Font: 4;
        //          Enabled:  123,0,0,120,40,0,0,255,0,255;
        //          Focussed: 123,0,40,120,40,0,0,255,0,255;
        //          Pushed:   123,0,80,120,40,0,0,255,0,255;
        //          Icon: 18,0,0,30,30,5,5,255,0,255;
        //          PYOffset: 2;
        //          Wordbreak: yes;
        //          Action: DestinationSC.351;
        //      }
}

AgentProgressArea
{
        Background: 51,0,0,480,272,0,0;

        TitleBar
        {
                ID: 112233;
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
        }
```

```
Title
{
      ID: 6677;
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30004;
      BGMode: Transparent;
      Align: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
//        BoxTopLabel
//        {
//            Class: SkinText;
//            Coordinates: 22,30,276,15;
//            TextColor: 255,255,255;
//            TextID: 10037;
//            BGMode: Transparent;
//            HAlign: left;
//            VAlign: top;
//            Font: 4;
//        }
//        RoundBoxTop
//        {
//            Class: SkinText;
//            Coordinates: 2,45,316,57;
//            BGColor: $AREA_BG_COLOR$;
//            Border: 1;
//            BorderColor: 255,255,255;
//            BorderRounds: 40;
//        }
//        BoxCenterLabel
//        {
//            Class: SkinText;
//            Coordinates: 22,110,276,15;
//            TextColor: 255,255,255;
//            TextID: 10038;
//            BGMode: Transparent;
//            HAlign: left;
//            VAlign: top;
//            Font: 4;
//        }
//        RoundBoxCenter
//        {
//            Class: SkinText;
//            Coordinates: 2,125,316,60;
//            BGColor: $AREA_BG_COLOR$;
//            BGMode: transparent;
//            Border: 1;
//            BorderColor: 255,255,255;
//            BorderRounds: 40;
```

```
            //        }
            //      LabelHW
            //      {
            //          ID: 93;
            //          Class: SkinText;
            //          Coordinates: 120,38,80,55;
            //          TextId: 10030;
            //          BGMode: Transparent;
            //          TextColor: 255,255,255;
            //          HAlign: center;
            //          VAlign: center;
            //          Font: 2;
            //      }

            GPSIcon
            {
                  ID: 60;
                  Class: NStateIcon;
                  Coordinates: 186,46,110,55;
                  States: 4;
                  BitmapReference1: 37,0,0,110,55,0,0,255,0,255;      // state
undefined
                  BitmapReference2: 37,0,55,110,55,0,0,255,0,255;     // state
not available
                  BitmapReference3: 37,0,110,110,55,0,0,255,0,255;    // state
okay
                  BitmapReference4: 37,0,165,110,55,0,0,255,0,255;    // state
disabled
            }

            //      CommIcon // xxx offboard
            //      {
            //          ID: 62;
            //          Class: NStateIcon;
            //          Coordinates: 200,38,110,55;
            //          States: 4;
            //          BitmapReference1: 39,0,0,110,55,0,0,255,0,255;      //
state undefined
            //          BitmapReference2: 39,0,55,110,55,0,0,255,0,255;     //
state not available
            //          BitmapReference3: 39,0,110,110,55,0,0,255,0,255;    //
state okay
            //          BitmapReference4: 39,0,165,110,55,0,0,255,0,255;    //
state disabled
            //      }

            //      LabelConnect
            //      {
            //          ID: 93;
            //          Class: SkinText;
            //          Coordinates: 10,123,300,25;
            //          BGMode: Transparent;
            //          TextId: 10031; //"Interneteinwahl"
            //          TextColor: 255,255,255;
            //          HAlign: center;
            //          VAlign: center;
            //          Font: 2;
            //      }

            //      RASIcon
            //      {
            //          ID: 92;
            //          Class: NStateIcon;
```

```
//          Coordinates: 50,143,230,40;
//          States: 5;
//          BitmapReference1: 48,0,0,0,0,0,0,255,0,255;
//          BitmapReference2: 48,0,40,230,40,0,0,255,0,255;
//          BitmapReference3: 48,0,80,230,40,0,0,255,0,255;
//          BitmapReference4: 48,0,120,230,40,0,0,255,0,255;
//          BitmapReference5: 48,0,160,230,40,0,0,255,0,255;
//          HideOnConnect: yo;
//      }
LableCalculating
{
      ID: 95;
      Class: SkinText;
      Coordinates: 0,120,480,25;
      Font: 2;
      TextId: 10033; // "Route wird berechnet, bitte warten..."
      BGMode: Transparent;
      TextColor: 0,0,0;
      HAlign: center;
      VAlign: center;
      wordbreak: yes;
}
RouteProgressIcon
{
      ID: 96;
      Class: ProgressBar;
      Coordinates: 95,143,290,40;
      States: 11;
      BitmapReference1: 49,0,0,290,40,0,0,255,0,255;
      BitmapReference2: 49,0,40,290,40,0,0,255,0,255;
      BitmapReference3: 49,0,80,290,40,0,0,255,0,255;
      BitmapReference4: 49,0,120,290,40,0,0,255,0,255;
      BitmapReference5: 49,0,160,290,40,0,0,255,0,255;
      BitmapReference6: 49,0,200,290,40,0,0,255,0,255;
      BitmapReference7: 49,0,240,290,40,0,0,255,0,255;
      BitmapReference8: 49,0,280,290,40,0,0,255,0,255;
      BitmapReference9: 49,0,320,290,40,0,0,255,0,255;
      BitmapReference10: 49,0,360,290,40,0,0,255,0,255;
      BitmapReference11: 49,0,400,290,40,0,0,255,0,255;
      HideOnDialing: yo;
}
ErrorMessage
{
      ID: 94;
      Class: VanishingErrorBox;
      Coordinates: 0,100,480,124;
      TextCoordinates: 20,0,440,124;
      Background: 51,0,100,480,124,0,0;
      TextColor: 180,40,40; //$RED_COLOR$;
      hAlign: center;
      vAlign: center;
      Font: 7;
      Wordbreak: yes;
}
PrevButton
{
      ID:10079;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $CANCEL_ICON$; // CANCEL marker
      PYOffset: 2;
```

```
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  DestinationSC.65;
            //            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
EulaArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30038;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      EulaText
      {
            ID: 1;
            Class: SkinText;
            Coordinates: 10,40,300,140;
            TextId: 61000;
            TextColor: 0,0,0;
            Font: 7;
            HAlign: left;
            Wordbreak: enabled;
      }
      ExitButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; //cancel
            PYOffset: 2;
            DisableFocus: yo;
            Action: MainMenu.1;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      NextButton
```

```
	{
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $OK_ICON$; //ok
		PYOffset: 2;
		DisableFocus: yo;
		Action: SettingSC.119;
		HKPush: $KEY_EVENT_OK$;
	}
}
StVOArea
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 30073;
		BGMode: Transparent;
		Align: left;
		VAlign: center;
		Font: 1;
	}

	PictureBackground
	{
		Class: SkinContainer;
		Form: BackgroundSubform;
	}

	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	StVOText
	{
		Class: SkinText;
		TextId: 20400;
		Coordinates: $PICTURE_MESSAGE_COORDS$;
		TextCoordinates: $PICTURE_MESSAGE_TEXT$;
		TextColor: $PICTURE_MESSAGE_TEXT_COLOR$;
		Font: $PICTURE_MESSAGE_FONT$;
		HAlign: center;
		VAlign: center;
		Wordbreak: yes;
```

```
	}
	ExitButton
	{
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Disabled: $CORNER_BUTTON_DISABLED$;
		Icon: $CANCEL_ICON$; //cancel
		PYOffset: 2;
		DisableFocus: yo;
		Action: MainMenu.1;
		HKPush: $KEY_EVENT_CANCEL$;
	}
	NextButton
	{
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Disabled: $CORNER_BUTTON_DISABLED$;
		Icon: $OK_ICON$; //ok
		PYOffset: 2;
		DisableFocus: yo;
		Action: SettingSC.119;
		HKPush: $KEY_EVENT_OK$;
	}
}
VInfoSubSkin
{
	BGColor: $AREA_HIGHLIGHT_COLOR$;
	BGMode: opaque;
	//	Background: $DROPPED_SUBFORM_BG$;
	DefaultFont: 7;
	Coordinates: $DROPPED_SUBFORM_COORDS$;

	VInfoTextListBox
	{
		ID: 10069;
		Class: ListBox;
		Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: transparent;
		BitmapReference: 15,0,0,30,30,5,5,255,0,255;
		TextColor: 0,0,0;
		TextCoordinates: $LISTBOX_TEXT_COORDS$;
		HighlightedTextColor: 255,255,255;
		HighlightedBGColor: $FOCUS_COLOR$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
		LineSeparator: full_line;
		VAlign: center;
		HAlign: left;
		TextHasIconIndex: yo;
		HKUp: Up;
		HKDown: Down;
		HKExecute: Enter;
		ExecuteAction: ListBox.VInfoDropDown,1;
		HKSelect: UpDown;
		Border: $LISTBOX_ELEM_BORDER$;
		FocussedTextColor: 0,0,0;
		StatusElementID: 10179;
	}
```

```
	ListBoxStatusElement
	{
		ID: 10179;
		Class: SkinText;
		Coordinates: 0,35,480,189;
		TextColor: 9,9,9;
		TextId: 20205;
		BGMode: Transparent;
		Align: center;
		VAlign: center;
		Font: 2;
	}
	BackButton
	{
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListBox.NaviTypeDropDown,0;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}

NaviTypeSubSkin
{
	DefaultFont: 7;
	Coordinates: $DROPPED_SUBFORM_COORDS$;

	NaviTypeTextListBox
	{
		ID: 10070;
		Class: ListBox;
		Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		BitmapReference: 12,0,0,30,30,5,5,255,0,255;
		TextColor: 0,0,0;
		TextCoordinates: $LISTBOX_TEXT_COORDS$;
		HighlightedTextColor: 255,255,255;
		HighlightedBGColor: $FOCUS_COLOR$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		LineSeparator: full_line;
		VAlign: center;
		HAlign: left;
		TextHasIconIndex: yo;
		ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
		HKUp: Up;
		HKDown: Down;
		HKExecute: Enter;
		ExecuteAction: ListBox.NaviTypeDropDown,1;
		HKSelect: UpDown;
		Border: $LISTBOX_ELEM_BORDER$;
		FocussedTextColor: 0,0,0;
	}
	BackButton
	{
		Class: PushButton;
		Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
```

```
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.NaviTypeDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
RouteTypeSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      RouteTypeTextListBox
      {
            ID: 10071;
            Class: ListBox;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 13,0,0,30,30,5,5,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.RouteTypeDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.RouteTypeDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
OmitTollRoadsSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      OmitTollRoadsTextListBox
      {
            Class: ListBox;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
```

```
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 138,0,0,30,30,5,5,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.OmitTollRoadsDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.OmitTollRoadsDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
RoadClass0SubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      RoadClass0TextListBox
      {
            Class: ListBox;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 138,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.RoadClass0DropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
```

```
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.RoadClass0DropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
FerriesSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      FerriesTextListBox
      {
            Class: ListBox;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 138,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.FerriesDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.FerriesDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

CongestionByPassSubSkin
{
```

```
	DefaultFont: 7;
	Coordinates: $DROPPED_SUBFORM_COORDS$;

	CongestionByPassListBox
	{
		Class: ListBox;
		Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		BitmapReference: 178,0,0,30,30,9,9,255,0,255;
		TextColor: 0,0,0;
		TextCoordinates: $LISTBOX_TEXT_COORDS$;
		HighlightedTextColor: 255,255,255;
		HighlightedBGColor: $FOCUS_COLOR$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		LineSeparator: full_line;
		VAlign: center;
		HAlign: left;
		TextHasIconIndex: yo;
		ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
		HKUp: Up;
		HKDown: Down;
		HKExecute: Enter;
		ExecuteAction: ListBox.CongestionByPassDropDown,1;
		HKSelect: UpDown;
		Border: $LISTBOX_ELEM_BORDER$;
		FocussedTextColor: 0,0,0;
	}
	BackButton
	{
		Class: PushButton;
		Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
		EEnabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListBox.CongestionByPassDropDown,0;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}
RouteOptionsArea
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		ID: 112233;
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		ID: 6677;
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 30002;
		BGMode: Transparent;
```

```
      Align: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
PictureIcon
{
      Class: SkinIcon;
      Coordinates: 0,35,480,44;
      BitmapReference: 182,0,0,480,44,0,0;
}
NaviTypeDropDown
{
      ID: 10073;
      Class: Dropdown;
      ElementClass: SkinButton;
      BGColor: $AREA_BG_COLOR$;
      Coordinates: 0,80,240,48;
      Enabled:  186,0,0,240,48,0,0;
      Focussed: 186,0,48,240,48,0,0;
      Pushed:   186,0,96,240,48,0,0;
      Disabled: 186,0,144,240,48,0,0;
      Icon: 12,0,0,30,30,22,9,255,0,255;
      PYOffset: 2;
      DroppedCoordinates: $DROPPED_COORDS$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      ElemMinHeight: 80;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      ListBox: NaviTypeTextListBox;
      ListBoxForm: NaviTypeSubSkin;
      TextHasIconIndex: yo;
      FirstTextID: 6120;
      LastTextID: $NAVI_MODE_LAST_ID$;
      Wordbreak: yes;
      WordbreakChars: " /-";
      HAlign: left;
      VAlign: center;
      //DDArrow: 144,0,0,11,6,72,24,255,0,255;
}
//      VInfoDropDown
//      {
//          ID: 10072;
//          Class: DropDown;
//          ElementClass: SkinButton;
//          Coordinates: 214,110,105,80;
//          Enabled: 120,0,0,105,80,0,0,255,0,255;
//          Focussed: 120,0,80,105,80,0,0,255,0,255;
//          Pushed: 120,0,160,105,80,0,0,255,0,255;
//          Icon: 15,0,0,30,30,38,10,255,0,255;
//          PYOffset: 2;
//          DroppedCoordinates: $DROPPED_COORDS$;
//          elemMinHeight: 80;
//          TextColor: 0,0,0;
//          TextCoordinates: $BUTTONTEXT_COORDS_105x80$;
```

Gelöscht: 0,0,0

```
//          ListBox: VInfoTextListBox;
//          ListBoxForm: VInfoSubSkin;
//          TextHasIconIndex: yo;
//          FirstTextID: 6110;
//          LastTextID: 6114;
//          Wordbreak: yes;
//          WordbreakChars: " /-";
//          HAlign: center;
//          VAlign: center;
//      }
RouteTypeDropDown
{
      ID: 10074;
      Class: DropDown;
      ElementClass: SkinButton;
      BGColor: $AREA_BG_COLOR$;
      Coordinates: 0,128,240,48;
      Enabled:  186,0,0,240,48,0,0;
      Focussed: 186,0,48,240,48,0,0;
      Pushed:   186,0,96,240,48,0,0;
      Disabled: 186,0,144,240,48,0,0;
      Icon: 13,0,0,30,30,22,9,255,0,255;
      PYOffset: 2;
      ElemMinHeight: 80;
      DroppedCoordinates: $DROPPED_COORDS$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      ListBox: RouteTypeTextListBox;
      ListBoxForm: RouteTypeSubSkin;
      TextHasIconIndex: yo;
      FirstTextID: 6100;
      LastTextID: 6102;
      Wordbreak: yes;
      WordbreakChars: " /-";
      HAlign: left;
      VAlign: center;
}
OmitTollRoadsDropDown
{
      ID: 10206;
      Class: DropDown;
      BGColor: $AREA_BG_COLOR$;
      ElementClass: SkinButton;
      Coordinates: 240,128,240,48;
      Enabled:  186,0,0,240,48,0,0;
      Focussed: 186,0,48,240,48,0,0;
      Pushed:   186,0,96,240,48,0,0;
      Disabled: 186,0,144,240,48,0,0;
      Icon: 138,0,0,30,30,22,9,255,0,255;
      PYOffset: 2;
      ElemMinHeight: 80;
      DroppedCoordinates: $DROPPED_COORDS$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      ListBox: OmitTollRoadsTextListBox;
      ListBoxForm: OmitTollRoadsSubSkin;
      TextHasIconIndex: yo;
      FirstTextID: 6150;
      LastTextID: 6151;
      Wordbreak: yes;
      WordbreakChars: " /-";
      HAlign: left;
      VAlign: center;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
}
FerriesDropDown
{
	ID: 10208;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 240,80,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
	Pushed:   186,0,96,240,48,0,0;
	Disabled: 186,0,144,240,48,0,0;
	Icon: 138,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	ElemMinHeight: 80;
	DroppedCoordinates: $DROPPED_COORDS$;
	BGColor: $AREA_BG_COLOR$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: FerriesTextListBox;
	ListBoxForm: FerriesSubSkin;
	TextHasIconIndex: yo;
	FirstTextID: 6140;
	LastTextID: 6141;
	Wordbreak: yes;
	WordbreakChars: " /-";
	HAlign: left;
	VAlign: center;
}
RoadClass0DropDown
{
	ID: 10207;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 240,176,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
	Pushed:   186,0,96,240,48,0,0;
	Disabled: 186,0,144,240,48,0,0;
	Icon: 138,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	ElemMinHeight: 80;
	DroppedCoordinates: $DROPPED_COORDS$;
	BGColor: $AREA_BG_COLOR$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: RoadClass0TextListBox;
	ListBoxForm: RoadClass0SubSkin;
	TextHasIconIndex: yo;
	FirstTextID: 6130;
	LastTextID: 6131;
	Wordbreak: yes;
	WordbreakChars: " /-";
	HAlign: left;
	VAlign: center;
}
CongestionByPassDropDown
{
	ID: 10251;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 0,176,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
            Pushed:   186,0,96,240,48,0,0;
            Disabled: 186,0,144,240,48,0,0;
            Icon: 178,0,0,30,30,22,9,255,0,255;
            PYOffset: 2;
            ElemMinHeight: 80;
            DdroppedCoordinates: $DROPPED_COORDS$;
            BGColor: $AREA_BG_COLOR$;
            TextColor: $BUTTON_5x1_TEXT_COLOR$;
            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
            ListBox: CongestionByPassListBox;
            ListBoxForm: CongestionByPassSubSkin;
            TextHasIconIndex: yo;
            FirstTextID: 20455;
            LastTextID: 20457;
            Wordbreak: yes;
            WordbreakChars: " /-";
            HAlign: left;
            VAlign: center;
      }
      BackButton
      {
            ID:10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            Wordbreak: yes;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: DestinationSC.65;
            //          Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      //      RequestKorridorInfo //xxx aktuell?
      //      {
      //          ID: 201;
      //          Class: ToggleButton;
      //          Coordinates: 2,196,235,36;
      //          TextId1: 6016;
      //          TextId2: 6017;
      //          TextCoordinates: 45,0,188,36;
      //          Enabled1: 62,0,36,36,36,0,0,255,255,255;
      //          Pushed1: 62,0,36,36,36,0,0;
      //          Enabled2: 62,36,36,36,36,0,0;
      //          Pushed2: 62,36,36,36,36,0,0;
      //          Align: left;
      //          VAlign: center;
      //          Wordbreak: yes;
      //      }
}

// TODO: Minimise duplication of the route options menu by using a subform
RouteOptionsAreaMapMenu
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;



      TitleBar
      {
```

Gelöscht: 0,0,0

```
	ID: 112233;
	Class: SkinIcon;
	Coordinates: $TITLEBAR_CORDS$;
	BitmapReference: $TITLEBAR_ICON$;
}

Title
{
	ID: 6677;
	Class: SkinText;
	Coordinates: $TITLE_COORDS$;
	//TextColor: 255,255,255;
	TextColor: 0,0,0;
	TextId: 30002;
	BGMode: Transparent;
	Align: left;
	VAlign: center;
	Font: 1;
}
TitlebarExitButton
{
	Class: PushButton;
	Coordinates: 0,0,50,35;
	Enabled: 207,0,0,50,35,0,0;
	Focussed: 207,0,0,50,35,0,0;
	Pushed:207,0,35,50,35,0,0;
	Action:MainMenu.1;
	Layer: OnTop;
}
PictureIcon
{
	Class: SkinIcon;
	Coordinates: 0,35,480,44;
	BitmapReference: 182,0,0,480,44,0,0;
}
NaviTypeDropDown
{
	ID: 10073;
	Class: Dropdown;
	ElementClass: SkinButton;
	BGColor: $AREA_BG_COLOR$;
	Coordinates: 0,80,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
	Pushed:   186,0,96,240,48,0,0;
	Disabled: 186,0,144,240,48,0,0;
	Icon: 12,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	DroppedCoordinates: $DROPPED_COORDS$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	ElemMinHeight: 80;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: NaviTypeTextListBox;
	ListBoxForm: NaviTypeSubSkin;
	TextHasIconIndex: yo;
	FirstTextID: 6120;
	LastTextID: $NAVI_MODE_LAST_ID$;
	Wordbreak: yes;
	WordbreakChars: " /-";
	HAlign: left;
	VAlign: center;
	//DDArrow: 144,0,0,11,6,72,24,255,0,255;
}
```

Gelöscht: 0,0,0

```
RouteTypeDropDown
{
	ID: 10074;
	Class: DropDown;
	ElementClass: SkinButton;
	BGColor: $AREA_BG_COLOR$;
	Coordinates: 0,128,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
	Pushed:   186,0,96,240,48,0,0;
	Disabled: 186,0,144,240,48,0,0;
	Icon: 13,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	ElemMinHeight: 80;
	DroppedCoordinates: $DROPPED_COORDS$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: RouteTypeTextListBox;
	ListBoxForm: RouteTypeSubSkin;
	TextHasIconIndex: yo;
	FirstTextID: 6100;
	LastTextID: 6102;
	Wordbreak: yes;
	WordbreakChars: " /-";
	HAlign: left;
	VAlign: center;
}
OmitTollRoadsDropDown
{
	ID: 10206;
	Class: DropDown;
	BGColor: $AREA_BG_COLOR$;
	ElementClass: SkinButton;
	Coordinates: 240,128,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
	Pushed:   186,0,96,240,48,0,0;
	Disabled: 186,0,144,240,48,0,0;
	Icon: 138,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	ElemMinHeight: 80;
	DroppedCoordinates: $DROPPED_COORDS$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: OmitTollRoadsTextListBox;
	ListBoxForm: OmitTollRoadsSubSkin;
	TextHasIconIndex: yo;
	FirstTextID: 6150;
	LastTextID: 6151;
	Wordbreak: yes;
	WordbreakChars: " /-";
	HAlign: left;
	VAlign: center;
}
FerriesDropDown
{
	ID: 10208;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 240,80,240,48;
	Enabled:  186,0,0,240,48,0,0;
	Focussed: 186,0,48,240,48,0,0;
	Pushed:   186,0,96,240,48,0,0;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
        Disabled: 186,0,144,240,48,0,0;
        Icon: 138,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        ElemMinHeight: 80;
        DroppedCoordinates: $DROPPED_COORDS$;
        BGColor: $AREA_BG_COLOR$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: FerriesTextListBox;
        ListBoxForm: FerriesSubSkin;
        TextHasIconIndex: yo;
        FirstTextID: 6140;
        LastTextID: 6141;
        Wordbreak: yes;
        WordbreakChars: " /-";
        HAlign: left;
        VAlign: center;
}
RoadClass0DropDown
{
        ID: 10207;
        Class: DropDown;
        ElementClass: SkinButton;
        Coordinates: 240,176,240,48;
        Enabled:  186,0,0,240,48,0,0;
        Focussed: 186,0,48,240,48,0,0;
        Pushed:   186,0,96,240,48,0,0;
        Disabled: 186,0,144,240,48,0,0;
        Icon: 138,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        ElemMinHeight: 80;
        DroppedCoordinates: $DROPPED_COORDS$;
        BGColor: $AREA_BG_COLOR$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: RoadClass0TextListBox;
        ListBoxForm: RoadClass0SubSkin;
        TextHasIconIndex: yo;
        FirstTextID: 6130;
        LastTextID: 6131;
        Wordbreak: yes;
        WordbreakChars: " /-";
        HAlign: left;
        VAlign: center;
}
CongestionByPassDropDown
{
        ID: 10251;
        Class: DropDown;
        ElementClass: SkinButton;
        Coordinates: 0,176,240,48;
        Enabled:  186,0,0,240,48,0,0;
        Focussed: 186,0,48,240,48,0,0;
        Pushed:   186,0,96,240,48,0,0;
        Disabled: 186,0,144,240,48,0,0;
        Icon: 178,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        ElemMinHeight: 80;
        DroppedCoordinates: $DROPPED_COORDS$;
        BGColor: $AREA_BG_COLOR$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: CongestionByPassListBox;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
            ListBoxForm: CongestionByPassSubSkin;
            TextHasIconIndex: yo;
            FirstTextID: 20455;
            LastTextID: 20457;
            Wordbreak: yes;
            WordbreakChars: " /-";
            HAlign: left;
            VAlign: center;
      }
      BackButton
      {
            ID:10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  181,96,0,48,48,255,0,255;
            Pushed:   181,96,96,48,48,255,0,255;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            Wordbreak: yes;
            DisableFocus: yo;
            BGMode: Transparent;
            //          Action: DestinationSC.65;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

ContinueRouteArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 0;
      AddressFormat: $ADDRESS_INFO$;
      TextColor: 0,0,0;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30013;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      InfoText
      {
```

```
Class: SkinText;
Coordinates: 48,35,384,108;
TextColor: 0,0,0;
TextId: 10061;
HAlign: left;
VAlign: center;
Wordbreak: yes;
WordbreakChars: "
```

```
";
            Font: 51;
      }
      MoreInfoText
      {
            Class: SkinText;
            Coordinates: 48,143,384,18;
            TextColor: 0,0,0;
            HAlign: left;
            VAlign: center;
            Font: 51;
      }
      BeelineText
      {
            Class: SkinText;
            Coordinates: 48,180,384,18;
            TextColor: 0,0,0;
            VAlign: center;
            HAlign: left;
            //  Font: 50;
      }
      DirInfoText
      {
            Class: SkinText;
            Coordinates: 48,198,384,18;
            VAlign: center;
            TextColor: 0,0,0;
            HAlign: left;
            //   Font: 50;
      }
      Question
      {
            ID: 80;
            Class: SkinText;
            Coordinates: $QUESTION_COORDS$;
            TextColor: $QUESTION_COLOR$;
            Font: $QUESTION_FONT$;
            TextId: 10062;
            Align: center;
            VAlign: center;
            Wordbreak: yes;

      }
      CancelButton
      {
            ID: 76;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            Action: DestinationSC.76;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      OkayButton
      {
            ID: 77;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
```

```
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            Action: DestinationSC.77;
            HKPush: $KEY_EVENT_OK$;
      }
}

ExternalDestinationArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 0;
      AddressFormat: $ADDRESS_INFO$;
      TextColor: 0,0,0;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30080;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      InfoText
      {
            Class: SkinText;
            Coordinates: 48,35,384,108;
            TextColor: 0,0,0;
            TextId: 10061;
            HAlign: left;
            VAlign: center;
            Wordbreak: yes;
            WordbreakChars: "
```

```
";
            Font: 51;
      }
      MoreInfoText
      {
            Class: SkinText;
            Coordinates: 48,143,384,18;
            TextColor: 0,0,0;
            HAlign: left;
            VAlign: center;
            Font: 51;
      }
      BeelineText
      {
            Class: SkinText;
            Coordinates: 48,180,384,18;
            TextColor: 0,0,0;
            VAlign: center;
            HAlign: left;
            //  Font: 50;
      }
      DirInfoText
      {
            Class: SkinText;
            Coordinates: 48,198,384,18;
            VAlign: center;
            TextColor: 0,0,0;
            HAlign: left;
            //   Font: 50;
      }
      Question
      {
            ID: 80;
            Class: SkinText;
            Coordinates: 48,224,384,48;
            TextColor: 0,0,0;
            TextId: 10062;
            Align: center;
            VAlign: center;
            Wordbreak: yes;
            Font: 51;
      }
      CancelButton
      {
            ID: 76;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            Action: DestinationSC.76;
            HKPush: $KEY_EVENT_CANCEL$;
      }

      OkayButton
      {
            ID: 77;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
```

```
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Layer: OnTop;
            Action: DestinationSC.77;
            HKPush: $KEY_EVENT_OK$;
      }
}

ConfirmDestinationArea
{
      //      BGColor: $AREA_BG_COLOR$;
      //      BGMode: opaque;
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;
      AddressFormat: $ADDRESS_LONG$;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30003;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      HLine1
      {
            ID: 112255;
            Class: SkinIcon;
            Coordinates: 0,49,240,1;
            BitmapReference: 99,0,0,240,1,0,0;
      }
      HLine2
      {
            ID: 112256;
            Class: SkinIcon;
            Coordinates: 0,179,240,1;
            BitmapReference: 99,0,0,240,1,0,0;
      }
      AddressField
```

```
{
	ID: 71;
	Class: SkinText;
	Coordinates: 4,61,232,175;
	TextId: 10061;
	Align: left;
	Wordbreak: yes;
	WordbreakChars: "
```

```
";
            }
            TravelDistanceLabel
            {
                  ID: 72;
                  Class: SkinText;
                  Coordinates: 5,185,115,20;
                  TextId: 10072;
                  BGMode: Transparent;
                  Align: left;
            }
            TravelDistance
            {
                  ID: 73;
                  Class: SkinText;
                  Coordinates: 125,185,110,20;
                  BGMode: Transparent;
                  Align: left;
            }
            TravelTimeLabel
            {
                  ID: 74;
                  Class: SkinText;
                  Coordinates: 5,210,115,20;
                  TextId: 10073;
                  BGMode: Transparent;
                  Align: left;
            }
            TravelTime
            {
                  ID: 75;
                  Class: SkinText;
                  Coordinates: 125,210,110,20;
                  BGMode: Transparent;
                  Align: left;
            }
      }

      ConfirmConnectionArea
      {
            Background: 51,0,0,480,272,0,0;
            BGMode: opaque;
            TextColor: 0,0,0;
            Font:2;

            TitleBar
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  //TextColor: 255,255,255;
                  TextColor: 0,0,0;
                  TextId: 30039;
                  BGMode: Transparent;
                  HAlign: left;
                  VAlign: center;
                  Font: 1;
            }
```

```
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	Message
	{
		Class: SkinText;
		Coordinates: 5,35,390,80;
		TextId: 3005;
		BGMode: Transparent;
		HAlign: left;
		Wordbreak: yes;
		WordbreakChars: " ";
	}
	OffboardIcon
	{
		Class: SkinIcon;
		Coordinates: 5,130,40,40;
		//		BitmapReference: 58,0,0,40,40,0,0,255,0,255;
	}
	Question
	{
		ID: 80;
		Class: SkinText;
		Coordinates: 50,130,260,80;
		TextId: 10063;
		HAlign: left;
		Wordbreak: yes;
		BGMode: Transparent;
	}
	CancelConnectButtons
	{
		Class: SkinContainer;
		Form: DestinationCancelConnectSubform;
	}
}
ShowAgentErrorArea
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		ID: 112233;
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		ID: 6677;
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		TextColor: 0,0,0;
		TextId: 10080;
		BGMode: Transparent;
		Align: left;
```

```
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }

      ErrorMessage
      {
            ID: 73;
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: SYSTEM_MESSAGE_TEXT_COLOR;
            Font: $SYSTEM_MESSAGE_FONT$;
            HAlign: left;
            VAlign: center;
            Wordbreak: yes;
            BGMode: Transparent;
      }
      CancelButton
      {
            ID: 73;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            Action:  DestinationSC.73;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
//  SelectTicketArea
//  {
//      Background: 51,0,0,480,272,0,0;
//      BGMode: opaque;
//      TextColor: 255,255,255;
//
//      }
//      TicketSimpleScrollbar
//      {
//          Class: SimpleScrollbar;
//          Coordinates: $SCROLLBAR_COORDS$;
//          ScrollbarOwner: TicketList;
//          AddScrollbarSizeToOwner: yo;
//          BGColor: $AREA_BG_COLOR$;
//          ThumbColor: $AREA_HIGHLIGHT_COLOR$;
//          Layer: ontop;
//      }
//      TicketSimpleScrollbarUpButton
//      {
//          Class: SkinScrollbarButton;
//          Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
//          Scrollbar: TicketSimpleScrollbar;
```

```
//          Type: up;
//          BGMode: opaque;
//          Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
//          Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
//          Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
//          Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
//          PYOffset: 2;
//          Layer: ontop;
//
//      }
//      TicketSimpleScrollbarDownButton
//      {
//          Class: SkinScrollbarButton;
//          Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
//          Scrollbar: TicketSimpleScrollbar;
//          Type: down;
//          BGMode: opaque;
//          Enabled:  47,0,0,40,40,0,0;
//          Pushed:   47,40,0,40,40,0,0;
//          Disabled: 47,80,0,40,40,0,0;
//          Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
//          PYOffset: 2;
//          Layer: ontop;
//      }
//  }
GPSView
{
      BGMode: opaque;
      Background: 205,0,0,480,272,0,0;
      DefaultFont: 7;
      TextColor: 0,0,0;
      FgColorByInvalidGPS: 128,128,128;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 30009;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      CompassRose
```

```
            {
                  ID: 10283; //     the   ID 10283 is reserved for the
SkinElement CompassBitmapElement
                  Class: CompassBitmapElement;
                  Coordinates: 177,61,130,130;
                  States:     36;
                  BitmapReference: 206,0,0,130,130;
                  DisableFocus:     yo;
            }

            la_text
            {
                  ID: 12;
                  Class: SkinText;
                  TextId: 20001;
                  Coordinates: 48,224,144,24;
                  TextColor: 0,0,0;
                  BGMode: transparent;
                  HAlign: center;
                  VAlign: center;
                  Font: 6;
                  Layer: OnTop;
            }
            lo_text
            {
                  ID: 11;
                  Class: SkinText;
                  TextId: 20002;
                  Coordinates: 192,224,144,24;
                  TextColor: 0,0,0;
                  BGMode: transparent;
                  HAlign: center;
                  VAlign: center;
                  Font: 6;
                  Layer: OnTop;
            }
            speed_text
            {
                  ID: 11;
                  Class: SkinText;
                  TextId: 20003;
                  Coordinates: 336,224,144,24;
                  TextColor: 0,0,0;
                  BGMode: transparent;
                  HAlign: center;
                  VAlign: center;
                  Font: 6;
                  Layer: OnTop;
            }


            m_latitude
            {
                  ID: 112;
                  TextId: 20001;
                  TextColor: 0,0,0;
                  Class: SkinText;
                  Coordinates: 48,224,144,48;
                  TextCoordinates: 0,24,144,48;
                  BGColor: 255,255,255;
                  BGMode: opaque;
                  Border: 1;
                  BorderColor: 0,0,0;
```

```
      HAlign: center;
      VAlign: center;
      Font: 2;
}
m_longitude
{
      ID: 111;
      Class: SkinText;
      TextColor: 0,0,0;
      Coordinates: 192,224,144,48;
      TextCoordinates: 0,24,144,48;
      BGColor: 255,255,255;
      BGMode: opaque;
      Border: 1;
      BorderColor: 0,0,0;
      HAlign: center;
      VAlign: center;
      Font: 2;
}
m_speed
{
      ID: 113;
      Class: SkinText;
      Text: "^F3^%s ^F4^%s";
      Coordinates: 336,224,144,48;
      TextCoordinates: 0,24,144,48;
      TextColor: 0,0,0;
      BGColor: 255,255,255;
      BGMode: opaque;
      Border: 1;
      BorderColor: 0,0,0;
      HAlign: center;
      VAlign: center;
      Font: 1;
}



HDOPText
{
      ID: 10174;
      Class: SkinText;
      TextId:     20116;
      Background: 214,0,0,80,30;
      Coordinates: 398,2,80,30;
      TextCoordinates: 5,0,70,30;
      BGMode: opaque;
      TextColor: 0,0,0;
      HAlign:     left;
      VAlign:     center;
      Font: 6;
}
HDOP
{
      ID: 10175;
      Class: SkinText;
      Coordinates: 398,2,80,30;
      TextCoordinates: 5,0,70,30;
      BGMode: transparent;
      HAlign: right;
      VAlign:     center;
      TextColor: 0,0,0;
      Font: 2;
```

```
}

HeightText
{
      ID: 10150;
      Class: SkinText;
      TextId:     20151;
      Coordinates: $COMPASS_HEIGHT_TEXT_COORDS$;
      TextCoordinates: 2,4,80,16;
      BGColor: 255,255,255;
      BGMode: opaque;
      TextColor: 0,0,0;
      HAlign:     center;
      VAlign:     center;
      Font: 6;
      Border: 1;
      BorderColor: 0,0,0;
}

m_height
{
      ID: 10007;
      Class: SkinText;
      Text: "^F2^%s ^F6^%s";
      Coordinates: $COMPASS_HEIGHT_VALUE_COORDS$;
      BGMode: Transparent;
      HAlign: center;
      Font: 2;
}

SatellitesIcon
{
      ID: 10011;
      Class: SkinIcon;
      Coordinates: 445,40,30,30;
      BitmapReference: 66,0,0,30,30,0,0,255,0,255;
      BGMode: Transparent;
}

m_satellites
{
      ID: 10010;
      Class: SkinText;
      Coordinates: 445,73,30,15;
      BGMode: Transparent;
      HAlign: right;
      VAlign:     center;
      Font: 7;
      TextColor: 0,0,0;
}

m_receptionQuality
{
      ID:   10009;
      Class: NStateIcon;
      Coordinates: 460,90,15,50;
      States:     10;
      BitmapReference1: 119,135,0,15,50,0,0,255,0,255;
      BitmapReference2: 119,120,0,15,50,0,0,255,0,255;
      BitmapReference3: 119,105,0,15,50,0,0,255,0,255;
      BitmapReference4: 119,90,0,15,50,0,0,255,0,255;
      BitmapReference5: 119,75,0,15,50,0,0,255,0,255;
      BitmapReference6: 119,60,0,15,50,0,0,255,0,255;
```

```
            BitmapReference7: 119,45,0,15,50,0,0,255,0,255;
            BitmapReference8: 119,30,0,15,50,0,0,255,0,255;
            BitmapReference9: 119,15,0,15,50,0,0,255,0,255;
            BitmapReference10: 119,0,0,15,50,0,0,255,0,255;
            BGMode:     Transparent;
      }
      ErrorMessage
      {
            ID: 96;
            Class: VanishingErrorBox;
            Coordinates: 48,224,432,48;
            TextColor: 255,255,255;
            BGColor: 237,28,36;
            BGMode: opaque;
            hAlign: center;
            vAlign: center;
            Font: 51;
            Wordbreak: yes;
            ResizeBehaviour: Both;
            //Border:1;
            Layer: OnTop;

      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            //Action: MapTurnToggle.BackFromGPS;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
TurnByTurnArea
{
      UseDib: yo;
      DefaultFont: 1;
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;

      IconPanel
      {
            ID:   4711;
            Class: BitmapIconPanel;
            Coordinates: 165,74,150,150;
            BGMode:     Transparent;

            //                  StreetColor: 255,255,255;
            StreetColor: 0,0,0;
            ArrowColor: 0,0,0;

            NumberOfLegs: 16;
            HomingBitmap: 225,0,0,150,150,0,0;

            JunctionBitmap:
222,0,0,150,150,0,0;
            JunctionLegsBitmap:                     220,0,0,150,150,0,0;
```

```
                JunctionUturnRightBitmap: 222,0,0,150,150,0,0;
                JunctionUturnLeftBitmap:      222,0,2400,150,150,0,0;

//              RoundAboutRightBitmap:  224,0,0,150,150,0,0;

                RoundAboutRightBitmap1:       224,0,2400,150,150,0,0;
                RoundAboutRightBitmap2:       224,0,2250,150,150,0,0;
                RoundAboutRightBitmap3:       224,0,2100,150,150,0,0;
                RoundAboutRightBitmap4:       224,0,1950,150,150,0,0;
                RoundAboutRightBitmap5:       224,0,1800,150,150,0,0;
                RoundAboutRightBitmap6:       224,0,1650,150,150,0,0;
                RoundAboutRightBitmap7:       224,0,1500,150,150,0,0;
                RoundAboutRightBitmap8:       224,0,1350,150,150,0,0;
                RoundAboutRightBitmap9:       224,0,1200,150,150,0,0;
                RoundAboutRightBitmap10:      224,0,1050,150,150,0,0;
                RoundAboutRightBitmap11:      224,0,900,150,150,0,0;
                RoundAboutRightBitmap12:      224,0,750,150,150,0,0;
                RoundAboutRightBitmap13:      224,0,600,150,150,0,0;
                RoundAboutRightBitmap14:      224,0,450,150,150,0,0;
                RoundAboutRightBitmap15:      224,0,300,150,150,0,0;
                RoundAboutRightBitmap16:      224,0,150,150,150,0,0;

                RoundAboutLeftBitmap:   223,0,0,150,150,0,0;
                RoundAboutLegsBitmap:   221,0,0,150,150,0,0;
                RoundAboutCircleBitmap: 221,0,2400,150,150,0,0;
                RoundAboutRightUturnBitmap:   224,0,2400,150,150,0,0;
                RoundAboutLeftUturnBitmap: 223,0,2400,150,150,0,0;

                UturnLeftBitmap: 226,0,150,150,150,0,0;
                UturnRightBitmap: 226,0,0,150,150,0,0;

                PreAnnounceLeftBitmap: 226,0,450,150,150,0,0;
                PreAnnounceRightBitmap: 226,0,300,150,150,0,0;

                DestReached: 56,0,0,180,180,20,0;

                ShowSS:     1;
        }

        NextTurn
        {
                ID: 48;
                Class: NStateIcon;
                Coordinates: 437,50,34,22;
                States: 4;
                BitmapReference1: 34,0,0,34,22,0,0,255,255,255;
                BitmapReference2: 34,34,0,34,22,0,0,255,255,255;
                BitmapReference3: 34,68,0,34,22,0,0,255,255,255;
                BitmapReference4: 34,102,0,34,22,0,0,255,255,255;
                Layer: ontop;
        }

        DistanceText
        {
                ID: 41;
                Class: SkinText;
                Coordinates: 1,52,52,30;
                BGColor: $AREA_BG_COLOR$;
                BGMode: transparent;
                Border: 0;
                //BorderRounds: 0;
                //BorderColor: 90,90,90;
                TextColor: 0,0,0;
```

```
            Text: "";
            HAlign: center;
            VAlign: top;
            Font: 7;
            WordBreak: yes;
            WordbreakChars: "_";
      }


      //DistanceUnits
      //{
      //    ID: 53;
      //    Class: SkinText;
      //    Coordinates: 0,65,80,20;
      //    BGMode: Transparent;
      //    Align: center;
      //}
      DistanceBar
      {
            ID: 42;
            Class: NStateIcon;
            Coordinates: 2,65,45,110;
            States: 10;
            //            BitmapReference1:
30,0,0,70,90,0,0,255,0,255;//15,5
            //            BitmapReference2: 30,75,0,70,90,0,0,255,0,255;
            //            BitmapReference3: 30,150,0,70,90,0,0,255,0,255;
            //            BitmapReference4: 30,225,0,70,90,0,0,255,0,255;
            //            BitmapReference5: 30,300,0,70,90,0,0,255,0,255;
            //            BitmapReference6: 30,375,0,70,90,0,0,255,0,255;
            //            BitmapReference7: 30,450,0,70,90,0,0,255,0,255;
            //            BitmapReference8: 30,525,0,70,90,0,0,255,0,255;
            //            BitmapReference9: 30,600,0,70,90,0,0,255,0,255;
            //            BitmapReference10: 30,675,0,70,90,0,0,255,0,255;
            BitmapReference1:  30,0,0,45,110,0,0,255,0,255;
            BitmapReference2:  30,45,0,45,110,0,0,255,0,255;
            BitmapReference3:  30,90,0,45,110,0,0,255,0,255;
            BitmapReference4:  30,135,0,45,110,0,0,255,0,255;
            BitmapReference5:  30,180,0,45,110,0,0,255,0,255;
            BitmapReference6:  30,225,0,45,110,0,0,255,0,255;
            BitmapReference7:  30,270,0,45,110,0,0,255,0,255;
            BitmapReference8:  30,315,0,45,110,0,0,255,0,255;
            BitmapReference9:  30,360,0,45,110,0,0,255,0,255;
            BitmapReference10: 30,405,0,45,110,0,0,255,0,255;
      }

      TargetArrTimeText
      {
            ID: 55;
            Class: SkinText;
            Coordinates: 48,247,144,25;
            TextCoordinates: 0,2,144,22;
            BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
            BGMode: opaque;
            VAlign: center;
            HAlign: center;
            TextColor: 0,0,0;
            Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
            Border: 1;
            BorderColor: 0,0,0;
            MoveBehaviour: both;
            TapMode: TapThrough;
      }
```

Gelöscht: .

Gelöscht: 10

```
TargetTimeText
{
	ID: 45;
	Class: SkinText;
	Coordinates: 192,247,144,25;
	TextCoordinates: 0,2,144,22;
	BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
	BGMode: opaque;
	VAlign: center;
	HAlign: center;
	TextColor: 0,0,0;
	Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
	Border: 1;
	BorderColor: 0,0,0;
	TapMode: TapThrough;
	MoveBehaviour: vertical;
}
TargetDistanceText
{
	ID: 44;
	Class: SkinText;
	Coordinates: 336,247,144,25;
	TextCoordinates: 0,2,144,22;
	BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
	BGMode: opaque;
	VAlign: center;
	HAlign: center;
	TextColor: 0,0,0;
	MoveBehaviour: vertical;
	ResizeBehaviour: Horizontal;
	Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
	Border: 1;
	BorderColor: 0,0,0;
	TapMode: TapThrough;
}


NextRoadText
{
	ID: 50;
	Class: SkinText;
	BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
	BGMode: opaque;
	VAlign: left;
	TextColor: 0,0,0;
	Coordinates: 0,0,480,25;
	TextCoordinates: 55,2,265,18;
	ResizeBehaviour: Horizontal;
	Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
	TapMode: TapThrough;
	Border: 1;
	BorderColor: 0,0,0;
}
CurrentRoadText
{
	ID: 49;
	Class: SkinText;
	BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
	BGMode: opaque;
	Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
	//Coordinates: 40,220,480,19;
	Coordinates: 48,224,432,23;
```

Gelöscht: 10

Gelöscht: 10

Gelöscht: 9

Gelöscht: 9

```
                  TextCoordinates: 5,1,422,18;
                  TextColor: 0,0,0;
                  VAlign: Center;
                  HAlign: left;
                  Wordbreak: yes;
                  WordbreakChars: " /-";
                  Border: 1;
                  BorderColor: 0,0,0;
            }

//          TelephoneButton
//          {
//                Class : NStateButton;
//                States: 2;
//                Coordinates: 455,185,30,30;
//                Enabled1:  175,0,0,30,30,0,0;
//                Pushed1:   175,0,0,30,30,0,0;
//                Enabled2:  175,0,30,30,30,0,0;
//                Pushed2:   175,0,30,30,30,0,0;
//                BGMode: transparent;
//                Visibility: $MAP_TELEPHONE_BUTTON_VISIBILITY$;
//                DisableFocus: yo;
//                StateChangeOnTap: disable;
//                Action1: Dialer;
//                Action2: Dialer;
//          }

            SpeedLimitWarning
            {
                  ID: 10253;
                  Class: SkinIcon;
                  Coordinates: 6,185,35,35;
                  TextCoordinates: 0,0,2,35;
                  HAlign: center;
                  VAlign: center;
                  BitmapReference: 176,0,0,35,35,0,0,255,0,255;
                  //Visibility: $SPEED_LIMIT_WARNING_VISIBILITY$;
                  DisableFocus: yo;
                  Font: 2;
            }
            BatteryStatus
            {
                  ID: 10152;
                  Class: NStateIcon;
                  Coordinates: 420,2,30,20;
                  States: 8;
                  BitmapReference1: 139,0,0,30,20,0,0,255,0,255;
                  BitmapReference2: 139,0,20,30,20,0,0,255,0,255;
                  BitmapReference3: 139,0,40,30,20,0,0,255,0,255;
                  BitmapReference4: 139,0,60,30,20,0,0,255,0,255;
                  BitmapReference5: 139,0,80,30,20,0,0,255,0,255;
                  BitmapReference6: 139,0,100,30,20,0,0,255,0,255;
                  BitmapReference7: 139,0,120,30,20,0,0,255,0,255;
                  BitmapReference8: 139,0,140,30,20,0,0,255,0,255;
                  MoveBehaviour: Horizontal;
            }
            BackButton
            {
                  ID:10077;
                  Class: PushButton;
                  Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
                  Enabled:  $CORNER_BUTTON_ENABLED$;
                  Pushed:   $CORNER_BUTTON_PUSHED$;
```

```
                Icon: $BACK_ARROW_ICON$; //backarrow
                PYOffset: 2;
                DisableFocus: yo;
                BGMode: Transparent;
                //          Action: MapTurnToggle.Map;
                Action: MapMenu.leave;
                //            Action: MapMenu.main;
                HKPush: $KEY_EVENT_CANCEL$;
          }
          //        SoundToggleButton
          //        {
          //            ID: 10076;
          //            Class: NStateButton;
          //            States: 2;
          //            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
          ////            Enabled:  181,80,0,40,39,255,0,255;
          ////            Pushed:   181,80,78,40,39,255,0,255;
          ////            Icon: 195,0,60,30,30,5,5,255,0,255;
          //            Enabled1:  $CORNER_BUTTON_ENABLED$;
          //            Enabled2:  $CORNER_BUTTON_ENABLED$;
          //            Pushed1:   $CORNER_BUTTON_PUSHED$;
          //            Pushed2:   $CORNER_BUTTON_PUSHED$;
          //            Icon1: 195,0,60,30,30,5,5,255,0,255;
          //            Icon2: 8,0,90,30,30,5,5,255,0,255;
          //            PYOffset: 2;
          //            //Action: MapMenu.open;
          //            DisableFocus: yo;
          //            MoveBehaviour: both;
          //        }

          ContainerTTISubform
          {
                Class: SkinContainer;
                Form: TTISubform;
          }
          ContainerTTIWarningSubform
          {
                Class: SkinContainer;
                Form: TTIWarningSubform;
          }
          ContainerGPSInfo
          {
                Class: SkinContainer;
                Form: GPSInfoSubform;
          }
          ContainerSignPostSubForm
          {
                Class: SignPostContainer;
                Form: TBTSignPostSubForm;
          }
          ContainerGPSErrorSignPost // the sign post sub form has to be before
this form
          {
                Class: SkinContainer;
                Form: GPSErrorSignPostSubForm;
          }
    }

    TBTSignPostSubForm
    {
          ID:   10286;
          Coordinates: 0,0,480,50;
          BGMode:     Transparent;
```

Gelöscht:

```
            BGColor: 255,255,255;
            Border:     1;
            BorderRounds: 5;
            BorderColor: 90,90,90;

            HideOnFollow: yes;
            HideOnFollowOther:10286,10287;
            ShowOnFollowOther:48,50,10211,10284,10288; // hide these elements if
the signpost is shown

            RoadIcon
            {
                  Class: RoadIconElement;
                  Coordinates: 5,15,26,20;
                  TextColor: 0,0,0;
                  HAlign:     center;
                  VAlign:     center;
                  Font: 32;
            }

            SignPostText
            {
                  Class: SkinText;
                  Coordinates: 47,2,428,46;
                  TextColor: 0,0,0;
                  MinHeight: 18;
                  MaxHeight: 46;
                  Text: "";
                  HAlign:     left;
                  VAlign:     center;
                  Wordbreak: yes;
                  WordbreakChars:   "/ ";
                  MaxNumOfTextLines: 2;
                  Font: 9;
            }

            LaneInformation
            {
                  Class: BitmapLaneInformation;
                  Coordinates: 47,22,428,25;

                  ArrowColor: 0,0,0;

                  NumberOfLegs: 16;
                  InlineArrowBitmap:  261,0,0,25,25;
                  OutlineArrowBitmap: 260,0,0,25,25;

                  SeparatorLeftBitmap:   262,0,0,4,25;
                  SeparatorRightBitmap:  262,0,0,4,25;
                  SeparatorMiddleBitmap: 262,4,0,2,25;
                  MoreLaneBitmap:               262,6,0,25,25;
            }

            PromtRepeatButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,480,50;
                  BGMode:     transparent;
                  FocussedColor: 0,0,0,0; //avoids showing the button
                  DisableFocus: yo;
                  Action:     LastPromptRepeat;
            }
      }
```

```
LoadFavoritesFromExternalSettingsView
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 30083;
		HAlign: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	AdviseText
	{
		Class: SkinText;
		Coordinates: 15,35,290,15;
		TextColor: 0,0,0;
		TextId: 20540;
		HAlign: left;
		VAlign: center;
		Font: 51;
		Wordbreak: yes;
	}
	DeviceCode
	{
		Class: SkinText;
		Coordinates: 15,50,290,35;
		TextColor: 0,0,0;
		HAlign: center;
		VAlign: center;
		Font: 0;
		Wordbreak: yes;
		WordbreakChars: "-";
	}

	ProxyText
	{
		Class: SkinText;
		Coordinates: 15,85,290,15;
		TextColor: 0,0,0;
		TextId: 20541;
		HAlign: left;
		VAlign: center;
```

```
            Font: 51;
            Wordbreak: yes;
      }

      ProxyButton
      {
            ID: 10231;
            Class: PushButton;
            Coordinates: 15,100,290,30;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            TextColor: 0,0,0;
            HighlightedTextColor: 255,255,255;
            TextCoordinates: 5,0,280,30;
            BGMode: opaque;
            VAlign: center;
            Action: SettingSC.10231;
            //      Action: OpenKeyboard.1,AlphaBig,poiname,904;
      }

      PortText
      {
            Class: SkinText;
            Coordinates: 15,135,290,15;
            TextColor: 0,0,0;
            TextId: 20542;
            HAlign: left;
            VAlign: center;
            Font: 51;
            Wordbreak: yes;
      }

      PortButton
      {
            ID: 10232;
            Class: PushButton;
            Coordinates: 15,150,290,30;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            TextColor: 0,0,0;
            HighlightedTextColor: 255,255,255;
            TextCoordinates: 5,0,280,30;
            BGMode: opaque;
            VAlign: center;
            Action: SettingSC.10232;
            //      Action: OpenKeyboard.1,AlphaBig,poiname,904;
      }

      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            //Action: MainMenu.5;
            Action: SettingSC.10077;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

SelectLanguage
{
```

```
Background: 51,0,0,480,272,0,0;
DefaultFont: 7;

TitleBar
{
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30071;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
LanguageTextListBox
{
      ID: 10168;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      BitmapReference: 113,0,0,30,18,5,14,255,0,255;
      TextColor: 0,0,0;
      TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      VAlign: center;
      TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      ExecuteAction: SettingSC.10169;
      HKSelect: UpDown;
      AlwaysConsumeKHK: yo;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      FirstTextID: 20700;
      LastTextID: 20716;
}
LanguageSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: LanguageTextListBox;
      AddScrollbarSizeToOwner: yo;
```

```
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      LanguageSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: LanguageSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      LanguageSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: LanguageSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      CancelButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            //Action: MainMenu.5;
            //Action: SettingSC.10077;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      //      OkayButton
      //      {
      //          ID: 10169;
      //          Class: PushButton;
      //          Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      //          Enabled: 3,50,0,50,50,0,0,255,0,255;
      //          Pushed:  3,50,50,50,50,0,0,255,0,255;
      //          Disabled: 3,50,100,50,50,0,0,255,0,255;
      //          Icon: 4,0,180,30,30,15,15,255,0,255;  // OK
      //          PYOffset: 2;
      //          DisableFocus: yo;
      //          Action: SettingSC.10169;
      //      }
}
```

```
LangSelectionExit
{
	Background: 51,0,0,480,272,0,0;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 30075;
		HAlign: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	ExitLabel
	{
		Class: SkinText;
		Coordinates: $SYSTEM_MESSAGE_COORDS$;
		TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
		TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
		Font: $SYSTEM_MESSAGE_FONT$;
		TextID: 10301;
		HAlign: center;
		VAlign: center;
		Wordbreak: yes;
		//Font: 51;
	}
	CancelButton
	{
		ID: 10187;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $CANCEL_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		//            Action: SettingSC.10187;
		Action: MapMenu.leave;
		HKPush: $KEY_EVENT_CANCEL$;
	}
	LangExitButton
	{
		ID: 10188;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
```

```
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: SettingSC.10188;
      }
}

SelectMapRegions
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30077;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      MapRegionsTextListBox
      {
            ID: 10183;
            Class: ListBox;
            Coordinates: $LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 113,0,0,30,18,5,12,255,0,255;
            TextColor: 0,0,0;
            TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            TextHasIconIndex: yo;
            Font: 2;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: SettingSC.10170;
            HKSelect: UpDown;
            AlwaysConsumeKHK: yo;
```

```
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
            Wordbreak: yes;
            WordbreakChars: "/ ,";
      }
      MapRegionsSimpleScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: MapRegionsTextListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      MapRegionsSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: MapRegionsSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      MapRegionsSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: MapRegionsSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      CancelButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            //Action: MainMenu.5;
            //Action: SettingSC.10077;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

SelectInitialMapRegions
{
```

```
Background: 51,0,0,480,272,0,0;
DefaultFont: 7;

TitleBar
{
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30077;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
MapRegionsTextListBox
{
      ID: 10183;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      BitmapReference: 113,0,0,30,18,5,12,255,0,255;
      TextColor: 0,0,0;
      TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      VAlign: center;
      TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      ExecuteAction: SettingSC.10170;
      HKSelect: UpDown;
      AlwaysConsumeKHK: yo;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      Wordbreak: yes;
      WordbreakChars: "/ ,";
}
MapRegionsSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: MapRegionsTextListBox;
      AddScrollbarSizeToOwner: yo;
```

```
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      MapRegionsSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: MapRegionsSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      MapRegionsSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: MapRegionsSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
}


MapSelectionExit
{
      Background: 51,0,0,480,272,0,0;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30075;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
```

```
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      ExitLabel
      {
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            TextID: 10301;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
            //Font: 51;
      }
      CancelButton
      {
            ID: 10187;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            //            Action: SettingSC.10187;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      MapExitButton
      {
            ID: 10189;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $EXIT_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: SettingSC.10189;
      }
}

SelectTimeZone
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 30066;
```

```
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
TimeZoneTextListBox
{
      ID: 10221;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      BitmapReference: 179,0,0,30,30,5,8,255,0,255;
      TextColor: 0,0,0;
      TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      VAlign: center;
      TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      //ExecuteAction: SettingSC.98;
      //ExecuteAction: SettingSC.10077;
      ExecuteAction: MapMenu.leave;
      HKSelect: UpDown;
      AlwaysConsumeKHK: yo;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      Wordbreak: yes;
      FirstTextIDEurope: 20600;
      LastTextIDEurope: 20603;
      FirstTextIDNorthAmerica: 20650;
      LastTextIDNorthAmerica: 20657;
      FirstTextIDOceania: 20630;
      LastTextIDOceania: 20632;
}

TimeZoneSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: TimeZoneTextListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
TimeZoneSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
```

```
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: TimeZoneSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      TimeZoneSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: TimeZoneSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

SelectTimeZoneAndDayLight
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30066;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
```

```
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
TimeZoneTitle
{
      Class: SkinText;
      Coordinates: 15,50,290,15;
      TextId: 20520;
      TextColor: 0,0,0;
      HAlign: left;
      VAlign: center;
      Font: 7;
}
TimeZoneDropDown
{
      ID: 10158;
      Class: DropDown;
      Coordinates: 15,65,290,30;
      DroppedCoordinates: $DROPPED_COORDS$;
      BitmapReference: 179,0,0,30,30,5,0,255,0,255;
      BGMode: opaque;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      TextColor: 0,0,0;
      Font: 7;
      TextSpace: 3;
      VAlign: Center;
      ListBox: TimeZoneTextListBox;
      ListBoxForm: TimeZoneTextListSubForm;
      TextHasIconIndex: yo;
      DDArrow: 144,3,2,9,4,278,13,255,0,255;
      TextCoordinates: 0,0,290,30;
      Wordbreak: yes;
      FirstTextIDEurope: 20600;
      LastTextIDEurope: 20603;
      FirstTextIDNorthAmerica: 20650;
      LastTextIDNorthAmerica: 20657;
      FirstTextIDOceania: 20630;
      LastTextIDOceania: 20632;
}
DayLightTitle
{
      Class: SkinText;
      Coordinates: 15,120,290,15;
      TextId: 20521;
      TextColor: 0,0,0;
      HAlign: left;
      VAlign: center;
      Font: 7;
}
DayLightDropDown
{
      ID: 10220;
      Class: DropDown;
      Coordinates: 15,135,290,30;
      DroppedCoordinates: $DROPPED_COORDS$;
      //          BitmapReference: 180,0,0,30,30,5,0,255,0,255;
```

```
            BGMode: opaque;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            TextColor: 0,0,0;
            Font: 7;
            TextSpace: 3;
            VAlign: Center;
            ListBox: DayLightTextListBox;
            ListBoxForm: DayLightTextListSubForm;
            //          TextHasIconIndex: yo;
            DDArrow: 144,3,2,9,4,278,13,255,0,255;
            TextCoordinates: 0,0,290,30;
            FirstDayLightTextID: 20530;
            LastDayLightTextID: 20532;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: SettingSC.10077;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

TimeZoneTextListSubForm
{
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      TimeZoneTextListBox
      {
            Class: ListBox;
            Coordinates: $DROPPED_LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 179,0,0,30,30,5,4,255,0,255;
            TextColor: 0,0,0;
            TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            TextHasIconIndex: yo;
            Font: 2;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            //ExecuteAction: SettingSC.10180;
            HKSelect: UpDown;
            AlwaysConsumeKHK: yo;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
            Wordbreak: yes;
      }

      TimeZoneSimpleScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $DROPPED_SCROLLBAR_COORDS$;
```

```
            ScrollbarOwner: TimeZoneTextListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      TimeZoneSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: TimeZoneSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      TimeZoneSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: TimeZoneSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.TimeZoneDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

DayLightTextListSubForm
{
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      DayLightTextListBox
      {
            Class: ListBox;
            Coordinates: $DROPPED_LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            //          BitmapReference: 180,0,0,30,30,5,0,255,0,255;
            TextColor: 0,0,0;
```

```
      TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      VAlign: center;
      //          TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      HKSelect: UpDown;
      AlwaysConsumeKHK: yo;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}

DayLightSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $DROPPED_SCROLLBAR_COORDS$;
      ScrollbarOwner: DayLightTextListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
DayLightSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: DayLightSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
DayLightSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: DayLightSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}
BackButton
{
      Class: PushButton;
      Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
```

```
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.DayLightDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

AboutArea
{
      Background: 5,0,0,480,272,0,0;
      DefaultFont: 7;

      VersionText
      {
            ID: 39;
            Class: SkinText;
            //Coordinates: 120,234,300,40; //$VERSION_COORDS$;
            Coordinates: $VERSION_COORDS$;
            TextCoordinates: 0,2,384,46;
            TextColor: $VERSION_TEXT_COLOR$;
            TextId: 20010;
            BGMode: Transparent;
            VAlign: right;
            HAlign: center;
      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            Wordbreak: yes;
            DisableFocus: yo;
            BGMode: Transparent;
            //Action: SettingSC.10077;
            Action:     MapMenu.back;
            //Action: SettingSC.98;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

HardwareConfigArea
{
      BGColor: $AREA_BG_COLOR$;
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
```

Gelöscht: 48,224,384,48

Gelöscht: 0,0,0

```
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30007; //30015;
      BGMode: Transparent;
      Align: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
HWConfigTypeLabel
{
      Class: SkinText;
      Coordinates: 0,128,240,48;
      TextCoordinates: 5,3,230,45;
      TextId: 20144;
      TextColor: 0,0,0;
      VAlign: center;
      HAlign: left;
      BgMode: Transparent;
      Wordbreak: yes;
      WordbreakChars: "
```

```
";
            }
            HWConfigTypeList
            {
                  ID: 115;
                  Class: DropDown;
                  ElementClass: SkinButton;
                  Coordinates: 0,176,240,48;
                  Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                  Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                  Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                  Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                  Wordbreak: yes;
                  PYOffset: 2;
                  DroppedCoordinates: $DROPPED_COORDS$;
                  TextColor: $BUTTON_5x1_TEXT_COLOR$;
                  TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                  HAlign: center;
                  ListBox: HWTypeListBox;
                  ListBoxForm: HWConfigTypeSubSkin;
                  VAlign: center;
                  //          TextHasIconIndex: yo;
                  Wordbreak: yes;
                  WordbreakChars: " /-";
            }
            CurrentPosProviderLabel
            {
                  Class: SkinText;
                  Coordinates: 240,128,240,48;
                  TextCoordinates: 5,3,230,45;
                  TextId: 20142;
                  TextColor: 0,0,0;
                  VAlign: center;
                  Halign: left;
                  BgMode: Transparent;
                  DisableFocus: yo;
                  Wordbreak: yes;
                  WordbreakChars: "
```

Gelöscht: 0,0,0

```
";
            }

            ConcretePosProvider
            {
                  ID: 1;
                  Class: TriStateButton;
                  Coordinates: 240,176,240,48;
                  Enabled1: $MAPMENU_BUTTON_STATE_ENABLED$;
                  Focussed1: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                  Pushed1: $MAPMENU_BUTTON_STATE_PUSHED$;
                  Disabled1: $MAPMENU_BUTTON_STATE_DISABLED$;
                  Wordbreak: yes;
                  PYOffset: 2;
                  TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                  HAlign: center;
                  Icon1: 101,0,60,30,30,5,5,255,0,255;
                  Icon2: 101,0,30,30,30,5,5,255,0,255;
                  Icon3: 101,0,0,30,30,5,5,255,0,255;
                  TextColor: $BUTTON_5x1_TEXT_COLOR$;
                  VAlign: center;
                  //          BgMode: Transparent;
                  Font: 2;
                  WordbreakChars: " /-_.";
            }
            StatusText
            {
                  ID: 4;
                  Class: SkinText;
                  Coordinates: 10,120,200,38;
                  TextId: 20145;
                  TextColor: 0,0,0;
                  Align: left;
                  BgMode: Transparent;
                  Wordbreak: enabled;
                  DisableFocus: yo;
            }
            //      QuitNextSub
            //      {
            //          Class: SkinContainer;
            //          Form: HWQuitNextSub;
            //      }
            BackSub
            {
                  Class: SkinContainer;
                  Form: HWBackMenuSub;
            }
      }

      HWConfigTypeSubSkin
      {
            DefaultFont: 7;
            Coordinates: $DROPPED_SUBFORM_COORDS$;

            HWTypeListBox
            {
                  ID: 116;
                  Class: ListBox;
                  Coordinates: $DROPPED_LISTBOX_COORDS$;
                  //          BitmapReference: 21,0,0,30,18,5,15,255,0,255;
                  BGColor: $AREA_HIGHLIGHT_COLOR$;
                  //          Background: 51,0,30,240,240,0,0;
                  BGMode: opaque;
```

Gelöscht: 0,0,0

```
      TextColor: 0,0,0;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      //          TextHasIconIndex: yo;
      TextSpace: $LISTBOX_TEXT_SPACE$;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      VAlign: center;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      ExecuteAction: ListBox.HWConfigTypeList,1;
      AlwaysConsumeKHK: yo;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}
HWTypeSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $DROPPED_SCROLLBAR_COORDS$;
      ScrollbarOwner: HWTypeListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
HWTypeUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: HWTypeSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;

}
HWTypeDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: HWTypeSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}
BackButton
{
      Class: PushButton;
      Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
```

```
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            HKPush: $KEY_EVENT_CANCEL$;
            Action: ListBox.HWConfigTypeList,0;
      }
}
HWConfigDiscoverArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30015;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      PosProviderListBox
      {
            ID: 114;
            Class: ListBox;
            Coordinates: $LISTBOX_COORDS$;
            //          BitmapReference: 21,0,0,30,18,5,15,255,0,255;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            //          Background: 51,0,30,240,240,0,0;
            BGMode: opaque;
            TextColor: 0,0,0;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            //          TextHasIconIndex: yo;
            //          TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
            Font: 2;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            VAlign: center;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
```

```
            AlwaysConsumeKHK: yo;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      PosProviderSimpleScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: PosProviderListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      PosProviderUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: PosProviderSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;

      }
      PosProviderDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: PosProviderSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      BackButton
      {
            ID:79;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

HWPrevSearchSub
{
      Coordinates: 270,190,50,50;
```

```
      BackButton
      {
            ID:83;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Text: "Srch..";
            VAlign: center;
            HAlign: center;
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

HWPrevStopSub
{
      Coordinates: 270,190,50,50;

      BackButton
      {
            ID:81;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Text: "Stop";
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            VAlign: center;
            HAlign: center;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

HWQuitNextSub
{
      Coordinates: 0,190,400,50;

      ExitButton
      {
            ID: 10078;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $EXIT_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: MainMenu.1;
      }

      BackButton
      {
            ID:119;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
```

```
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            HKPush: $KEY_EVENT_CANCEL$;
      }

}

HWBackMenuSub
{
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;

      BackButton
      {
            ID:10079;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            //            Action: SettingSC.10077;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
AudioConfigArea
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;
      TextColor: 0,0,0;

      TitleBar
      {
            ID: 112233;
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 6677;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 20040;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
```

```
            }
            //        SpeechLabel
            //        {
            //            ID: 84;
            //            Class: SkinText;
            //            Coordinates: 160,80,160,20;
            //            TextId: 20040;
            //            HAlign: center;
            //            VAlign: center;
            //            TextColor: 0,0,0;
            //            BGMode: Transparent;
            //        }
            //      WaveLabel
            //      {
            //          ID: 85;
            //          Class: SkinText;
            //          Coordinates: 60,120,190,25;
            //          TextId: 20041;
            ////            TextColor: 0,0,0;
            //          BGMode: Transparent;
            //      }

//          PictureIcon
//          {
//                Class: SkinIcon;
//                Coordinates: 97,119,288,48;
//                BitmapReference: 227,0,0,288,48,0,0;
//          }
//
//          SpeechLevel
//          {
//                ID: 88;
//                Class: NStateIcon;
//                Coordinates: 144,118,192,48;
//                States: 10;
//                BitmapReference1: 44,0,0,192,48,0,0,255,0,255;  // Not shown,
but we need it !
//                BitmapReference2: 44,0,0,192,48,0,0,255,0,255;
//                BitmapReference3: 44,0,48,192,48,0,0,255,0,255;
//                BitmapReference4: 44,0,96,192,48,0,0,255,0,255;
//                BitmapReference5: 44,0,144,192,48,0,0,255,0,255;
//                BitmapReference6: 44,0,192,192,48,0,0,255,0,255;
//                BitmapReference7: 44,0,240,192,48,0,0,255,0,255;
//                BitmapReference8: 44,0,288,192,48,0,0,255,0,255;
//                BitmapReference9: 44,0,336,192,48,0,0,255,0,255;
//                BitmapReference10: 44,0,336,192,48,0,0,255,0,255; //same as
BitmapReference9
//                BGMode: Transparent;
//          }
//          SpeechMinus
//          {
//                ID: 186;
//                Class: PushButton;
//                //Coordinates: 93,118,48,48;
//                Coordinates: 48,118,48,48;
//                Enabled:  181,0,0,48,48,255,0,255;
//                Pushed:   181,0,0,48,48,255,0,255;
//                Icon: 45,0,60,30,30,9,9,255,0,255;
//                PYOffset: 2;
//                DisableFocus: yo;
//                BGMode: Transparent;
//          }
//          SpeechPlus
```

```
//          {
//                ID: 187;
//                Class: PushButton;
//                //Coordinates: 339,118,48,48;
//                Coordinates: 384,118,48,48;
//                Enabled:  181,0,0,48,48,255,0,255;
//                Pushed:   181,0,0,48,48,255,0,255;
//                Icon: 45,0,90,30,30,9,9,255,0,255;
//                PYOffset: 2;
//                DisableFocus: yo;
//                BGMode: Transparent;
//          }

            SpeechLevel
            {
                  ID: 88;
                  Class: NStateIcon;
                  Coordinates: 144,118,192,48;
                  States: 10;
                  BitmapReference1: 44,0,0,192,48,0,0,255,0,255;  // Not shown,
but we need it !
                  BitmapReference2: 44,0,0,192,48,0,0,255,0,255;
                  BitmapReference3: 44,0,48,192,48,0,0,255,0,255;
                  BitmapReference4: 44,0,96,192,48,0,0,255,0,255;
                  BitmapReference5: 44,0,144,192,48,0,0,255,0,255;
                  BitmapReference6: 44,0,192,192,48,0,0,255,0,255;
                  BitmapReference7: 44,0,240,192,48,0,0,255,0,255;
                  BitmapReference8: 44,0,288,192,48,0,0,255,0,255;
                  BitmapReference9: 44,0,336,192,48,0,0,255,0,255;
                  BitmapReference10: 44,0,336,192,48,0,0,255,0,255; //same as
BitmapReference9
                  BGMode: Transparent;
            }
            SpeechMinus
            {
                  ID: 186;
                  Class: PushButton;
                  Coordinates: 93,118,48,48;
                  Enabled:  181,0,0,48,48,255,0,255;
                  Pushed:   181,0,0,48,48,255,0,255;
                  Icon: 45,0,60,30,30,9,9,255,0,255;
                  PYOffset: 2;
                  DisableFocus: yo;
                  BGMode: Transparent;
            }
            SpeechPlus
            {
                  ID: 187;
                  Class: PushButton;
                  Coordinates: 339,118,48,48;
                  Enabled:  181,0,0,48,48,255,0,255;
                  Pushed:   181,0,0,48,48,255,0,255;
                  Icon: 45,0,90,30,30,9,9,255,0,255;
                  PYOffset: 2;
                  DisableFocus: yo;
                  BGMode: Transparent;
            }
            //      SignalLevel
            //      {
            //          ID: 91;
            //          Class: NStateIcon;
            //          Coordinates: 110,150,100,25;
            //          States: 7;
```

```
            //          BitmapReference1: 44,0,0,100,25,0,0,255,0,255;  // not
shown, but we need it !
            //          BitmapReference2: 44,0,0,100,25,0,0,255,0,255;
            //          BitmapReference3: 44,0,25,100,25,0,0,255,0,255;
            //          BitmapReference4: 44,0,50,100,25,0,0,255,0,255;
            //          BitmapReference5: 44,0,75,100,25,0,0,255,0,255;
            //          BitmapReference6: 44,0,100,100,25,0,0,255,0,255;
            //          BitmapReference7: 44,0,125,100,25,0,0,255,0,255;
            ////           BitmapReference7: 44,0,150,100,25,0,0,255,0,255;
            //          BGMode: Transparent;
            //      }
            //      SignalMinus
            //      {
            //          ID: 189;
            //          Class: PushButton;
            //          Coordinates: 60,140,40,40;
            //          Enabled:  46,0,0,40,40,0,0;
            //          Pushed:   46,40,0,40,40,0,0;
            //          Disabled: 46,80,0,40,40,0,0;
            //          Icon: 45,150,0,30,30,5,5,255,0,255;
            //          PYOffset: 2;
            //          DisableFocus: yo;
            //          BGMode: Transparent;
            //      }
            //      SignalPlus
            //      {
            //          ID: 190;
            //          Class: PushButton;
            //          Coordinates: 220,140,40,40;
            //          Enabled:  46,0,0,40,40,0,0;
            //          Pushed:   46,40,0,40,40,0,0;
            //          Disabled: 46,80,0,40,40,0,0;
            //          Icon: 45,120,0,30,30,5,5,255,0,255;
            //          PYOffset: 2;
            //          DisableFocus: yo;
            //          BGMode: Transparent;
            //      }

            BackButton
            {
                  ID: 10077;
                  Class: PushButton;
                  Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
                  Enabled:  $CORNER_BUTTON_ENABLED$;
                  Pushed:   $CORNER_BUTTON_PUSHED$;
                  Icon: $BACK_ARROW_ICON$;
                  PYOffset: 2;
                  DisableFocus: yo;
                  BGMode: Transparent;
                  //          Action: SettingSC.10077;
                  Action: MapMenu.back;
                  //Action: MainMenu.5;
                  HKPush: $KEY_EVENT_CANCEL$;
            }
      }
      AudioConfigPopUpArea
      {
            Coordinates: 0,80,480,144;
            Background: 51,0,35,480,144,0,0;
            //BGColor: $POPUP_BG_COLOR$;
            Layer: ontop;
            BGMode: opaque;
            Border: 2;
```

```
            BorderColor: 0,0,0;

            SpeechText
            {
                  Class: SkinText;
                  Coordinates: 0,0,480,30;
                  TextColor: 0,0,0;
                  TextId: 20040;
                  HAlign: center;
                  VAlign: center;
                  Font: 3;
            }


            SpeechLevel
            {
                  ID: 88;
                  Class: NStateIcon;
                  Coordinates: 144,67,192,48;
                  States: 10;
                  BitmapReference1: 44,0,0,192,48,0,0,255,0,255;  // Not shown,
but we need it !
                  BitmapReference2: 44,0,0,192,48,0,0,255,0,255;
                  BitmapReference3: 44,0,48,192,48,0,0,255,0,255;
                  BitmapReference4: 44,0,96,192,48,0,0,255,0,255;
                  BitmapReference5: 44,0,144,192,48,0,0,255,0,255;
                  BitmapReference6: 44,0,192,192,48,0,0,255,0,255;
                  BitmapReference7: 44,0,240,192,48,0,0,255,0,255;
                  BitmapReference8: 44,0,288,192,48,0,0,255,0,255;
                  BitmapReference9: 44,0,336,192,48,0,0,255,0,255;
                  BitmapReference10: 44,0,336,192,48,0,0,255,0,255; //same as
BitmapReference9
                  BGMode: Transparent;
            }
      }
      MapConfigArea
      {
            Background: 51,0,0,480,272,0,0;
            DefaultFont: 7;

            TitleBar
            {
                  ID: 112233;
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  ID: 6677;
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  //TextColor: 255,255,255;
                  TextColor: 0,0,0;
                  TextId: 30012;
                  BGMode: Transparent;
                  Align: left;
                  VAlign: center;
                  Font: 1;
            }

            PictureBackground
            {
```

```
	Class: SkinContainer;
	Form: BackgroundSubform;
}

TitlebarExitButton
{
	Class: PushButton;
	Coordinates: 0,0,50,35;
	Enabled: 207,0,0,50,35,0,0;
	Focussed: 207,0,0,50,35,0,0;
	Pushed:207,0,35,50,35,0,0;
	Action:MainMenu.1;
	Layer: OnTop;
}

MapStateDropDown
{
	ID: 10165;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 0,80,240,48;
	Enabled:  $MAPMENU_BUTTON_STATE_ENABLED$;
	Pushed:   $MAPMENU_BUTTON_STATE_PUSHED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 84,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	elemMinHeight: 80;
	Wordbreak: yes;
	WordbreakChars: " /-";
	DroppedCoordinates: $DROPPED_COORDS$;
	BGColor: $AREA_BG_COLOR$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: MapStateTextListBox;
	ListBoxForm: MapStateSubSkin;
	VAlign: center;
	TextHasIconIndex: yo;
	FirstTextID: 20120;
	LastTextID: $MAP_STATE_LAST_ID$;
	//DDArrow: 144,0,0,11,6,72,24,255,0,255;
}
DesignDropDown
{
	ID: 10200;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 240,80,240,48;
	Enabled:  $MAPMENU_BUTTON_STATE_ENABLED$;
	Pushed:   $MAPMENU_BUTTON_STATE_PUSHED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 84,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	elemMinHeight: 80;
	Wordbreak: yes;
	WordbreakChars: " /-";
	DroppedCoordinates: $DROPPED_COORDS$;
	BGColor: $AREA_BG_COLOR$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: DesignTextListBox;
	ListBoxForm: DesignSubSkin;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
	VAlign: center;
	TextHasIconIndex: yo;
	FirstTextID: 20130;
	LastTextID: 20132;
}

AutoSwitchDropDown
{
	ID: 10201;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 0,128,240,48;
	Enabled:  $MAPMENU_BUTTON_STATE_ENABLED$;
	Pushed:   $MAPMENU_BUTTON_STATE_PUSHED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 84,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	elemMinHeight: 80;
	Wordbreak: yes;
	WordbreakChars: " /-";
	DroppedCoordinates: $DROPPED_COORDS$;
	BGColor: $AREA_BG_COLOR$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: AutoSwitchTextListBox;
	ListBoxForm: AutoSwitchSubSkin;
	VAlign: center;
	TextHasIconIndex: yo;
	FirstTextID: 20140;
	LastTextID: 20141;
}
PowersaveDropDown
{
	ID: 10212;
	Class: DropDown;
	ElementClass: SkinButton;
	Coordinates: 240,128,240,48;
	Enabled:  $MAPMENU_BUTTON_STATE_ENABLED$;
	Pushed:   $MAPMENU_BUTTON_STATE_PUSHED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 84,0,0,30,30,22,9,255,0,255;
	PYOffset: 2;
	elemMinHeight: 80;
	Wordbreak: yes;
	WordbreakChars: " /-";
	DroppedCoordinates: $DROPPED_COORDS$;
	BGColor: $AREA_BG_COLOR$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	ListBox: PowersaveTextListBox;
	ListBoxForm: PowersaveSubSkin;
	VAlign: center;
	TextHasIconIndex: yo;
	FirstTextID: 20146;
	LastTextID: 20147;
}
TimeFormatDropDown
{
	ID: 10220;
	Class: DropDown;
	ElementClass: SkinButton;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
        Coordinates: 0,176,240,48;
        Enabled:  $MAPMENU_BUTTON_STATE_ENABLED$;
        Pushed:   $MAPMENU_BUTTON_STATE_PUSHED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 84,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        elemMinHeight: 80;
        Wordbreak: yes;
        WordbreakChars: " /-";
        DroppedCoordinates: $DROPPED_COORDS$;
        BGColor: $AREA_BG_COLOR$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: TimeFormatListBox;
        ListBoxForm: TimeFormatSubSkin;
        VAlign: center;
        TextHasIconIndex: yo;
        FirstTextID: 20160;
        LastTextID: 20161;
}
MetricImperialUnitsDropDown
{
        ID: 10209;
        Class: DropDown;
        ElementClass: SkinButton;
        Coordinates: 240,176,240,48;
        Enabled:  $MAPMENU_BUTTON_STATE_ENABLED$;
        Pushed:   $MAPMENU_BUTTON_STATE_PUSHED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 84,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        elemMinHeight: 80;
        Wordbreak: yes;
        WordbreakChars: " /-";
        DroppedCoordinates: $DROPPED_COORDS$;
        BGColor: $AREA_BG_COLOR$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: MetricImperialUnitsTextListBox;
        ListBoxForm: MetricImperialUnitsSubSkin;
        VAlign: center;
        TextHasIconIndex: yo;
        FirstTextID: 20148;
        LastTextID: 20149;
}
BackButton
{
        ID:10077;
        Class: PushButton;
        Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
        Enabled:  $CORNER_BUTTON_ENABLED$;
        Pushed:   $CORNER_BUTTON_PUSHED$;
        Icon: $BACK_ARROW_ICON$; //backarrow
        PYOffset: 2;
        DisableFocus: yo;
        BGMode: Transparent;
        //          Action: SettingSC.10077;
        Action: MapMenu.back;
        //Action: MainMenu.5;
        HKPush: $KEY_EVENT_CANCEL$;
}
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
}

MapStateSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      MapStateTextListBox
      {
            Class: ListBox;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BitmapReference: 84,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HAlign: left;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.MapStateDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.MapStateDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
DesignSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      DesignTextListBox
      {
            Class: ListBox;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BitmapReference: 84,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HAlign: left;
```

```
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.DesignDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.DesignDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

AutoSwitchSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      AutoSwitchTextListBox
      {
            Class: ListBox;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BitmapReference: 84,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HAlign: left;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.AutoSwitchDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
```

```
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.AutoSwitchDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
MetricImperialUnitsSubSkin
{
      DefaultFont: 7;
      Coordinates: $DROPPED_SUBFORM_COORDS$;

      MetricImperialUnitsTextListBox
      {
            Class: ListBox;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
            BitmapReference: 84,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HAlign: left;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.MetricImperialUnitsDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.MetricImperialUnitsDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
PowersaveSubSkin
{
```

```
	DefaultFont: 7;
	Coordinates: $DROPPED_SUBFORM_COORDS$;

	PowersaveTextListBox
	{
		Class: ListBox;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
		BitmapReference: 84,0,0,30,30,9,9,255,0,255;
		TextColor: 0,0,0;
		TextCoordinates: $LISTBOX_TEXT_COORDS$;
		HAlign: left;
		HighlightedTextColor: 255,255,255;
		HighlightedBGColor: $FOCUS_COLOR$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
		LineSeparator: full_line;
		VAlign: center;
		HAlign: left;
		TextHasIconIndex: yo;
		HKUp: Up;
		HKDown: Down;
		HKExecute: Enter;
		ExecuteAction: ListBox.PowersaveDropDown,1;
		HKSelect: UpDown;
		Border: $LISTBOX_ELEM_BORDER$;
		FocussedTextColor: 0,0,0;
	}
	BackButton
	{
		ID:10077;
		Class: PushButton;
		Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListBox.PowersaveDropDown,0;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}
TimeFormatSubSkin
{
	DefaultFont: 7;
	Coordinates: $DROPPED_SUBFORM_COORDS$;

	TimeFormatListBox
	{
		Class: ListBox;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		Coordinates: $LISTBOX_WO_SCROLLBAR_COORDS$;
		BitmapReference: 84,0,0,30,30,9,9,255,0,255;
		TextColor: 0,0,0;
		TextCoordinates: $LISTBOX_TEXT_COORDS$;
		HAlign: left;
		HighlightedTextColor: 255,255,255;
		HighlightedBGColor: $FOCUS_COLOR$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
```

```
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            TextHasIconIndex: yo;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.TimeFormatDropDown,1;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            ID:10077;
            Class: PushButton;
            Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.TimeFormatDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
MapViewArea
{
      Coordinates: $AREA_COORDS$;
      DefaultFont: 5;
      ResizeBehaviour: Both;

      MapView
      {
            ID: 42;
            Class: MapView;
            BGColor: 245,230,191;
            Coordinates: $AREA_COORDS$;
            DisableFocus: yo;
            ResizeBehaviour: Both;
            PreResetAlpha: yo;

            VehicleBitmap2D1: 245,0,0,48,48,-23,-8;
            VehicleBitmap2D2: 245,0,1104,48,48,-19,-8;
            VehicleBitmap2D3: 245,0,1056,48,48,-16,-11;
            VehicleBitmap2D4: 245,0,1008,48,48,-12,-13;
            VehicleBitmap2D5: 245,0,960,48,48,-10,-17;
            VehicleBitmap2D6: 245,0,912,48,48,-8,-20;
            VehicleBitmap2D7: 245,0,864,48,48,-8,-24;
            VehicleBitmap2D8: 245,0,816,48,48,-8,-28;
            VehicleBitmap2D9: 245,0,768,48,48,-10,-32;
            VehicleBitmap2D10: 245,0,720,48,48,-13,-35;
            VehicleBitmap2D11: 245,0,672,48,48,-16,-37;
            VehicleBitmap2D12: 245,0,624,48,48,-20,-39;
            VehicleBitmap2D13: 245,0,576,48,48,-24,-40;
            VehicleBitmap2D14: 245,0,528,48,48,-28,-38;
            VehicleBitmap2D15: 245,0,480,48,48,-32,-37;
            VehicleBitmap2D16: 245,0,432,48,48,-36,-35;
            VehicleBitmap2D17: 245,0,384,48,48,-37,-30;
            VehicleBitmap2D18: 245,0,336,48,48,-39,-27;
            VehicleBitmap2D19: 245,0,288,48,48,-39,-23;
            VehicleBitmap2D20: 245,0,240,48,48,-38,-19;
```

```
VehicleBitmap2D21: 245,0,192,48,48,-36,-15;
VehicleBitmap2D22: 245,0,144,48,48,-34,-12;
VehicleBitmap2D23: 245,0,96,48,48,-31,-10;
VehicleBitmap2D24: 245,0,48,48,48,-27,-9;

VehicleBitmap3D: 246,0,0,48,32,-24,0;
VehicleBitmapStates3D: 1;


VehicleBitmap2D_Bicycle1: 247,0,0,48,48,-23,-8;
VehicleBitmap2D_Bicycle2: 247,0,1104,48,48,-19,-8;
VehicleBitmap2D_Bicycle3: 247,0,1056,48,48,-16,-11;
VehicleBitmap2D_Bicycle4: 247,0,1008,48,48,-12,-13;
VehicleBitmap2D_Bicycle5: 247,0,960,48,48,-10,-17;
VehicleBitmap2D_Bicycle6: 247,0,912,48,48,-8,-20;
VehicleBitmap2D_Bicycle7: 247,0,864,48,48,-8,-24;
VehicleBitmap2D_Bicycle8: 247,0,816,48,48,-8,-28;
VehicleBitmap2D_Bicycle9: 247,0,768,48,48,-10,-32;
VehicleBitmap2D_Bicycle10: 247,0,720,48,48,-13,-35;
VehicleBitmap2D_Bicycle11: 247,0,672,48,48,-16,-37;
VehicleBitmap2D_Bicycle12: 247,0,624,48,48,-20,-39;
VehicleBitmap2D_Bicycle13: 247,0,576,48,48,-24,-40;
VehicleBitmap2D_Bicycle14: 247,0,528,48,48,-28,-38;
VehicleBitmap2D_Bicycle15: 247,0,480,48,48,-32,-37;
VehicleBitmap2D_Bicycle16: 247,0,432,48,48,-36,-35;
VehicleBitmap2D_Bicycle17: 247,0,384,48,48,-37,-30;
VehicleBitmap2D_Bicycle18: 247,0,336,48,48,-39,-27;
VehicleBitmap2D_Bicycle19: 247,0,288,48,48,-39,-23;
VehicleBitmap2D_Bicycle20: 247,0,240,48,48,-38,-19;
VehicleBitmap2D_Bicycle21: 247,0,192,48,48,-36,-15;
VehicleBitmap2D_Bicycle22: 247,0,144,48,48,-34,-12;
VehicleBitmap2D_Bicycle23: 247,0,96,48,48,-31,-10;
VehicleBitmap2D_Bicycle24: 247,0,48,48,48,-27,-9;

VehicleBitmap3D_Bicycle: 248,0,0,48,32,-24,0;
VehicleBitmapStates3D_Bicycle: 1;

VehicleBitmap2D_Pedestrian1: 251,0,0,48,48,-23,-8;
VehicleBitmap2D_Pedestrian2: 251,0,1104,48,48,-19,-8;
VehicleBitmap2D_Pedestrian3: 251,0,1056,48,48,-16,-11;
VehicleBitmap2D_Pedestrian4: 251,0,1008,48,48,-12,-13;
VehicleBitmap2D_Pedestrian5: 251,0,960,48,48,-10,-17;
VehicleBitmap2D_Pedestrian6: 251,0,912,48,48,-8,-20;
VehicleBitmap2D_Pedestrian7: 251,0,864,48,48,-8,-24;
VehicleBitmap2D_Pedestrian8: 251,0,816,48,48,-8,-28;
VehicleBitmap2D_Pedestrian9: 251,0,768,48,48,-10,-32;
VehicleBitmap2D_Pedestrian10: 251,0,720,48,48,-13,-35;
VehicleBitmap2D_Pedestrian11: 251,0,672,48,48,-16,-37;
VehicleBitmap2D_Pedestrian12: 251,0,624,48,48,-20,-39;
VehicleBitmap2D_Pedestrian13: 251,0,576,48,48,-24,-40;
VehicleBitmap2D_Pedestrian14: 251,0,528,48,48,-28,-38;
VehicleBitmap2D_Pedestrian15: 251,0,480,48,48,-32,-37;
VehicleBitmap2D_Pedestrian16: 251,0,432,48,48,-36,-35;
VehicleBitmap2D_Pedestrian17: 251,0,384,48,48,-37,-30;
VehicleBitmap2D_Pedestrian18: 251,0,336,48,48,-39,-27;
VehicleBitmap2D_Pedestrian19: 251,0,288,48,48,-39,-23;
VehicleBitmap2D_Pedestrian20: 251,0,240,48,48,-38,-19;
VehicleBitmap2D_Pedestrian21: 251,0,192,48,48,-36,-15;
VehicleBitmap2D_Pedestrian22: 251,0,144,48,48,-34,-12;
VehicleBitmap2D_Pedestrian23: 251,0,96,48,48,-31,-10;
VehicleBitmap2D_Pedestrian24: 251,0,48,48,48,-27,-9;

VehicleBitmap3D_Pedestrian: 252,0,0,48,32,-24,0;
```

```
	VehicleBitmapStates3D_Pedestrian: 1;

	VehicleBitmap2D_Motorcycle1: 249,0,0,48,48,-23,-8;
	VehicleBitmap2D_Motorcycle2: 249,0,1104,48,48,-19,-8;
	VehicleBitmap2D_Motorcycle3: 249,0,1056,48,48,-16,-11;
	VehicleBitmap2D_Motorcycle4: 249,0,1008,48,48,-12,-13;
	VehicleBitmap2D_Motorcycle5: 249,0,960,48,48,-10,-17;
	VehicleBitmap2D_Motorcycle6: 249,0,912,48,48,-8,-20;
	VehicleBitmap2D_Motorcycle7: 249,0,864,48,48,-8,-24;
	VehicleBitmap2D_Motorcycle8: 249,0,816,48,48,-8,-28;
	VehicleBitmap2D_Motorcycle9: 249,0,768,48,48,-10,-32;
	VehicleBitmap2D_Motorcycle10: 249,0,720,48,48,-13,-35;
	VehicleBitmap2D_Motorcycle11: 249,0,672,48,48,-16,-37;
	VehicleBitmap2D_Motorcycle12: 249,0,624,48,48,-20,-39;
	VehicleBitmap2D_Motorcycle13: 249,0,576,48,48,-24,-40;
	VehicleBitmap2D_Motorcycle14: 249,0,528,48,48,-28,-38;
	VehicleBitmap2D_Motorcycle15: 249,0,480,48,48,-32,-37;
	VehicleBitmap2D_Motorcycle16: 249,0,432,48,48,-36,-35;
	VehicleBitmap2D_Motorcycle17: 249,0,384,48,48,-37,-30;
	VehicleBitmap2D_Motorcycle18: 249,0,336,48,48,-39,-27;
	VehicleBitmap2D_Motorcycle19: 249,0,288,48,48,-39,-23;
	VehicleBitmap2D_Motorcycle20: 249,0,240,48,48,-38,-19;
	VehicleBitmap2D_Motorcycle21: 249,0,192,48,48,-36,-15;
	VehicleBitmap2D_Motorcycle22: 249,0,144,48,48,-34,-12;
	VehicleBitmap2D_Motorcycle23: 249,0,96,48,48,-31,-10;
	VehicleBitmap2D_Motorcycle24: 249,0,48,48,48,-27,-9;

	VehicleBitmap3D_Motorcycle: 250,0,0,48,32,-24,0;
	VehicleBitmapStates3D_Motorcycle: 1;
}

Scale
{
	ID: 31337;
	Class: ScaleElement;
	Coordinates: 420,22,61,20; // without right border
	YPosText:   0;
	YPosScale: 17;
	MinSizeScale:     50;
	DisableFocus:     yo;
	Font: 101; // 12
	BGMode: transparent;
	BGColor: 255,255,255;
	MoveBehaviour: Horizontal;
	TapMode: TapThrough;
	TextColor: 0,0,0;
}

DistanceText
{
	ID:   444;
	Class: SkinText;
	Coordinates: 45,2,65,18;
	BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
	TextColor: 0,0,0;
	BGMode:     Transparent;
	VAlign:     center;
	HAlign:     left;
	Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
	Layer: OnTop;
	TapMode: TapThrough;
}
CurrRoadText
```

Gelöscht: 50

Gelöscht: 10

```
{
        ID:   49;
        Class: SkinText;
        Wordbreak: yes;
        BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
        BGMode: opaque;
        VAlign: center;
        HAlign: left;
        TextColor: 0,0,0;
        Coordinates: 0,0,480,24;
        TextCoordinates: 110,2,285,18;
        ResizeBehaviour: Horizontal;
        Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
        //WordbreakChars: " /-";
        WordbreakChars: "
```

Gelöscht: vAlign

Gelöscht: 95

Gelöscht: 295

Gelöscht: 10

```
";
                TapMode: TapThrough;
                //Border: 1;
                //BorderColor: 0,0,0;
        }

        VanishingStartGuidanceButton
        {
                Class: PushButton;
                Coordinates: 0,0,480,48;
                Enabled: 189,0,0,480,48,0,0,255,0,255;
                Focussed: 189,0,48,480,48,0,0,255,0,255;
                Pushed: 189,0,96,480,48,0,0,255,0,255;
                Icon: 11,0,150,30,30,22,9,255,0,255;
                TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
                HAlign: left;
                VAlign: center;
                Font: 2;
                TextID: 51234;
                PYOffset: 2;
                DisableFocus: yo;
                Visibility: hidden;
                Layer: OnTop;
                Action: MapMenu.startguidance;
        }

        TargetTimeText
        {
                ID: 45;
                Class: SkinText;
                Coordinates: 176,248,128,24;
                TextCoordinates: 0,2,128,20;
                BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
                BGMode: opaque;
                HAlign: center;
                VAlign: center;
                TextColor: 0,0,0;
                Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
                Border: 1;
                BorderColor: 0,0,0;
                TapMode: TapThrough;
                MoveBehaviour: vertical;
        }
        TargetDistanceText
        {
                ID: 54;
                Class: SkinText;
                Coordinates: 304,248,128,24;
                TextCoordinates: 0,2,128,20;
                BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
                BGMode: opaque;
                HAlign: center;
                VAlign: center;
                TextColor: 0,0,0;
                MoveBehaviour: vertical;
                ResizeBehaviour: Horizontal;
                Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
                Border: 1;
                BorderColor: 0,0,0;
                TapMode: TapThrough;
        }
        TargetArrTimeText
        {
```

Gelöscht: 60,96

Gelöscht: 183,0,

Gelöscht: 96

Gelöscht: ...Pushed: 183

Gelöscht: 96

Gelöscht: 38,10

Gelöscht: 10

Gelöscht: 10

```
        ID: 55;
        Class: SkinText;
        Coordinates: 48,248,128,24;
        TextCoordinates: 0,2,128,20;
        BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
        BGMode: opaque;
        HAlign: center;
        VAlign: center;
        TextColor: 0,0,0;
        Font: $MAP_VIEW_AREA_TBT_TEXT_FIELD_FONT$;
        Border: 1;
        BorderColor: 0,0,0;
        MoveBehaviour: both;
        TapMode: TapThrough;
}
//      CurrentRoadMarker
//      {
//          ID: 51;
//          Class: SkinIcon;
//          Coordinates: 76,0,15,22;
//          BGMode: Transparent;
//          BitmapReference: 35,0,10,9,9,5,7,255,0,255;
//      }
//      NextRoadMarker
//      {
//          ID: 52;
//          Class: SkinIcon;
//          Coordinates: 76,0,15,22;
//          BGMode: Transparent;
//          BitmapReference: 35,0,0,9,9,5,7,255,0,255;
//      }


CalcProgressText
{
        ID: 10289;
        Class: SkinText;
        TextID: 10033;
        Coordinates: 48,224,384,24;
        TextCoordinates: 0,0,384,24;
        BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
        BGMode: opaque;
        HAlign: center;
        VAlign: center;
        TextColor: 0,0,0;
        Font: 10;
        Border: 1;
        BorderColor: 0,0,0;
        TapMode: TapThrough;
        Visibility: hidden;
}

CalcProgress
{
        ID: 60;
        Class: VanishingCalcProgressBox;
        Coordinates: 48,248,384,24;
        States: 11;
        BitmapReference1: 236,0,0,384,24,0,0,255,0,255;
        BitmapReference2: 236,0,24,384,24,0,0,255,0,255;
        BitmapReference3: 236,0,48,384,24,0,0,255,0,255;
        BitmapReference4: 236,0,96,384,24,0,0,255,0,255;
        BitmapReference5: 236,0,120,384,24,0,0,255,0,255;
```

Gelöscht: 10

```
      BitmapReference6: 236,0,144,384,24,0,0,255,0,255;
      BitmapReference7: 236,0,168,384,24,0,0,255,0,255;
      BitmapReference8: 236,0,192,384,24,0,0,255,0,255;
      BitmapReference9: 236,0,216,384,24,0,0,255,0,255;
      BitmapReference10: 236,0,240,384,24,0,0,255,0,255;
      BitmapReference11: 236,0,264,384,24,0,0,255,0,255;
      //MoveBehaviour: Horizontal;
      Visibility: hidden;
}

BatteryStatus
{
      ID: 10152;
      Class: NStateIcon;
      Coordinates: 420,2,30,20;
      States: 8;
      BitmapReference1: 139,0,0,30,20,0,0,255,0,255;
      BitmapReference2: 139,0,20,30,20,0,0,255,0,255;
      BitmapReference3: 139,0,40,30,20,0,0,255,0,255;
      BitmapReference4: 139,0,60,30,20,0,0,255,0,255;
      BitmapReference5: 139,0,80,30,20,0,0,255,0,255;
      BitmapReference6: 139,0,100,30,20,0,0,255,0,255;
      BitmapReference7: 139,0,120,30,20,0,0,255,0,255;
      BitmapReference8: 139,0,140,30,20,0,0,255,0,255;
      MoveBehaviour: Horizontal;
}

ZoomIn
{
      ID: 10061;
      Class: PushButton;
      //Coordinates: 441,137,30,30;
      Coordinates: 430,127,50,50;
      Enabled:  124,0,0,30,30,11,10;
      Pushed:   124,0,0,30,30,11,10;
      PYOffset: 1;
      BGMode: transparent;
      DisableFocus: yo;
      Action: MapMenu.zoomIn;
      MoveBehaviour: both;
      HKPush: hk1;
}

ZoomOut
{
      ID: 10062;
      Class: PushButton;
      //Coordinates: 9,137,30,30;
      Coordinates: 0,127,50,50;
      Enabled:  124,0,30,30,30,9,10;
      Pushed:   124,0,30,30,30,9,10;
      PYOffset: 1;
      BGMode: transparent;
      DisableFocus: yo;
      Action: MapMenu.zoomOut;
      MoveBehaviour: vertical;
      HKPush: hk2;
}

TelephoneButton
{
      Class : NStateButton;
      States: 2;
```

```
        Coordinates: 441,185,30,30;
        Enabled1:  175,0,0,30,30,0,0;
        Pushed1:   175,0,0,30,30,0,0;
        Enabled2:  175,0,30,30,30,0,0;
        Pushed2:   175,0,30,30,30,0,0;
        BGMode: transparent;
        Visibility: $MAP_TELEPHONE_BUTTON_VISIBILITY$;
        DisableFocus: yo;
        StateChangeOnTap: disable;
        Action1: Dialer;
        Action2: Dialer;
}

SpeedLimitWarning
{
        ID: 10253;
        Class: SkinIcon;
        Coordinates: 6,185,35,35;
        TextCoordinates: 0,0,2,35;
        HAlign: center;
        VAlign: center;
        BitmapReference: 176,0,0,35,35,0,0,255,0,255;
        //Visibility: $SPEED_LIMIT_WARNING_VISIBILITY$;
        DisableFocus: yo;
        Font: 2;
}

ManouevreDistanceText
{
        ID:   10287;
        Class: ManouevreDistanceElement;
        Coordinates: 0,52,60,22;
        BGMode: Transparent;
        BGColor: 255,255,255;
        Border:     1;
        BorderRounds: 5;
        BorderColor: 90,90,90;

        TextColor: 0,0,0;
        Text: "";
        HAlign:     center;
        VAlign:     center;
        Font: 9;
}

PromtRepeatButtonSmall
{
        ID: 10211;
        Class: PushButton;
        Coordinates: 45,0,345,24;
        BGMode: transparent;
        FocussedColor: 0,0,0,0; //avoids showing the button
        DisableFocus: yo;
        Action: LastPromptRepeat;
}
HLine
{
        ID: 10288;
        Coordinates: 0,24,480,1;
        Class: SkinText;
        BGColor: 0,0,0;
        BGMode: opaque;
}
```

```
ContainerMapNorthDirection
{
	Class: SkinContainer;
	Form: MapNorthDirectionSubform;
}
ContainerSignPostSubForm
{
	Class: SignPostContainer;
	Form: MapSignPostSubForm;
}

ContainerGPSErrorSignPost // the sign post sub form has to be before
this form
{
	Class: SkinContainer;
	Form: GPSErrorSignPostSubForm;
}
ContainerTTI
{
	Class: SkinContainer;
	Form: TTISubform;
}
ContainerTTIWarningSubform
{
	Class: SkinContainer;
	Form: TTIWarningSubform;
}
ContainerMapGPSInfo
{
	Class: SkinContainer;
	Form: GPSInfoSubform;
}

ContainerMapMenuView
{
	Class: SkinContainer;
	Form: MapMenuView;
}
ContainerMapMenuDefault
{
	Class: SkinContainer;
	Form: MapMenuDefault;
}
ContainerMapMenuMain
{
	Class: SkinContainer;
	Form: MapMenuMain;
}
ContainerMapMenuAutozoom
{
	Class: SkinContainer;
	Form: MapMenuAutozoom;
}
ContainerMapMenuSelection
{
	Class: SkinContainer;
	Form: MapMenuSelection;
}
ContainerMapMenuLocation
{
	Class: SkinContainer;
	Form: MapMenuLocation;
```

```
            }

//          ContainerGoToSubform
//          {
//                Class: SkinContainer;
//                Form: MapMenuGoToSubform;
//          }
//          ContainerRouteSubForm
//          {
//                Class: SkinContainer;
//                Form: MapMenuRouteSubform;
//          }
//          ContainerNoRouteSubForm
//          {
//                Class: SkinContainer;
//                Form: MapMenuNoRouteSubform;
//          }
            ContainerView1SubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuView1Subform;
            }
            ContainerView2SubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuView2Subform;
            }
            ContainerDestinationSubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuDestinationSubform;
            }
            ContainerRoutingSubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuRoutingSubform;
            }
            ContainerSettings1SubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuSettings1Subform;
            }
            ContainerSettings2SubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuSettings2Subform;
            }
            ContainerSettings3SubForm
            {
                  Class: SkinContainer;
                  Form: MapMenuSettings3Subform;
            }
            //////////////////////////begin stri dynmap
            ContainerDynamicMapItemSelectionMenu
            {
                  Class: SkinContainer;
                  Form: DynamicMapItemSelectionMenu;
            }
            ContainerDynMapItemView
            {
                  Class: DynMapItemDisplay;
                  Form: DynMapItemViewSubform;
            }
```

```
            ////////////////////////end stri

      }
      MapSignPostSubForm
      {
            ID: 10285;
            Coordinates: 0,0,480,50;
            BGMode: Transparent;
            BGColor: 255,255,255;
            Border: 1;
            BorderRounds: 5;
            BorderColor: 90,90,90;

            HideOnFollow: yes;
            HideOnFollowOther:10285,10287;
            ShowOnFollowOther:444,10211,31337,56,10284,10173,10288; // hide
these elements if the signpost is shown

            IconPanel
            {
                  Class: BitmapIconPanel;
                  Coordinates: 5,5,40,40;
                  BGMode:     Transparent;

//                  StreetColor: 255,255,255;
                  StreetColor: 0,0,0;
                  ArrowColor: 0,0,0;

                  NumberOfLegs: 16;
                  HomingBitmap: 231,120,0,40,40,0,0;

                  JunctionBitmap:   230,55,0,55,55,0,0;
                  JunctionLegsBitmap:     230,0,0,55,55,0,0;
                  JunctionUturnRightBitmap: 230,55,0,55,55,0,0;
                  JunctionUturnLeftBitmap: 230,55,880,55,55,0,0;

//                RoundAboutRightBitmap: 231,80,0,40,40,0,0;

                  RoundAboutRightBitmap1: 231,80,640,40,40,0,0;
                  RoundAboutRightBitmap2: 231,80,600,40,40,0,0;
                  RoundAboutRightBitmap3: 231,80,560,40,40,0,0;
                  RoundAboutRightBitmap4: 231,80,520,40,40,0,0;
                  RoundAboutRightBitmap5: 231,80,480,40,40,0,0;
                  RoundAboutRightBitmap6: 231,80,440,40,40,0,0;
                  RoundAboutRightBitmap7: 231,80,400,40,40,0,0;
                  RoundAboutRightBitmap8: 231,80,360,40,40,0,0;
                  RoundAboutRightBitmap9: 231,80,320,40,40,0,0;
                  RoundAboutRightBitmap10: 231,80,280,40,40,0,0;
                  RoundAboutRightBitmap11: 231,80,240,40,40,0,0;
                  RoundAboutRightBitmap12: 231,80,200,40,40,0,0;
                  RoundAboutRightBitmap13: 231,80,160,40,40,0,0;
                  RoundAboutRightBitmap14: 231,80,120,40,40,0,0;
                  RoundAboutRightBitmap15: 231,80,80,40,40,0,0;
                  RoundAboutRightBitmap16: 231,80,40,40,40,0,0;

                  RoundAboutLeftBitmap: 231,40,0,40,40,0,0;
                  RoundAboutLegsBitmap: 231,0,0,40,40,0,0;
                  RoundAboutCircleBitmap: 231,0,640,40,40,0,0;
                  RoundAboutRightUturnBitmap:   231,80,640,40,40,0,0;
                  RoundAboutLeftUturnBitmap: 231,40,640,40,40,0,0;

                  UturnLeftBitmap: 232,0,40,40,40,0,0;
                  UturnRightBitmap: 232,0,0,40,40,0,0;
```

```
        PreAnnounceLeftBitmap: 232,0,120,40,40,0,0;
        PreAnnounceRightBitmap: 232,0,80,40,40,0,0;

        DestReached: 232,0,160,40,40,0,0;

        ShowSS:     1;

        // Offset for 40x40 arrow in 55x55 box
        JunctionBitmapOffset1:   -2,-12;
        JunctionBitmapOffset2:   -5,-13;
        JunctionBitmapOffset3:   -5,-11;
        JunctionBitmapOffset4:   -1,-10;
        JunctionBitmapOffset5:    0,-9;
        JunctionBitmapOffset6:   -1,-11;
        JunctionBitmapOffset7:   -2,-7;
        JunctionBitmapOffset8:   -4,-1;
        JunctionBitmapOffset9:   -7,0;
        JunctionBitmapOffset10: -11,-1;
        JunctionBitmapOffset11: -13,-7;
        JunctionBitmapOffset12: -14,-11;
        JunctionBitmapOffset13: -15,-9;
        JunctionBitmapOffset14: -14,-10;
        JunctionBitmapOffset15: -11,-10;
        JunctionBitmapOffset16: -10,-13;
        JunctionBitmapOffset17: -13,-12;
    }
    RoadIcon
    {
        Class: RoadIconElement;
        Coordinates: 50,15,26,20;
        TextColor: 0,0,0;
        HAlign:     center;
        VAlign:     center;
        Font: 32;
    }

    SignPostText
    {
        Class: SkinText;
        Coordinates: 90,2,383,46;
        TextColor: 0,0,0;
        MinHeight: 18;
        MaxHeight: 46;
        Text: "";
        HAlign: left;
        VAlign: center;
        Wordbreak: yes;
        WordbreakChars: "/ ";
        MaxNumOfTextLines: 2;
        Font: 9;
    }

    LaneInformation
    {
        Class: BitmapLaneInformation;
        Coordinates: 90,22,383,25;

        ArrowColor: 0,0,0;

        NumberOfLegs: 16;
        InlineArrowBitmap:  261,0,0,25,25;
        OutlineArrowBitmap: 260,0,0,25,25;
```

```
                SeparatorLeftBitmap:   262,0,0,4,25;
                SeparatorRightBitmap:  262,0,0,4,25;
                SeparatorMiddleBitmap: 262,4,0,2,25;
                MoreLaneBitmap:               262,6,0,25,25;
          }

          PromtRepeatButton
          {
                Class: PushButton;
                Coordinates: 0,0,480,50;
                BGMode:     transparent;
                FocussedColor: 0,0,0,0; //avoids showing the button
                DisableFocus: yo;
                Action:     LastPromptRepeat;
          }
    }
    GPSInfoSubform    // this form is used in the MapViewArea and
TurnByTurnArea
    {
          ID:   10284;
          Coordinates: 450,2,30,20;
          BGMode:     Transparent;
          DisableFocus: yo;
          TapMode: TapThrough;

          GPSStatus
          {
                ID: 10151;
                Class: NStateIcon;
                Coordinates: 0,0,30,20;
                States: 4;
                BitmapReference1: 140,0,0,30,20,0,0,255,0,255;
                BitmapReference2: 140,0,20,30,20,0,0,255,0,255;
                BitmapReference3: 140,0,40,30,20,0,0,255,0,255;
                BitmapReference4: 140,0,60,30,20,0,0,255,0,255;
                MoveBehaviour: Horizontal;
          }
          GPSInfoTransparentButton
          {
                Class: PushButton;
                Coordinates: 0,0,30,20;
                PYOffset: 1;
                BGMode: transparent;
                FocussedColor: 0,0,0,0; //avoids showing the button
                DisableFocus: yo;
                Action: MapTurnToggle.gps;
                MoveBehaviour: Horizontal;
          }
    }
    MapNorthDirectionSubform
    {
          ID:   10173;
          Coordinates: 9,9,30,30;
          BGMode:     Transparent;
          DisableFocus: yo;
          TapMode: TapThrough;

          NorthDirection
          {
                Class: NStateIcon;
                Coordinates: 0,0,30,30;
                States:     12;
```

```
            BitmapReference1: 145,0,0,30,30,255,0,255;
            BitmapReference2: 145,0,30,30,30,255,0,255;
            BitmapReference3: 145,0,60,30,30,255,0,255;
            BitmapReference4: 145,0,90,30,30,255,0,255;
            BitmapReference5: 145,0,120,30,30,255,0,255;
            BitmapReference6: 145,0,150,30,30,255,0,255;
            BitmapReference7: 145,0,180,30,30,255,0,255;
            BitmapReference8: 145,0,210,30,30,255,0,255;
            BitmapReference9: 145,0,240,30,30,255,0,255;
            BitmapReference10: 145,0,270,30,30,255,0,255;
            BitmapReference11: 145,0,300,30,30,255,0,255;
            BitmapReference12: 145,0,330,30,30,255,0,255;
            MoveBehaviour: Horizontal;
      }


      NorthDirectionButtonTransparent
      {
            Class: PushButton;
            Coordinates: 0,0,30,30;
            BGMode:     transparent;
            FocussedColor: 0,0,0,0; //avoids showing the button
            DisableFocus: yo;
            Action:     MapTurnToggle.gps;
            Layer: ontop;
            MoveBehaviour: Horizontal;
      }
}

GPSErrorSignPostSubForm
{
      Coordinates: 445,5,30,20;
      BGMode:     Transparent;
      DisableFocus: yo;
      TapMode: TapThrough;
      Visibility: Hidden;

      GPSErrorIcon
      {
            Class: SkinIcon;
            Coordinates: 0,0,30,20;
            BitmapReference: 140,0,0,30,20,0,0,255,0,255;
            MoveBehaviour: Horizontal;
      }
      GPSInfoTransparentButton
      {
            Class: PushButton;
            Coordinates: 0,0,30,20;
            PYOffset: 1;
            BGMode: transparent;
            FocussedColor: 0,0,0,0; //avoids showing the button
            DisableFocus: yo;
            Action: MapTurnToggle.gps;
            MoveBehaviour: Horizontal;
      }
}

TTISubform  // this form is used in the MapViewArea and TurnByTurnArea
{
      Coordinates: 384,0,95,108;
      BGMode: Transparent;
      DisableFocus: yo;
      MoveBehaviour: Vertical;
```

```
            ResizeBehaviour: Horizontal;
            TapMode: TapThrough;

            TMC_Icon
            {
                  ID: 10216;
                  Class: NStateIcon;
                  Coordinates: 9,0,30,20;

                  States: 5;
                  BitmapReference1: 166,0,80,30,20,0,0,255,0,255;
                  BitmapReference2: 166,0,40,30,20,0,0,255,0,255; //todo: n-
state animation
                  BitmapReference3: 166,0,100,30,20,0,0,255,0,255;
                  BitmapReference4: 166,0,120,30,20,0,0,255,0,255;
                  BitmapReference5: 166,0,140,30,20,0,0,255,0,255;

                  //            BitmapReference1: 166,0,0,30,20,0,0,255,0,255;
                  //            BitmapReference2: 166,0,20,30,20,0,0,255,0,255;
                  //            BitmapReference3: 166,0,40,30,20,0,0,255,0,255;
                  //            BitmapReference4: 166,0,60,30,20,0,0,255,0,255;
                  //            BitmapReference5: 166,0,80,30,20,0,0,255,0,255;
                  //            BitmapReference6: 166,0,100,30,20,0,0,255,0,255;
                  MoveBehaviour: Horizontal;
                  //Visibility: $MAP_TMC_ICON_VISIBILITY$;
            }
            TrafficInformationButtonTransparent
            {
                  Class: PushButton;
                  Coordinates: 9,0,30,20;
                  BGMode: transparent;
                  FocussedColor: 0,0,0,0; //avoids showing the button
                  DisableFocus: yo;
                  Action: NavigationMenu.trafficInfo;
                  Layer: ontop;
                  MoveBehaviour: Horizontal;
                  //Visibility: $MAP_TMC_ICON_VISIBILITY$;
            }
            VanishingTTIWarningButton
            {
                  Class: VanishingTTIWarningButton;
                  Coordinates: 0,60,96,48;
                  Enabled: 183,0,0,96,48,0,0,255,0,255;
                  Pushed: 183,0,48,96,48,0,0,255,0,255;
                  Icon: 161,0,0,44,38,26,5,255,0,255;
                  PYOffset: 2;
                  DisableFocus: yo;
                  //Visibility: $MAP_TTI_WARNING_BUTTON_VISIBILITY$;
                  //      Visibility: shown;
                  Action: NavigationMenu.trafficWarning;
            }
            //      TMCStatus
            //      {
            //          ID: 10153;
            //          Class: NStateIcon;
            //          Coordinates: 160,0,80,51;
            //          States: 15;
            //          BitmapReference1: 28,0,0,80,51,0,0;
            //          BitmapReference2: 28,0,51,80,51,0,0;
            //          BitmapReference3: 28,0,102,80,51,0,0;
            //          BitmapReference4: 28,0,153,80,51,0,0;
            //          BitmapReference5: 28,0,204,80,51,0,0;
            //          BitmapReference6: 28,0,255,80,51,0,0;
```

```
            //          BitmapReference7: 28,0,306,80,51,0,0;
            //          BitmapReference8: 28,0,357,80,51,0,0;
            //          BitmapReference9: 28,0,408,80,51,0,0;
            //          BitmapReference10: 28,0,459,80,51,0,0;
            //          BitmapReference11: 28,0,510,80,51,0,0;
            //          BitmapReference12: 28,0,561,80,51,0,0;
            //          BitmapReference13: 28,0,612,80,51,0,0;
            //          BitmapReference14: 28,0,663,80,51,0,0;
            //          BitmapReference15: 28,0,714,80,51,0,0;
            //          MoveBehaviour: Horizontal;
            //      }
      }

      TTIWarningSubform       // this form is used in the MapViewArea and
TurnByTurnArea
      {
            Coordinates: 384,60,96,48;
            DisableFocus: yo;
            MoveBehaviour: Vertical;
            ResizeBehaviour: Horizontal;
            TapMode: TapThrough;

            VanishingTTIWarningButton
            {
                  Class: VanishingTTIWarningButton;
                  Coordinates: 0,0,96,48;
                  Enabled: 183,0,0,96,48,0,0,255,0,255;
                  Pushed: 183,0,48,96,48,0,0,255,0,255;
                  Icon: 161,0,0,44,38,26,5,255,0,255;
                  PYOffset: 2;
                  DisableFocus: yo;
                  Action: NavigationMenu.trafficWarning;
            }
      }

      MapMenuDefault
      {
            Coordinates: $CORNER_BUTTON_COORDS$;
            BGMode: Transparent;
            DisableFocus: yo;
            MoveBehaviour: Vertical;
            ResizeBehaviour: Horizontal;
            TapMode: TapThrough;

            MainMenuButton
            {
                  ID:   10076;
                  Class: PushButton;
                  Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
                  Enabled:  213,48,0,48,48,255,0,255;
                  Pushed:       213,48,96,48,48,255,0,255;
                  //Icon: 11,0,180,30,30,9,9,255,0,255;
                  Icon: 253,0,0,30,30,9,9,255,0,255;
                  PYOffset: 2;
                  Action:     MapMenu.selectionview;
                  DisableFocus: yo;
                  MoveBehaviour: both;
            }

            //     SoundToggleButton
            //       {
            //            ID: 10076;
            //            Class: NStateButton;
```

```
//            States: 2;
//             Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;

//            Enabled1:  $CORNER_BUTTON_ENABLED$;
//            Enabled2:  $CORNER_BUTTON_ENABLED$;
//            Pushed1:   $CORNER_BUTTON_PUSHED$;
//             Pushed2:   $CORNER_BUTTON_PUSHED$;
//             Icon1: 195,0,60,30,30,6,6,255,0,255;
//             Icon2: 8,0,90,30,30,5,5,255,0,255;
//             PYOffset: 2;
//             //Action: MapMenu.open;
//             DisableFocus: yo;
//             MoveBehaviour: both;
//       }
BackButton
{
      ID: 10075;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
      Enabled: 213,0,0,48,48,255,0,255;
      Pushed: 213,0,96,48,48,255,0,255;
      Icon: 4,0,0,30,30,9,9,255,0,255; //Main Menu Icon
      PYOffset: 2;
      DisableFocus: yo;
      //          Action: MainMenu.216;
      Action: MapMenu.main;//open
      MoveBehaviour: vertical;
      HKPush: hk3;
}
Up
{
      ID: 300;
      Coordinates: 0,0,0,0;
      Class: PushButton;
      HKPush: up;
      DisableFocus: yo;
      Action: MapMenu.moveUp;
}

Right
{
      ID: 301;
      Coordinates: 0,0,0,0;
      Class: PushButton;
      HKPush: right;
      DisableFocus: yo;
      Action: MapMenu.moveRight;
}

Down
{
      ID: 302;
      Coordinates: 0,0,0,0;
      Class: PushButton;
      HKPush: down;
      DisableFocus: yo;
      Action: MapMenu.moveDown;
}

Left
{
      ID: 303;
      Coordinates: 0,0,0,0;
```

```
            Class: PushButton;
            HKPush: left;
            DisableFocus: yo;
            Action: MapMenu.moveLeft;
      }
}

MapMenuMain
{
      Coordinates: $CORNER_BUTTON_COORDS$;
      BGMode: Transparent;
      EnableFocus: yo;
      MoveBehaviour: Vertical;
      ResizeBehaviour: Horizontal;
      TapMode: TapThrough;

      MapMenuSelectionBackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            Action:     MapMenu.leave;
            MoveBehaviour: vertical;
            HKPush: hk3;
      }

      //        MapMenuSelectionViewButton
      //        {
      //            Class: PushButton;
      //            Coordinates: 48,0,108,48;
      //            Enabled: 184,144,0,108,48,0,0,255,0,255;
      //            Pushed:  184,144,48,108,48,0,0,255,0,255;
      //            Focussed:  184,144,96,108,48,0,0,255,0,255;
      //            Disabled: 184,144,144,108,48,0,0,255,0,255;
      ////            Icon: 24,0,0,30,30,15,2,255,0,255;
      //            Icon: 11,0,180,30,30,30,6,255,0,255;
      //            PYOffset: 2;
      //            Action: MapMenu.selectionview;
      //            MoveBehaviour: vertical;
      //            HKPush: hk3;
      //        }
      MapMenuSelectionDestinationButton
      {
            Class: RadioButton;
            Coordinates: 48,0,144,48;
            Enabled: 208,0,0,144,48,0,0,255,0,255;
            Focussed:  208,0,48,144,48,0,0,255,0,255;
            Pushed:  208,0,192,144,48,0,0,255,0,255;
            Disabled: 208,0,144,144,48,0,0,255,0,255;
            Selected: 208,0,192,144,48,0,0,255,0,255;
            Icon: 11,0,0,30,30,60,8,255,0,255;
            PYOffset: 2;
            Action: MapMenu.selectiondestination;
            MoveBehaviour: vertical;
            HKPush: hk3;
            GroupID: 1;
      }
      MapMenuSelectionRouteButton
      {
```

```
            Class: RadioButton;
            Coordinates: 192,0,144,48;
            Enabled: 208,0,0,144,48,0,0,255,0,255;
            Focussed:  208,0,48,144,48,0,0,255,0,255;
            Pushed:  208,0,192,144,48,0,0,255,0,255;
            Disabled: 208,0,144,144,48,0,0,255,0,255;
            Selected: 208,0,192,144,48,0,0,255,0,255;
            Icon: 16,0,0,30,30,60,8,255,0,255;
            PYOffset: 2;
            Action: MapMenu.selectionroute;
            MoveBehaviour: vertical;
            HKPush: hk3;
            GroupID: 1;
      }
      MapMenuSelectionSettingsButton
      {
            Class: RadioButton;
            Coordinates: 336,0,144,48;
            VAlign: center;
            HAlign: center;
            Enabled: 208,0,0,144,48,0,0,255,0,255;
            Focussed:  208,0,48,144,48,0,0,255,0,255;
            Pushed:  208,0,192,144,48,0,0,255,0,255;
            Disabled: 208,0,144,144,48,0,0,255,0,255;
            Selected: 208,0,192,144,48,0,0,255,0,255;
            Icon: 11,0,90,30,30,60,8,255,0,255;
            GroupID: 1;
            PYOffset: 2;
            Wordbreak: yes;
            Action: MapMenu.selectionsettings;

      }
}

MapMenuView
{
      Coordinates: 0,35,480,237;//$CORNER_BUTTON_COORDS$;
      BGMode:     Transparent;
      EnableFocus: yo;
      MoveBehaviour: Vertical;
      ResizeBehaviour: Horizontal;
      TapMode: TapThrough;

      TransparentBackButton
      {
            Class: Pushbutton;
            Coordinates: 0,0,480,189;
            Action: MapMenu.back;
            FocussedColor: 0,0,0,0; //avoids showing the button
      }

      MapMenuViewSystemButton
      {
            Class: PushButton;
            Coordinates: 0,189,48,48;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:       $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            Action:     MapMenu.leave;
            MoveBehaviour: vertical;
            HKPush:     hk3;
```

```
	}

	DummyButton2
	{
		Class: SkinIcon;
		Coordinates: 48,189,432,48;
		BitmapReference:  51,48,224,432,48,0,0;
	}
}

MapMenuAutozoom
{
	Coordinates: $CORNER_BUTTON_COORDS$;
	BGMode: Transparent;
	DisableFocus: yo;
	MoveBehaviour: Vertical;
	ResizeBehaviour: Horizontal;
	TapMode: TapThrough;

	MainMenuButton
	{
		//ID: 10076;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled:  213,48,0,48,48,255,0,255;
		Pushed:       213,48,96,48,48,255,0,255;
		//Icon: 11,0,180,30,30,9,9,255,0,255;
		Icon: 253,0,0,30,30,9,9,255,0,255;
		PYOffset: 2;
		Action:     MapMenu.selectionview;
		DisableFocus: yo;
		MoveBehaviour: both;
		StateChangeOnTap: enable;
	}

	AutoZoomButton
	{
		ID: 10376;
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
		Enabled:  213,0,0,48,48,255,0,255;
		Pushed: 213,0,96,48,48,255,0,255;
		Icon: 25,0,0,30,30,9,9,255,0,255;
		PYOffset: 2;
		DisableFocus: yo;
		Action: MapMenu.autozoom;
		MoveBehaviour: vertical;
		HKPush: hk3;
	}

	Up
	{
		ID: 330;
		Coordinates: 0,0,0,0;
		Class: PushButton;
		HKPush: up;
		DisableFocus: yo;
		Action: MapMenu.moveUp;
	}

	Right
	{
		ID: 331;
```

```
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: right;
            DisableFocus: yo;
            Action: MapMenu.moveRight;
      }

      Down
      {
            ID: 332;
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: down;
            DisableFocus: yo;
            Action: MapMenu.moveDown;
      }

      Left
      {
            ID: 333;
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: left;
            DisableFocus: yo;
            Action: MapMenu.moveLeft;
      }
}
MapMenuSelection
{
      Coordinates: $CORNER_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;
      MoveBehaviour: Vertical;
      ResizeBehaviour: Horizontal;
      TapMode: TapThrough;

      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            DisableFocus: yo;
            PYOffset: 2;
            //          Action: MapMenu.Close;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
            MoveBehaviour: vertical;
      }
}
MapMenuLocation
{
      Coordinates: $CORNER_BUTTON_COORDS$;
      BGMode: Transparent;
      DisableFocus: yo;
      MoveBehaviour: Vertical;
      ResizeBehaviour: Horizontal;
      TapMode: TapThrough;

      RecenterButton
      {
            Class: PushButton;
```

```
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: 20,0,0,30,30,9,9,255,0,255;
            PYOffset: 2;
            Action:     DestinationSC.recenterlocation;
            DisableFocus: yo;
      }

      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS_NO_Y$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow

            PYOffset: 2;
            DisableFocus: yo;
            //                Action:     MainMenu.217;
            //                Action:     MapMenu.back;
            //                Action:     DestinationSC.65;
            Action: DestinationSC.leavelocation;
            HKPush: $KEY_EVENT_CANCEL$;
      }
      Up
      {
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: up;
            DisableFocus: yo;
            Action: MapMenu.moveUp;
      }

      Right
      {
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: right;
            DisableFocus: yo;
            Action: MapMenu.moveRight;
      }

      Down
      {
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: down;
            DisableFocus: yo;
            Action: MapMenu.moveDown;
      }

      Left
      {
            Coordinates: 0,0,0,0;
            Class: PushButton;
            HKPush: left;
            DisableFocus: yo;
            Action: MapMenu.moveLeft;
      }
}
////////////////////////////begin stri dynmap
DynMapItemViewSubform
```

```
      {
            Coordinates: 0,0,480,40;
            Visibility: Hidden;
            BGMode:     opaque;
            BGColor: $MAP_ELEMENTS_TRANSPARENT_COLOR$;
            Border:     1;
            BorderColor: 80,80,80;
            MoveBehaviour: both;
            DisableFocus: yes;

            DynMapItemIcon
            {
                  Class: SkinIcon;
                  Coordinates: 0,0,55,40;
                  HAlign: center;
                  VAlign: center;
                  BGColor: 0,0,0;
//          BitmapReference: 234,0,0,22,20,5,10,255,0,255;
            }
            DynMapItemXofNText
            {
                  Class: SkinText;
                  Coordinates: 432,2,46,38;
                  HAlign: right;
                  VAlign: center;
                  TextColor: 0,0,0;
                  Font: 10;
                  BGMode:     transparent;
            }
            DynMapItemText
            {
                  Class: SkinText;
                  Coordinates: 60,2,392,38; // 5 pxl margin left and right, 2
pxl top and bottom
                  HAlign: left;
                  VAlign: center;
                  TextColor: 0,0,0;
                  Font: 10;
                  BGMode:     transparent;
            }
      }
      DynamicMapItemSelectionMenu
      {
            Coordinates: $CORNER_BUTTON_COORDS$;
            BGMode:     Transparent;
            EnableFocus: yes;
            MoveBehaviour: Vertical;
            ResizeBehaviour: Horizontal;

            DynMapItemSelMenuBackButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,48,48;

                  Enabled:  $CORNER_BUTTON_ENABLED$;
                  Pushed:       $CORNER_BUTTON_PUSHED$;

                  Icon: $BACK_ARROW_ICON$;
                  PYOffset: 2;
                  DisableFocus: yes;
                  BGMode:     Transparent;
                  Action:     MapMenu.dynMapBack;
                  HKPush:     $KEY_EVENT_CANCEL$;
```

```
            }
//          DynMapItemSelMenuInfoButton
//          {
//                Class: PushButton;
//                Coordinates: 48,0,108,48;
//
//                Enabled:    215,0,0,108,48,0,0,255,0,255;
//                Focussed:   215,0,48,108,48,0,0,255,0,255;
//                Pushed:     215,0,96,108,48,0,0,255,0,255;
//                Disabled:   215,0,144,108,48,0,0,255,0,255;
//                Selected:   215,0,96,108,48,0,0,255,0,255;
//
//                Icon: 233,0,0,30,30,39,10,255,0,255;
//                PYOffset: 2;
//                Action:     MapMenu.dynMapInfo;
//                MoveBehaviour: vertical;
//                HKPush:     hk3;
//          }
//          DynMapItemSelMenuAddStopoverButton
//          {
//                Class: PushButton;
//                Coordinates: 156,0,108,48;
//
//                Enabled:    215,0,0,108,48,0,0,255,0,255;
//                Focussed:   215,0,48,108,48,0,0,255,0,255;
//                Pushed:     215,0,96,108,48,0,0,255,0,255;
//                Disabled:   215,0,144,108,48,0,0,255,0,255;
//                Selected:   215,0,96,108,48,0,0,255,0,255;
//
//                Icon: 233,0,30,30,30,39,10,255,0,255;
//                PYOffset: 2;
//                Action:     MapMenu.dynMapAddStopover;
//                MoveBehaviour: vertical;
//                HKPush:     hk3;
//          }
//          DynMapItemSelMenuPrevItemButton
//          {
//                Class: PushButton;
//                Coordinates: 264,0,108,48;
//
//                Enabled:    215,0,0,108,48,0,0,255,0,255;
//                Focussed:   215,0,48,108,48,0,0,255,0,255;
//                Pushed:     215,0,96,108,48,0,0,255,0,255;
//                Disabled:   215,0,144,108,48,0,0,255,0,255;
//                Selected:   215,0,96,108,48,0,0,255,0,255;
//
//                Icon: 233,0,60,30,30,39,10,255,0,255;
//
//                PYOffset: 2;
//                Wordbreak: yes;
//                Action:     MapMenu.dynMapPrevItem;
//          }
//          DynMapItemSelMenuNextItemButton
//          {
//                Class: PushButton;
//                Coordinates: 372,0,108,48;
//
//                Enabled:    215,0,0,108,48,0,0,255,0,255;
//                Focussed:   215,0,48,108,48,0,0,255,0,255;
//                Pushed:     215,0,96,108,48,0,0,255,0,255;
//                Disabled:   215,0,144,108,48,0,0,255,0,255;
//                Selected:   215,0,96,108,48,0,0,255,0,255;
//
```

```
//                Icon: 233,0,90,30,30,39,10,255,0,255;
//
//                PYOffset: 2;
//                Wordbreak: yes;
//                Action:     MapMenu.dynMapNextItem;
//          }
          DynMapItemSelMenuAddStopoverButton
          {
                Class: PushButton;
                Coordinates: 48,0,144,48;

                Enabled:    184,144,0,144,48,0,0,255,0,255;
                Focussed:   184,144,48,144,48,0,0,255,0,255;
                Pushed:     184,144,96,144,48,0,0,255,0,255;
                Disabled:   184,144,144,144,48,0,0,255,0,255;

                Icon: 233,0,30,30,30,57,10,255,0,255;
                PYOffset: 2;
                Action:     MapMenu.dynMapAddStopover;
                MoveBehaviour: vertical;
                HKPush:     hk3;
          }
          DynMapItemSelMenuPrevItemButton
          {
                Class: PushButton;
                Coordinates: 192,0,144,48;

                Enabled:    184,144,0,144,48,0,0,255,0,255;
                Focussed:   184,144,48,144,48,0,0,255,0,255;
                Pushed:     184,144,96,144,48,0,0,255,0,255;
                Disabled:   184,144,144,144,48,0,0,255,0,255;

                Icon: 233,0,60,30,30,57,10,255,0,255;

                PYOffset: 2;
                Wordbreak: yes;
                Action:     MapMenu.dynMapPrevItem;
          }
          DynMapItemSelMenuNextItemButton
          {
                Class: PushButton;
                Coordinates: 336,0,144,48;

                Enabled:    184,144,0,144,48,0,0,255,0,255;
                Focussed:   184,144,48,144,48,0,0,255,0,255;
                Pushed:     184,144,96,144,48,0,0,255,0,255;
                Disabled:   184,144,144,144,48,0,0,255,0,255;

                Icon: 233,0,90,30,30,57,10,255,0,255;

                PYOffset: 2;
                Wordbreak: yes;
                Action:     MapMenu.dynMapNextItem;
          }
    }
    ////////////////////////////end stri
    NoAuthInfoDlg
    {
          Background: 51,0,0,480,272,0,0;
          DefaultFont: 7;

          TitleBar
          {
```

```
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 30046;
		HAlign: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	MessageLabel
	{
		ID: 120;
		Class: SkinText;
		Coordinates: 5,35,235,230;
		TextColor: 0,0,0;
		TextId: 20060;
		HAlign: left;
		VAlign: top;
		Wordbreak: yes;
		KUp: Up;
		KDown: Down;
	}
	ErrorMessageSimpleScrollbar
	{
		Class: SimpleScrollbar;
		Coordinates: 230,25,10,205;
		BGMode: opaque;
		BGColor: $AREA_BG_COLOR$;
		ThumbColor: $AREA_HIGHLIGHT_COLOR$;
		ScrollbarOwner: MessageLabel;
		AddScrollbarSizeToOwner: yo;
		TextColor: $SCROLLBAR_BORDER_COLOR$;
	}
	ExitButton
	{
		ID: 10078;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $EXIT_ICON$;
		PYOffset: 2;
		DisableFocus: yo;
		Action: MainMenu.1;
	}
}
```

```
SettingErrorArea
{
      DefaultFont: 0;
      BGMode: opaque;

      Title
      {
            ID: 72;
            Class: SkinText;
            Coordinates: 5,5,230,20;
            TextId: 20070;
            Font: 1;
            Align: center;
      }
      ErrorMessage
      {
            ID: 73;
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            HAlign: left;
            VAlign: center;
            BGMode: Transparent;
            Wordbreak: yes;
      }
      CancelButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            HKPush: $KEY_EVENT_CANCEL$;
      }

      RetryButton
      {
            //          ID: 80;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: 4,0,240,30,30,5,5,255,0,255;
            PYOffset: 2;
            DisableFocus: yo;
            //          Action:  DestinationSC.80;
      }
}

//  PoiInfoDlg
//  {
//      // The PoiInfoDlg uses ids 700 to 749
//      Background: 93,0,0,240,20,0,0;
//      DefaultFont: 5;
//      PoiNameLabel
//      {
//          ID: 700;
//          Font: 1;
//          Class: SkinText;
```

```
//          Coordinates: 10,25,220,55;
//          TextId: 20060;
//          Align: center;
//          Wordbreak: yes;
//      }
//      PoiStreetLabel
//      {
//          ID: 705;
//          Class: SkinText;
//          Coordinates: 10,55,220,55;
//          TextId: 20060;
//          Align: left;
//          Wordbreak: yes;
//      }
//      PoiZipLabel
//      {
//          ID: 706;
//          Class: SkinText;
//          Coordinates: 10,75,80,55;
//          TextId: 20060;
//          Align: left;
//          Wordbreak: yes;
//      }
//      PoiCityLabel
//      {
//          ID: 701;
//          Class: SkinText;
//          Coordinates: 75,75,220,55;
//          TextId: 20060;
//          Align: left;
//          Wordbreak: yes;
//      }
//      PoiPhoneNumberLabel
//      {
//          ID: 702;
//          Class: SkinText;
//          Coordinates: 10,95,220,55;
//          TextId: 20060;
//          Align: left;
//          Wordbreak: yes;
//      }
//      PoiEmailLabel
//      {
//          ID: 703;
//          Class: SkinText;
//          Coordinates: 10,115,220,55;
//          TextId: 20060;
//          Align: left;
//          Wordbreak: yes;
//      }
//      PoiWebsiteLabel
//      {
//          ID: 704;
//          Class: SkinText;
//          Coordinates: 10,135,220,55;
//          TextId: 20060;
//          Align: left;
//          Wordbreak: yes;
//      }
//  }

//  GPSSimulationArea
//  {
```

```
//      Background: 88,0,0,240,240,0,0;
//      DefaultFont: 1;
//
//      GPSTimeLabel
//      {
//          ID: 900;
//          Class: SkinText;
//          TextId: 20000;
//          Coordinates: 10,22,100,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      GPSTime
//      {
//          ID: 901;
//          Class: SkinText;
//          Coordinates: 115,22,170,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      GPSLongitudeLabel
//      {
//          ID: 902;
//          Class: SkinText;
//          TextId: 20002;
//          Coordinates: 10,44,100,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      GPSLongitude
//      {
//          ID: 903;
//          Class: SkinText;
//          Coordinates: 115,44,170,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      GPSLatitudeLabel
//      {
//          ID: 904;
//          Class: SkinText;
//          TextId: 20001;
//          Coordinates: 10,66,100,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
```

```
//          wordbreak: yes;
//      }
//
//      GPSLatitude
//      {
//          ID: 905;
//          Class: SkinText;
//          Coordinates: 115,66,170,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      SpeedLabel
//      {
//          ID: 906;
//          Class: SkinText;
//          TextId: 20003;
//          Coordinates: 10,88,100,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      Speed
//      {
//          ID: 907;
//          Class: SkinText;
//          Coordinates: 115,88,170,20;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      FileNameLabel
//      {
//          ID: 912;
//          Class: SkinText;
//          TextId: 20009;
//          Coordinates: 10,110,100,20;
//          BGMode: Transparent;
//          Font: 1;
//          HAlign: left;
//          VAlign: center;
//          wordbreak: yes;
//      }
//
//      FileName
//      {
//          ID: 913;
//          Class: SkinText;
//          Coordinates: 10,127,230,35;
//          BGMode: Transparent;
//          Font: 1;
//          Align: left;
//          // VAlign: center;
//          wordbreak: yes;
```

```
//      }
//
//      OpenButton
//      {
//          ID: 910;
//          Class: PushButton;
//          Coordinates: 40,195,60,40;
//          Enabled:    97,0,0,60,40,0,0;
//          Pushed:     97,0,40,60,40,0,0;
//          Action: OpenFile.Open;
//      }
//
//      CloseButton
//      {
//          ID: 911;
//          Class: PushButton;
//          Coordinates: 140,195,60,40;
//          Enabled:    97,60,0,60,40,0,0;
//          Pushed:     97,60,40,60,40,0,0;
//          Action: OpenFile.Close;
//      }
//  }

//  OpenFileArea
//  {
//      Background: 89,0,0,240,240,0,0;
//      DefaultFont: 1;
//
//      FileListBox
//      {
//          ID: 66;
//          Class: TextListBox;
//          Coordinates: 0,20,200,220;
//          Font: 2;
//          BGColor: 245,230,191;
//          BGMode: opaque;
//          TextColor: 0,0,0;
//          EntryAddDist: 0;
//          LinesPerEntry: 1;
//          UpButton: CLBUpButton;
//          DownButton: CLBDownButton;
//          WidthCalculation: AddScrollbarWidth;
//          HeightCalculation: Automatic;  // o.a. Höhe ist Maximalhöhe
//          HKUp: Up;
//          HKDown: Down;
//          HKSelect: Enter;
//          FocussedTextColor: 0,0,0;
//      }
//
//      CLBUpButton
//      {
//          Class: ListBoxButton;
//          Coordinates: 0,0,40,40;
//          Enabled: 43,40,0,40,40,0,0;
//          Pushed:  43,40,40,40,40,0,0;
//          ListBox: FileListBox;
//          CoordinateCalculation: Automatic;
//      }
//
//      CLBDownButton
//      {
//          Class: ListBoxButton;
//          Coordinates: 0,0,40,40;
```

```
//          Enabled: 43,120,0,40,40,0,0;
//          Pushed:  43,120,40,40,40,0,0;
//          ListBox: FileListBox;
//          CoordinateCalculation: Automatic;
//      }
//
//      MySimpleSBF
//      {
//          Class: SimpleScrollBarFiller;
//          Coordinates: 0,0,40,0;
//          PosColor: 245,230,191;
//          BGColor: 211,189,42;
//          BGMode: opaque;
//          ListBox: FileListBox;
//          CoordinateCalculation: Automatic;
//      }
//  }

LicenseKeyDlg
{
      DefaultFont: 0;
      Background: 51,0,0,480,272,0,0;
      MinHeight: 170;
      MinWidth: 240;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30021;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      KeyData1
      {
            ID: 1;
            Class: SkinEditField;
            Coordinates: 3,55,44,21;
            OpenKeyboard: yo;
            SetFocusOnLoad: yo;
      }
      KeyData2
      {
            ID: 2;
```

```
      Class: SkinEditField;
      Coordinates: 50,55,44,21;
      OpenKeyboard: yo;
}
KeyData3
{
      ID: 3;
      Class: SkinEditField;
      Coordinates: 97,55,44,21;
      OpenKeyboard: yo;
}
KeyData4
{
      ID: 4;
      Class: SkinEditField;
      Coordinates: 144,55,44,21;
      OpenKeyboard: yo;
}
KeyData5
{
      ID: 5;
      Class: SkinEditField;
      Coordinates: 191,55,44,21;
      OpenKeyboard: yo;
}
ErrorText
{
      ID: 6;
      Class: SkinText;
      Coordinates: 0,80,240,40;
      TextColor: 255,0,0;
      TextId: 3003;
      HAlign: center;
      VAlign: center;
      Wordbreak: enabled;
      Visibility: hidden;
      Font: 1;
}
ExitButton
{
      ID: 10078;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $EXIT_ICON$;
      PYOffset: 2;
      DisableFocus: yo;
      Action: MainMenu.1;
}
NextButton
{
      ID:10080;
      Class: PushButton;
      Coordinates: 120,285,78,35;
      //               Enabled: 9,78,0,78,35,0,0,255,0,255;
      //               Pushed:  9,78,35,78,35,0,0,255,0,255;
      //               Disabled:   9,78,70,78,35,0,0,255,0,255;
      Icon: 4,0,180,30,30,20,2,255,0,255; //nextarrow
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
      Action: SettingSC.119;
```

```
            //HKPush: right;
      }
}

DeviceCodeArea
{
      DefaultFont: 0;
      Background: 51,0,0,480,272,0,0;
      MinHeight: 234;
      MinWidth: 400;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30042;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      AdviseText
      {
            Class: SkinText;
            Coordinates: 85,40,310,140;
            TextCoordinates: 5,0,300,140;
            TextColor: 0,0,0;
            TextId: 20510;
            HAlign: center;
            VAlign: center;
            Font: 51;
            Wordbreak: yes;
      }
      DeviceCode
      {
            Class: SkinText;
            Coordinates: 0,155,480,35;
            TextColor: 0,0,0;
            HAlign: center;
            VAlign: center;
            Font: 51;
            Wordbreak: yes;
            WordbreakChars: "-";
      }
      ExitButton
      {
```

```
            ID: 10078;
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $EXIT_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: MainMenu.1;
      }

      CancelEnterPsfAuthCode
      {
            ID: 10243;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Visibility: hidden;
            Action: SettingSC.10243;
      }
      //      NextButton (Ist Missverständlich an dieser Stelle)
      //      {
      //          ID:10080;
      //          Class: PushButton;
      //          Coordinates: 120,285,78,35;
      //          Enabled: 9,78,0,78,35,0,0,255,0,255;
      //          Pushed:  9,78,35,78,35,0,0,255,0,255;
      //          Disabled: 9,78,70,78,35,0,0,255,0,255;
      //          Icon: 4,0,180,30,30,20,2,255,0,255; //nextarrow
      //          PYOffset: 2;
      //          DisableFocus: yo;
      //          BGMode: Transparent;
      //          Action: SettingSC.119;
      //          HKPush: right;
      //      }
      ForwardButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: 4,0,120,30,30,9,9,255,0,255; //forwardarrow
            PYOffset: 2;
            DisableFocus: yo;
            Action: SettingSC.119;
      }
}
HybridLicenseKeyDlg
{
      DefaultFont: 0;
      Background: 51,0,0,480,272,0,0;
      Font: 0;
      MinHeight: 170;
      MinWidth: 240;
      HKBackSpace: Back;
      keyboard: "standardkeyboard,LicenseKeyboard,no";
      BGMode: opaque;
      TextColor: 0,0,0;
      TitleBar
```

```
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  ID: 10246;
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  TextColor: 0,0,0;
                  TextId: 30021;
                  HAlign: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }

            PictureBackground
            {
                  Class: SkinContainer;
                  Form: BackgroundSubform;
            }

            EntryIcon
            {
                  Class: SkinIcon;
                  Coordinates: 0,103,480,32;
                  BitmapReference: 239,0,0,480,32,0,0;
            }
//          AdviseText
//          {
//                Class: SkinText;
//                Coordinates: 5,35,470,40;
//                TextId: 20501;
//                HAlign: left;
//                VAlign: center;
//                Wordbreak: yes;
//                Font: 6;
//          }

            KeyData1
            {
                  ID: 1;
                  Class: StandardKeybdDisplay;
                  Coordinates: 10,105,43,28;
                  //TextCoordinates: 2,0,46,21;
                  TextColor: 0,0,0;
                  OpenKeyboard: numericonly;
                  SetFocusOnLoad: yo;
                  ShowCursor: no;
                  BGMode: opaque;
                  BGColor: 255,255,255;
                  //  Border:1;
```

```
      CursorDist:1;
}
KeyData2
{
      ID: 2;
      Class: StandardKeybdDisplay;
      Coordinates: 64,105,43,28;
      //TextCoordinates: 2,0,46,21;
      TextColor: 0,0,0;
      OpenKeyboard: numericonly;
      EnabledState: disabled;
      ShowCursor: no;
      BGMode: opaque;
      BGColor: 255,255,255;
      //  Border:1;
}
KeyData3
{
      ID: 3;
      Class: StandardKeybdDisplay;
      Coordinates: 118,105,67,28;
      //TextCoordinates: 2,0,46,21;
      TextColor: 0,0,0;
      OpenKeyboard: numericonly;
      EnabledState: disabled;
      ShowCursor: no;
      BGMode: opaque;
      BGColor: 255,255,255;
      //  Border:1;
}
KeyData4
{
      ID: 4;
      Class: StandardKeybdDisplay;
      Coordinates: 196,105,67,28;
      //TextCoordinates: 2,0,46,21;
      TextColor: 0,0,0;
      OpenKeyboard: numericonly;
      EnabledState: disabled;
      ShowCursor: no;
      BGMode: opaque;
      BGColor: 255,255,255;
      //  Border:1;
}
KeyData5
{
      ID: 5;
      Class: StandardKeybdDisplay;
      Coordinates: 274,105,67,28;
      //TextCoordinates: 2,0,46,21;
      TextColor: 0,0,0;
      OpenKeyboard: numericonly;
      EnabledState: disabled;
      ShowCursor: no;
      BGMode: opaque;
      BGColor: 255,255,255;
      //  Border:1;
}
KeyData6
{
      ID: 6;
      Class: StandardKeybdDisplay;
      Coordinates: 352,105,120,28;
```

```
      //TextCoordinates: 2,0,46,21;
      TextColor: 0,0,0;
      OpenKeyboard: numericonly;
      EnabledState: disabled;
      ShowCursor: no;
      BGMode: opaque;
      BGColor: 255,255,255;
      //Border:1;
}
ErrorText
{
      ID: 7;
      Class: SkinText;
      Coordinates: 48,224,432,48;
      TextColor: 255,255,255;
      BGColor: 237,28,36;
      BGMode: opaque;
      TextId: 3003;
      Wordbreak: enabled;
      Visibility: hidden;
      VAlign:center;
      HAlign:center;
      Font: 10;
}
ExitButton
{
      ID: 10078;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $EXIT_ICON$;
      PYOffset: 2;
      DisableFocus: yo;
      Action: MainMenu.1;
}
BackButton
{
      Id: 10245;
      Class: PushButton;
      Coordinates:  $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; //backarrow
      PYOffset: 2;
      DisableFocus: yo;
      Action: SettingSC.121;
}
BackButtonPsfAuth
{
      Id: 10244;
      Class: PushButton;
      Coordinates:  $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; //backarrow
      PYOffset: 2;
      DisableFocus: yo;
      Visibility: hidden;
      Action: SettingSC.10244;
}
NextButton
{
```

```
            ID: 119;
            Class: PushButton;
            Coordinates: 0,0,0,0;
            DisableFocus: yo;
            Action: SettingSC.119;
      }
      NextButtonPsfAuth
      {
            ID: 10242;
            Class: PushButton;
            Coordinates: 0,0,0,0;
            DisableFocus: yo;
            Action: SettingSC.10242;
      }
}
FatalErrorArea
{
      Background: 51,0,0,480,272,0,0;
      BGMode: opaque;
      DefaultFont: 0;


      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }

      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      ErrorMessage
      {
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            HAlign: left;
            VAlign: center;
            Wordbreak: yes;
            KUp: Up;
            KDown: Down;
      }
      ErrorMessageSimpleScrollbar
```

```
	{
		Class: SimpleScrollbar;
		Coordinates: 470,40,10,184;
		BGMode: opaque;
		BGColor: $AREA_BG_COLOR$;
		ThumbColor: $AREA_HIGHLIGHT_COLOR$;
		ScrollbarOwner: ErrorMessage;
		AddScrollbarSizeToOwner: yo;
		TextColor: $SCROLLBAR_BORDER_COLOR$;
	}
	ExitButton
	{
		ID: 10078;
		Class: PushButton;
		Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $EXIT_ICON$;
		PYOffset: 2;
		DisableFocus: yo;
		Action: MainMenu.1;
	}
}

UpdateReminderArea
{
	Background: 51,0,0,480,272,0,0;
	BGMode: opaque;
	DefaultFont: 0;
	TextColor: 0,0,0;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		HAlign: left;
		VAlign: center;
		TextId: 30069;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	Message
	{
		Class: SkinText;
		ID: 10191;
		Coordinates: 5,40,390,140;
```

```
            TextCoordinates: 5,0,300,140;
            HAlign: left;
            VAlign: top;
            Wordbreak: yes;
            TextId: 61001;
            KUp: Up;
            KDown: Down;
      }
      //      MessageSimpleScrollbar
      //      {
      //          Class: SimpleScrollbar;
      //          Coordinates: 230,35,10,195;
      //          BGMode: opaque;
      //          BGColor: $AREA_BG_COLOR$;
      //          ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      //          ScrollbarOwner: Message;
      //          AddScrollbarSizeToOwner: yo;
      //          TextColor: $SCROLLBAR_BORDER_COLOR$;
      //      }
      NextButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: SettingSC.119;
            HKPush: $KEY_EVENT_OK$;
      }
}

SystemMessageDefaultMenu
{
      ExitButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $EXIT_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: MainMenu.1;
      }
}

SystemMessageArea
{
      Background: 51,0,0,480,272,0,0;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
```

```
            TextColor: 0,0,0;
            TextId: 30073;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      SystemMessage
      {
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            TextID: 7700;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
      }

      //      ExitButton
      //      {
      //          Class: PushButton;
      //          Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      //          Enabled:  $CORNER_BUTTON_ENABLED$;
      //          Pushed:  3,0,50,50,50,0,0,255,0,255;
      //          Disabled: 3,0,100,50,50,0,0,255,0,255;
      //          Icon: 4,0,210,30,30,5,15,255,0,255; //cancel
      //          PYOffset: 2;
      //          DisableFocus: yo;
      //          Action: MainMenu.1;
      //          HKPush: hk3;
      //      }
      NextButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$; //ok
            PYOffset: 2;
            DisableFocus: yo;
            Action: SystemHandling.continue;
            HKPush: $KEY_EVENT_OK$;
      }
}

POIOverrrideMessageArea
{
      Background: 51,0,0,480,272,0,0;

      TitleBar
      {
            Class: SkinIcon;
```

```
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30074;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      SystemMessage
      {
            ID: 10178;
            Class: SkinText;
            TextColor: 0,0,0;
            Coordinates: 10,40,300,140;
            TextID: 20204;
            Font: 51;
            HAlign: left;
            VAlign: center;
            Wordbreak: yes;
      }

      NextButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$; //ok
            PYOffset: 2;
            DisableFocus: yo;
            Action: ListMaintenance.13;
            HKPush: $KEY_EVENT_OK$;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates:  $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            Action: ListMaintenance.14;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
```

```
StorageCardOut
{
      Background: 51,0,0,480,272,0,0;

      TitleBar
      {
            Class: SkinIcon;
            CCoordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 30072;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }

      StorageCardOutLabel
      {
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            TextID: 7701;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
      }
      ExitButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $EXIT_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            Action: MainMenu.1;
      }
}

SelectRdsTmc
{

      BGColor: $AREA_BG_COLOR$;
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;
```

```
TitleBar
{
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30078;
      BGMode: Transparent;
      Align: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}

PictureIcon
{
      Class: SkinIcon;
      Coordinates: 97,58,288,48;
      BitmapReference: 227,0,0,288,48,0,0;
}

//      SelectModeButton
//      {
//          ID: 10186;
//          Class: PushButton;
//          Coordinates: 100,40,120,40;
//          TextId: 20191;
//          TextCoordinates: $BUTTONTEXT_COORDS_120x40$;
//          HAlign: center;
//          VAlign: center;
//          Enabled: 123,0,0,120,40,0,0,255,0,255;
//          Focussed: 123,0,40,120,40,0,0,255,0,255;
//          Pushed: 123,0,80,120,40,0,0,255,0,255;
//          PYOffset: 2;
//          Wordbreak: yes;
//          Action: RdsTmc.selectMode;
//      }

SelectModeDropDown
{
      ID: 10186;
      Class: Dropdown;
      ElementClass: SkinButton;
      BGColor: $AREA_BG_COLOR$;
      Coordinates: 240,176,240,48;
      Enabled:  186,0,0,240,48,0,0;
      Focussed: 186,0,48,240,48,0,0;
      Pushed:   186,0,96,240,48,0,0;
```

```
        Disabled: 186,0,144,240,48,0,0;
        Icon: 164,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        DroppedCoordinates: $DROPPED_COORDS$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        ElemMinHeight: 80;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: SelectTmcRdsModeListBox;
        ListBoxForm: SelectTmcRdsModeView;
        TextHasIconIndex: yo;
        //          FirstTextID: 20195;
        //          LastTextID: 20196;
        Wordbreak: yes;
        WordbreakChars: " /-";
        HAlign: left;
        VAlign: center;
}

TrafficWarningDropDown
{
        ID: 10217;
        Class: Dropdown;
        ElementClass: SkinButton;
        BGColor: $AREA_BG_COLOR$;
        Coordinates: 0,128,240,48;
        Enabled:  186,0,0,240,48,0,0;
        Focussed: 186,0,48,240,48,0,0;
        Pushed:   186,0,96,240,48,0,0;
        Disabled: 186,0,144,240,48,0,0;
        Icon: 163,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        DroppedCoordinates: 0,0;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        ElemMinHeight: 80;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: TrafficWarningListBox;
        ListBoxForm: TrafficWarningListView;
        TextHasIconIndex: yo;
        Wordbreak: yes;
        WordbreakChars: " /-";
        HAlign: left;
        VAlign: center;
}

CongestionByPassDropDown
{
        ID: 10252;
        Class: Dropdown;
        ElementClass: SkinButton;
        BGColor: $AREA_BG_COLOR$;
        Coordinates: 0,176,240,48;
        Enabled:  186,0,0,240,48,0,0;
        Focussed: 186,0,48,240,48,0,0;
        Pushed:   186,0,96,240,48,0,0;
        Disabled: 186,0,144,240,48,0,0;
        Icon: 178,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        DroppedCoordinates: $DROPPED_COORDS$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        ElemMinHeight: 80;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        ListBox: CongestionByPassListBox;
        ListBoxForm: CongestionByPassListView;
```

Gelöscht: 0,0,0

Gelöscht: 0,0,0

Gelöscht: 0,0,0

```
                TextHasIconIndex: yo;
                FirstTextID: 20455;
                LastTextID: 20457;
                Wordbreak: yes;
                WordbreakChars: " /-";
                HAlign: left;
                VAlign: center;
        }

        TMCSelectDropDown
        {
                ID: 10293;
                Class: Dropdown;
                ElementClass: SkinButton;
                BGColor: $AREA_BG_COLOR$;
                Coordinates: 0,128,480,48;
                Enabled: 189,0,0,480,48,0,0,255,0,255;
                Focussed: 189,0,48,480,48,0,0,255,0,255;
                Pushed: 189,0,96,480,48,0,0,255,0,255;
                Icon: 258,0,0,30,30,22,9,255,0,255;
                PYOffset: 2;
                DroppedCoordinates:     $DROPPED_COORDS$;
                TextColor: 0,0,0;
                ElemMinHeight: 80;
                TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
                ListBox: TMCSelectListBox;
                ListBoxForm: TMCSelectListView;
                TextHasIconIndex: yo;
                Wordbreak: yes;
                WordbreakChars: " /-";
                HAlign: left;
                VAlign: center;
        }

//      SelectedStationIcon
//      {
//              Class: SkinText;
//              Coordinates: 48,80,384,48;
//              BGColor: 255,255,255;
//              BGMode: opaque;
//      }

        SelectedStation
        {
                ID: 10161;
                Class: SkinText;
                Coordinates: 96,57,288,48;
                TextColor: 255,255,255;
                BGMode: Transparent;
                Align: center;
                VAlign: center;
                Font: 1;
        }

        GoFrequenzDownButton
        {
                ID: 10162;
                Class: PushButton;
                Coordinates: 48,57,48,48;
                Enabled:  181,0,48,48,48,0,0;
                Pushed:   181,0,96,48,48,0,0;
                Icon: 45,0,60,30,30,9,9,255,0,255;
                PYOffset: 2;
```

```
                DisableFocus: yo;
                BGMode: Transparent;
                Action: SettingSC.10184;
        }

        GoFrequenzUpButton
        {
                ID: 10163;
                Class: PushButton;
                Coordinates: 384,57,48,48;
                Enabled:  181,0,48,48,48,0,0;
                Pushed:   181,0,96,48,48,0,0;
                Icon: 45,0,90,30,30,9,9,255,0,255;
                PYOffset: 2;
                DisableFocus: yo;
                BGMode: Transparent;
                Action: SettingSC.10183;
        }

        TMC_Icon
        {
                ID: 10164;
                Class: NStateIcon;
                Coordinates: 393,7,30,20;//440,2,30,20;
                States: 5;
                BitmapReference1: 166,0,80,30,20,0,0,255,0,255;
                BitmapReference2: 166,0,40,30,20,0,0,255,0,255; //todo: n-
state animation
                BitmapReference3: 166,0,100,30,20,0,0,255,0,255;
                BitmapReference4: 166,0,120,30,20,0,0,255,0,255;
                BitmapReference5: 166,0,140,30,20,0,0,255,0,255;
        }

        // This is for Debug, to select a port or to record.
//              SelectPortButton
//              {
//                  ID: 10184;
//                  Class: PushButton;
//                  Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
//                  Enabled: 3,48,0,48,48,0,0,255,0,255;
//                  Pushed:  3,48,48,48,48,0,0,255,0,255;
//                  Disabled: 3,48,96,48,48,0,0,255,0,255;
//                  TextId: 20190;
//                  HAlign: center;
//                  VAlign: center;
//                  PYOffset: 2;
//                  Wordbreak: yes;
//                  DisableFocus: yo;
//                  Action: RdsTmc.selectPort;
//                  HKPush: $KEY_EVENT_OK$;
//              }

        ReceptionQualityIcon
        {
                ID: 10222;
                Class: NStateIcon;
                Coordinates: 450,7,30,23;//400,6,30,30;
                States: 4;
                BitmapReference1: 141,0,7,30,30,0,0,255,0,255;
                BitmapReference2: 141,0,37,30,30,0,0,255,0,255;
                BitmapReference3: 141,0,67,30,30,0,0,255,0,255;
                BitmapReference4: 141,0,97,30,30,0,0,255,0,255;
        }
```

```
	BackButton
	{
		Class: PushButton;
		Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; //backarrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		//            Action: SettingSC.10077;
		Action: MapMenu.back;
		//  Action: MainMenu.5;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}

SelectTmcPortView
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 20190;
		HAlign: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}
	SelectTmcPortListBox
	{
		ID: 10190;
		Class: ListBox;
		Coordinates: $LISTBOX_COORDS$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		TextColor: 0,0,0;
		TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		LineSeparator: full_line;
		VAlign: center;
		TextHasIconIndex: yo;
```

```
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      ExecuteAction: SettingSC.10182;
      HKSelect: UpDown;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      FirstTextID: 20170;
      LastTextID: 20187;
}

SelectTmcPortSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: SelectTmcPortListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
SelectTmcPortSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: SelectTmcPortSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
SelectTmcPortSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: SelectTmcPortSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}
BackButton
{
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
```

```
            Action: SettingSC.10182;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

TrafficWarningListView
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30081;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      TrafficWarningListBox
      {
            Class: ListBox;
            Coordinates: $LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            BitmapReference: 163,0,0,30,30,0,0,255,0,255;
            TextColor: 0,0,0;
            TextSpace: $LISTBOX_TEXT_SPACE$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            TextHasIconIndex: yo;
            Font: 2;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            HKSelect: UpDown;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }

      TrafficWarningListScrollbar
      {
            Class: SimpleScrollbar;
```

```
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: TrafficWarningListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      TrafficWarningListScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: TrafficWarningListScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      TrafficWarningListScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: TrafficWarningListScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.TrafficWarningDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

CongestionByPassListView
{
      Coordinates: $DROPPED_SUBFORM_COORDS$;
      Background: $DROPPED_SUBFORM_BG$;
      DefaultFont: 7;

      CongestionByPassListBox
      {
            Class: ListBox;
            Coordinates: $DROPPED_LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
```

```
      BGMode: opaque;
      BitmapReference: 178,0,0,30,30,9,9,255,0,255;
      TextColor: 0,0,0;
      Font: 2;
      TextSpace: $LISTBOX_TEXT_SPACE$;
      TextCoordinates: $LISTBOX_TEXT_COORDS$;
      HighlightedTextColor: 255,255,255;
      HighlightedBGColor: $FOCUS_COLOR$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      VAlign: center;
      HAlign: left;
      TextHasIconIndex: yo;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      ExecuteAction: ListBox.CongestionByPassDropDown,1;
      HKSelect: UpDown;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}
CongestionByPassListScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $DROPPED_SCROLLBAR_COORDS$;
      ScrollbarOwner: CongestionByPassListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
CongestionByPassListScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: CongestionByPassListScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
CongestionByPassListScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: CongestionByPassListScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}
BackButton
```

```
	{
		Class: PushButton;
		Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode: Transparent;
		Action: ListBox.CongestionByPassDropDown,0;
		HKPush: $KEY_EVENT_CANCEL$;
	}
}

SelectTmcRdsModeView
{
	Coordinates: $DROPPED_SUBFORM_COORDS$;
	Background: $DROPPED_SUBFORM_BG$;
	DefaultFont: 7;

	//	TitleBar
	//	{
	//	    Class: SkinIcon;
	//	    Coordinates: 0,0,400,35;
	//
	//	    BitmapReference: 193,0,0,400,35,0,0;
	//	}
	//	Title
	//	{
	//	    Class: SkinText;
	//	    Coordinates: $TITLE_COORDS$;
	//	    //TextColor: 255,255,255;
	//	    TextColor: 0,0,0;
	//	    TextId: 20191;
	//	    HAlign: left;
	//	    VAlign: center;
	//	    Font: 1;
	//	}
	//  TitlebarExitButton
	//  {
	//	Class: PushButton;
	//	Coordinates: 0,0,50,35;
	//	Enabled: 207,0,0,50,35,0,0;
	//	Focussed: 207,0,0,50,35,0,0;
	//	Pushed:207,0,35,50,35,0,0;
	//	Action:MainMenu.1;
	//	Layer: OnTop;
	//  }

	SelectTmcRdsModeListBox
	{
		ID: 10185;
		Class: ListBox;
		Coordinates: $DROPPED_LISTBOX_COORDS$;
		BGColor: $AREA_HIGHLIGHT_COLOR$;
		BGMode: opaque;
		TextColor: 0,0,0;
		TextSpace: $LISTBOX_TEXT_SPACE$;
		TextCoordinates: $LISTBOX_TEXT_COORDS$;
		DistBetweenEntries: $LISTBOX_ELEM_DIST$;
		BitmapReference: 164,0,0,30,30,9,9,255,0,255;
		LineSeparator: full_line;
		VAlign: center;
```

```
      HAlign: left;
      TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      //  ExecuteAction: SettingSC.10181;
      HKSelect: UpDown;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
      FirstTextID: 20195;
      LastTextID: 20196;
}

SelectTmcRdsModeSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $DROPPED_SCROLLBAR_COORDS$;
      ScrollbarOwner: SelectTmcRdsModeListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
SelectTmcRdsModeSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: SelectTmcRdsModeSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
SelectTmcRdsModeScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: SelectTmcRdsModeSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}
BackButton
{
      Class: PushButton;
      Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
      PYOffset: 2;
```

```
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.SelectModeDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

TMCSelectListView
{
      Coordinates: $DROPPED_SUBFORM_COORDS$;
      Background: $DROPPED_SUBFORM_BG$;
      DefaultFont: 7;

      TMCSelectListBox
      {
            Class: ListBox;
            Coordinates: $DROPPED_LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode:     opaque;
            BitmapReference: 258,0,0,30,30,9,9,255,0,255;
            TextColor: 0,0,0;
            TextCoordinates: $LISTBOX_TEXT_COORDS$;
            HighlightedTextColor: 0,0,0;
            HighlightedBGColor:     $FOCUS_COLOR$;
            DistBetweenEntries:     $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign:     center;
            HAlign:     left;
            TextHasIconIndex: yo;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
            HKUp: Up;
            HKDown:     Down;
            HKExecute: Enter;
            ExecuteAction: ListBox.TMCSelectDropDown,1;
            HKSelect: UpDown;
            Border:     $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      TMCSelectListScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $DROPPED_SCROLLBAR_COORDS$;
            ScrollbarOwner:   TMCSelectListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      TMCSelectListScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $DROPPED_SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: TMCSelectListScrollbar;
            Type: up;
            BGMode:     opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:      $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
```

```
	TMCSelectListScrollbarDownButton
	{
		Class: SkinScrollbarButton;
		Coordinates: $DROPPED_SCROLLBAR_BUTTON_DOWN_COORDS$;
		Scrollbar: TMCSelectListScrollbar;
		Type: down;
		BGMode:     opaque;
		Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
		Pushed:      $SCROLLBAR_BUTTON_DOWN_PUSHED$;
		Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
		Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
		PYOffset: 2;
		Layer: ontop;
		FocussedTextColor: 0,0,0;
	}
	BackButton
	{
		Class: PushButton;
		Coordinates: $DROPPED_LEFT_CORNER_BUTTON_COORDS$;
		Enabled:  $CORNER_BUTTON_ENABLED$;
		Pushed:   $CORNER_BUTTON_PUSHED$;
		Icon: $BACK_ARROW_ICON$; // BACK arrow
		PYOffset: 2;
		DisableFocus: yo;
		BGMode:     Transparent;
		Action:     ListBox.TMCSelectDropDown,0;
		HKPush:     $KEY_EVENT_CANCEL$;
	}
}

SelectKeyboard
{

	BGColor: $AREA_BG_COLOR$;
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		TextColor: 0,0,0;
		TextId: 30079;
		BGMode: Transparent;
		Align: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
```

```
}
SelectkbdListBox
{
      ID: 10218;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      TextColor: 0,0,0;
      //TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      TextCoordinates: $BUTTONTEXT_COORDS_320x40$;
      BitmapReference: 167,0,0,30,30,5,5,255,0,255;
      LineSeparator: full_line;
      VAlign: center;
      TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      //            ExecuteAction: SettingSC.10077;
      ExecuteAction: MapMenu.leave;
      HKSelect: UpDown;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}

SelectkbdSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: SelectkbdListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
SelectKbdSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: SelectkbdSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
SelectKbdScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: SelectkbdSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
```

```
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      //
      //      SelectKbdDropDown
      //      {
      //          ID: 10218;
      //          Class: Dropdown;
      //          ElementClass: SkinButton;
      //          BGColor: $AREA_BG_COLOR$;
      //          Coordinates: 107,80,105,80;
      //          Enabled: 120,0,0,105,80,0,0,255,0,255;
      //          Focussed: 120,0,80,105,80,0,0,255,0,255;
      //          Pushed: 120,0,160,105,80,0,0,255,0,255;
      //          Icon: 163,0,0,30,30,38,10,255,0,255;
      //          PYOffset: 2;
      //          DroppedCoordinates: 0,0;
      //          TextColor: 0,0,0;
      //          ElemMinHeight: 80;
      //          TextCoordinates: $BUTTONTEXT_COORDS_105x80$;
      //          ListBox: SelectkbdListBox;
      //          ListBoxForm: SelectKbdView;
      //          TextHasIconIndex: yo;
      //          Wordbreak: yes;
      //          WordbreakChars: " /-";
      //          HAlign: center;
      //          VAlign: center;
      //      }

      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

SelectKbdView
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
```

```
      TextId: 30079;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
SelectkbdListBox
{
      ID: 10219;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      TextColor: 0,0,0;
      //TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      TextCoordinates: $BUTTONTEXT_COORDS_320x40$;
      BitmapReference: 163,0,0,30,30,5,5,255,0,255;
      LineSeparator: full_line;
      VAlign: center;
      TextHasIconIndex: yo;
      Font: 2;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKExecute: Enter;
      //  ExecuteAction: SettingSC.10181;
      HKSelect: UpDown;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}

SelectkbdSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: SelectkbdListBox;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
SelectKbdSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: SelectkbdSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
```

```
            PYOffset: 2;
            Layer: ontop;
      }
      SelectKbdScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: SelectkbdSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            Class: PushButton;
            Coordinates: 0,190,50,50;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: ListBox.SelectKbdDropDown,0;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

TrafficWarningDetailArea
{
      Background: 51,0,0,480,272;
      BGColor: $AREA_BG_COLOR$;
      BGMode: opaque;
      DefaultFont: 60;
      TextColor: 0,0,0;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            ID: 66;
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30081;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
```

```
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
TTIStreetIdentifier
{
      //ID: 10087;
      Class: SkinText;
      Coordinates: 40,35,270,15;
      VAlign: center;
      Font: 60;
}
TTIIcon
{
      ID: 10084;
      Class: SkinIcon;
      Coordinates: 5,36,28,28;
      BitmapReference: 160,0,0,28,28,0,0,255,0,255;
      TextHasIconIndex: yo;
}
TMCProIcon
{
      Class: SkinIcon;
      Coordinates: 5,56,30,30;
      BitmapReference: 258,0,90,30,30,0,0,255,0,255;
}
TTIRoadFromTo
{
      //ID: 10082;
      Class: SkinText;
      Coordinates: 40,50,270,18;
      VAlign: center;
      Font: 60;
      RoadInfoBetween: "^F60^%s - %s";
      RoadInfoAt: "^F60^%s";
}
TTITextContainer
{
      Class: SkinContainer;
      Form: TTIDetailAreaSubForm;
}
TTIDetailScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: 432,132,48,44;
      ScrollbarOwner: TTIText;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
TTIDetailScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: 432,84,48,48;
      Scrollbar: TTIDetailScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
```

```
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      TTIDetailScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: TTIDetailScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      CalcAltRouteQuestion
      {
            ID: 80;
            Class: SkinText;
            Coordinates: $QUESTION_COORDS$;
            TextId: 51300;
            TextColor: $QUESTION_COLOR$;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
            Font: $QUESTION_FONT$;
      }
      AlternativeRouteNoButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            HKPush: right;
            DisableFocus: yo;
            Action: MapMenu.back;
      }
      AlternativeRouteYesButton
      {
            Class: PushButton;
            Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $OK_ICON$;
            HKPush: left;
            DisableFocus: yo;
            Action: NavigationMenu.calcAltRoute;
      }
}

LoadFavoritesFromExternalView
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
```

```
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 30082;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
StatusText
{
      ID: 10227;
      Class: SkinText;
      Coordinates: 20,40,280,100;
      TextColor: 0,0,0;
      HAlign: center;
      VAlign: center;
      Wordbreak: yes;
}

StatusIcon
{
      ID: 10228;
      Class: NStateIconAnimation;
      Coordinates: 90,143,220,40;
      States: 11;
      BitmapReference1: 172,0,0,220,40,0,0,255,0,255;
      BitmapReference2: 172,0,40,220,40,0,0,255,0,255;
      BitmapReference3: 172,0,80,220,40,0,0,255,0,255;
      BitmapReference4: 172,0,120,220,40,0,0,255,0,255;
      BitmapReference5: 172,0,160,220,40,0,0,255,0,255;
      BitmapReference6: 172,0,200,220,40,0,0,255,0,255;
      BitmapReference7: 172,0,240,220,40,0,0,255,0,255;
      BitmapReference8: 172,0,280,220,40,0,0,255,0,255;
      BitmapReference9: 172,0,320,220,40,0,0,255,0,255;
      BitmapReference10: 172,0,360,220,40,0,0,255,0,255;
      BitmapReference11: 172,0,400,220,40,0,0,255,0,255;
      //  CyclicRuns: 1;
      //  Visibility: Hidden;
      ShowOnMapState: 10;
      ShowOnDesignMode: 1;
      ShowOnStarting: yo;
      HideOnStopping: yo;
      AnimationArea: 90,143,220,40;
}

BackButton
{
```

```
            Class: PushButton;
            Coordinates: 0,190,50,50;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action:  ListMaintenance.0;
            HKPush: $KEY_EVENT_CANCEL$;
            //          Action: ListBox.SelectKbdDropDown,0;
            //          HKPush: $KEY_EVENT_CANCEL$;
      }
}

SpeedLimitWarningSettingsView
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30085;
            BGMode: Transparent;
            Align: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      SpeedWarningListBox
      {
            Class: ListBox;
            Coordinates: $LISTBOX_COORDS$;
            BGColor: $AREA_HIGHLIGHT_COLOR$;
            BGMode: opaque;
            TextColor: 0,0,0;
            TextSpace: $LISTBOX_TEXT_SPACE$;
            HighlightedTextColor: 255,255,255;
            HighlightedBGColor: $FOCUS_COLOR$;
            DistBetweenEntries: $LISTBOX_ELEM_DIST$;
            LineSeparator: full_line;
            VAlign: center;
            HAlign: left;
            ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
```

```
            HKUp: Up;
            HKDown: Down;
            HKExecute: Enter;
            ExecuteAction: MapMenu.back;
            HKSelect: UpDown;
            Border:$LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      SpeedWarningSimpleScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: SpeedWarningListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      SpeedWarningSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: SpeedWarningSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled:  $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:   $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled: $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon: $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      SpeedWarningSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: SpeedWarningSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled:  $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:   $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled: $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon: $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            ID: 10077;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
```

```
PsfAuthentificationStartScreen
{
	Background: 51,0,0,480,272,0,0;
	DefaultFont: 7;

	TitleBar
	{
		Class: SkinIcon;
		Coordinates: $TITLEBAR_CORDS$;
		BitmapReference: $TITLEBAR_ICON$;
	}
	Title
	{
		Class: SkinText;
		Coordinates: $TITLE_COORDS$;
		//TextColor: 255,255,255;
		TextColor: 0,0,0;
		TextId: 30086;
		HAlign: left;
		VAlign: center;
		Font: 1;
	}
	TitlebarExitButton
	{
		Class: PushButton;
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}

	PictureBackground
	{
		Class: SkinContainer;
		Form: BackgroundSubform;
	}

	InfoText
	{
		Class: SkinText;
		Coordinates: $PICTURE_MESSAGE_COORDS$;
		TextColor: $PICTURE_MESSAGE_TEXT_COLOR$;
		TextCoordinates: $PICTURE_MESSAGE_TEXT$;
		Font: $PICTURE_MESSAGE_FONT$;
		TextId: 20560;
		HAlign: center;
		VAlign: center;
		Wordbreak: yes;
	}

	ContinueText
	{
		Class: SkinText;
		Coordinates: $QUESTION_COORDS$;
		TextColor: $QUESTION_COLOR$;
		TextId: 20561;
		HAlign: center;
		VAlign: center;
		Wordbreak: yes;
		Font: $QUESTION_FONT$;
```

```
}

InfoTextScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: InfoText;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
InfoTextSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: InfoTextScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
InfoTextSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: InfoTextScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}

NextButton
{
      ID: 10233;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $OK_ICON$; //ok
      PYOffset: 2;
      DisableFocus: yo;
      Action: SettingSC.10233;
      HKPush: $KEY_EVENT_OK$;
}

BackButton
{
      ID: 10234;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
```

```
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $CANCEL_ICON$;
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: SettingSC.10234;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
PsfAuthtificationSuccessScreen
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 30086;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }

      PsfInfoText
      {
            ID: 10238;
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: $SYSTEM_MESSAGE_TEXT_COLOR$;
            Font: $SYSTEM_MESSAGE_FONT$;
            TextId: 20563;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
      }

      InfoTextScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: PsfInfoText;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
```

```
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
InfoTextSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: InfoTextScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
InfoTextSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: InfoTextScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}

MoreAuthButton
{
      ID: 10241;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $OK_ICON$; //ok
      PYOffset: 2;
      DisableFocus: yo;
      Action: SettingSC.10241;
      HKPush: $KEY_EVENT_OK$;
}

NextButton
{
      ID: 10235;
      Class: PushButton;
      Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $OK_ICON$; //ok
      PYOffset: 2;
      DisableFocus: yo;
      Action: SettingSC.10235;
      HKPush: $KEY_EVENT_OK$;
}

BackButton
{
```

```
            ID: 10236;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: SettingSC.10236;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

PsfAuthtificationErrorScreen
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 30086;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }

      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      PsfErrorText
      {
            ID: 10240;
            Class: SkinText;
            Coordinates: $SYSTEM_MESSAGE_COORDS$;
            TextCoordinates: $SYSTEM_MESSAGE_TEXT$;
            TextColor: SYSTEM_MESSAGE_TEXT_COLOR;
            Font: $SYSTEM_MESSAGE_FONT$;
            HAlign: center;
            VAlign: center;
            Wordbreak: yes;
            BGMode: Transparent;
      }

      InfoTextScrollbar
      {
```

```
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: PsfErrorText;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      InfoTextSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: InfoTextScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      InfoTextSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: InfoTextScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }

      BackButton
      {
            ID: 10237;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: SettingSC.10237;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
////////////////////////////////////////////////////////////////////////
MapMenuView1Subform
{
      Coordinates:  0,0,480,224;
      //      Coordinates:  $CORNER_BUTTON_COORDS$;
      TextColor: 0,0,0;
      Font: 7;
      ResizeBehaviour: Both;
      Visibility: Hidden;
```

```
TapMode: TapOn;
DisableFocus: yo;

TitleBar
{
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}

Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //          TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 54000;
      HAlign: left;
      VAlign: center;
      Font: 1;
}

TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}

TitlebarHelpButton
{
      Class: PushButton;
      Coordinates: $TITLEBAR_HELP_BTN_COORDS$;
      Enabled: $TITLEBAR_HELP_BTN_ENABLED$;
      Focussed: $TITLEBAR_HELP_BTN_ENABLED$;
      Pushed: $TITLEBAR_HELP_BTN_ENABLED$;
      Action: SettingSC.10251;
      Layer: OnTop;
}


MapButton
{
      Class: NStateButton;
      Coordinates: $MAP_BUTTON_COORDS$;
      States: 2;
      TextId1: 53011;
      TextId2: 53014;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      HAlign: left;
      VAlign: center;
      Enabled1: $MAPMENU_BUTTON_STATE_ENABLED$;
      Focussed1: $MAPMENU_BUTTON_STATE_FOCUSSED$;
      Pushed1: $MAPMENU_BUTTON_STATE_PUSHED$;
      Disabled1: $MAPMENU_BUTTON_STATE_DISABLED$;
      Enabled2: $MAPMENU_BUTTON_STATE_ENABLED$;
      Focussed2: $MAPMENU_BUTTON_STATE_FOCUSSED$;
      Pushed2: $MAPMENU_BUTTON_STATE_PUSHED$;
```

Gelöscht: 0,80,240,48

```
        Disabled2: $MAPMENU_BUTTON_STATE_DISABLED$;

        Icon1: 84,0,30,30,30,22,9,255,0,255;
        Icon2: 84,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        Wordbreak: yes;
        Action1: MapMenu.3d;
        Action2: MapMenu.3d;
    }

    TrafficInformationButton
    {
        Class: PushButton;
        Coordinates: 240,80,240,48;
        TextId: 50240;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 138,0,180,30,30,22,9,255,0,255;
        PYOffset: 2;
        //Visibility: $MAP_ROUTE_SUB_TTI_BUTTON_VISIBILITY$;
        Wordbreak: yes;
        Action: MapMenu.tmcoverview;
    }

    GPSInformationButton
    {
        Class: PushButton;
        Coordinates: $GPS_INFORMATION_BUTTON_COORDS$;
        TextId: 50239;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 23,0,120,30,30,22,9,255,0,255;
        PYOffset: 2;
        Wordbreak: yes;
        KPush: enter;
        Action: MapMenu.gpsinfo;
    }

    TripInfoButton
    {
        Class: PushButton;
        Coordinates: 240,128,240,48;
        TextId: 53007;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
```

Gelöscht: 0,128,240,48

```
                Icon: 209,0,0,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                KPush: enter,left;
                Action: MapMenu.tripinfo;
        }
//      DummyButton
//      {
//              Class: PushButton;
//              Coordinates: 240,128,240,48;
//              EnabledState: disabled;
//              Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//              Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//              Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//              Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
//      }

        DirectionViewButton //Turn Icon
        {
                Class: PushButton;
                Coordinates: 0,176,240,48;
                TextId: 50234;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 23,0,60,30,30,22,9,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.turntoggle;
        }

        AppButton
        {
                Class: LauncherButton;
                Coordinates: 240,176,240,48;
                TextId:     53017;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign:     left;
                VAlign:     center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 257,0,0,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                KPush: enter;
                launch:     "\My Flash Disk\menu.exe";
                Action: MapMenu.leave;
                Visibility: $APP_BUTTON_VISIBILITY$;
        }


        //      TelephoneButton
        //          {
        //          Class: PushButton;
        //          Coordinates: 240,128,240,48;
```

```
      //            TextId: 50258;
      //            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      //            HAlign: left;
      //            VAlign: center;
      //            Enabled:  186,0,0,240,48,0,0;
      //            Focussed: 186,0,96,240,48,0,0;
      //            Pushed:   186,0,144,240,48,0,0;
      //            Disabled: 186,0,192,240,48,0,0;
      ////           Icon: 175,0,0,30,30,5,5;
      //            PYOffset: 2;
      //            Wordbreak: yes;
      //            KPush: enter;
      //            Action: "MapMenu.telephone test";
      //            }
      //
      //        ExitNavigationButton
      //        {
      //            Class: PushButton;
      //            Coordinates: 0,176,240,48;
      //            TextId: 53012;
      //            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      //            HAlign: left;
      //            VAlign: center;
      //            Enabled:  186,0,0,240,48,0,0;
      //            Focussed: 186,0,96,240,48,0,0;
      //            Pushed:   186,0,144,240,48,0,0;
      //            Disabled: 186,0,192,240,48,0,0;
      ////           Icon: 4,0,60,30,30,5,5;
      //            PYOffset: 2;
      //            Wordbreak: yes;
      //            Action: MapMenu.exit;
      //        }
      //
      //        NextViewButton
      //        {
      //            Class: PushButton;
      //            Coordinates: 240,176,240,48;
      //            TextID: 50259;
      //            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      //            HAlign: left;
      //            VAlign: center;
      //            Enabled:  186,0,0,240,48,0,0;
      //            Focussed: 186,0,96,240,48,0,0;
      //            Pushed:   186,0,144,240,48,0,0;
      //            Disabled: 186,0,192,240,48,0,0;
      //            PYOffset: 2;
      //            Wordbreak: yes;
      //            Action: MapMenu.view2;
      //        }
}


////////////////////////////////////////////////////////////////
MapMenuView2Subform
{
      Coordinates:  0,0,480,224;
      TextColor: 0,0,0;
      Font: 7;
      ResizeBehaviour: Both;
      Visibility: Hidden;
      TapMode: TapOn;
      DisableFocus: yo;
```

```
TitleBar
{
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      //          TextColor: 255,255,255;
      TextColor: 0,0,0;
      TextId: 54001;
      HAlign: left;
      VAlign: center;
      Font: 1;
}

TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}

HelpButton
{
      Class: PushButton;
      Coordinates: 0,128,240,48;
      TextId: 53008;
      EnabledState: disabled;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      HAlign: left;
      VAlign: center;
      Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
      Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
      Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
      Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
      PYOffset: 2;
      Wordbreak: yes;
      Action: MapMenu.help;
}

MusicButton
{
      Class: LauncherButton;
      Coordinates: 240,128,240,48;
      TextId: 53009;
      EnabledState: disabled;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      TextColor: $BUTTON_5x1_TEXT_COLOR$;
      HAlign: left;
      VAlign: center;
      Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
      Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
      Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
      Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
      PYOffset: 2;
```

```
                Wordbreak: yes;
                KPush: enter;
                Action: MapMenu.music;
                launch: "C:\Program Files\Winamp\winamp.exe";
        }

        VideoButton
        {
                Class: LauncherButton;
                Coordinates: 0,176,240,48;
                TextId: 53010;
                EnabledState: disabled;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.video;
                launch: "C:\Program Files\Windows Media Player\wmplayer.exe";
                params: "/prefetch:1";
        }

        NextViewButton
        {
                Class: PushButton;
                Coordinates: 240,176,240,48;
                TextID: 50259;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.view1;
        }
}

MapMenuDestinationSubform
{
        Coordinates:  0,0,480,224;
        TextColor: 0,0,0;
        Font: 7;
        ResizeBehaviour: Both;
        Visibility: Hidden;
        TapMode: TapOn;
        DisableFocus: yo;

        TitleBar
        {
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
        }
```

```
Title
{
	Class: SkinText;
	Coordinates: $TITLE_COORDS$;
	//		TextColor: 255,255,255;
	TextColor: 0,0,0;
	TextId: 54002;
	HAlign: left;
	VAlign: center;
	Font: 1;
}
TitlebarExitButton
{
	Class: PushButton;
	Coordinates: 0,0,50,35;
	Enabled: 207,0,0,50,35,0,0;
	Focussed: 207,0,0,50,35,0,0;
	Pushed:207,0,35,50,35,0,0;
	Action:MainMenu.1;
	Layer: OnTop;
}

TitlebarHelpButton
{
	Class: PushButton;
	Coordinates: $TITLEBAR_HELP_BTN_COORDS$;
	Enabled: $TITLEBAR_HELP_BTN_ENABLED$;
	Focussed: $TITLEBAR_HELP_BTN_ENABLED$;
	Pushed: $TITLEBAR_HELP_BTN_ENABLED$;
	Action: SettingSC.10251;
	Layer: OnTop;
}

NewDestinationButton
{
	Class: PushButton;
	Coordinates: 0,80,240,48;
	TextId: 53000;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 11,0,0,30,30,22,9;
	PYOffset: 2;
	Wordbreak: yes;
	Action: MapMenu.newdestination;
}

FastSearchButton
{
	Class: PushButton;
	Coordinates: 240,80,240,48;
	TextId: 53003;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
```

```
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 21,0,0,30,18,22,15,255,0,255;//catagory list first icon
        IconOffsetAlways: yo;
        TextHasIconIndex: yo;
        PYOffset: 2;
        Wordbreak: yes;
        Action: MapMenu.fastsearch;
    }

    NewTourButton
    {
        Class: PushButton;
        Coordinates: 0,128,240,48;
        TextId: 53001;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 11,0,120,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        KPush: enter,left;
        Action: MapMenu.newtour;
    }

    AmbitSearchButton
    {
        Class: PushButton;
        Coordinates: 240,128,240,48;
        TextId: 51211;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 7,0,30,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        KPush: enter;
        Action: MapMenu.ambitsearch;
    }

    SavePositionButton
    {
        Class: PushButton;
        Coordinates: 0,176,240,48;
        TextID: 51251;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
```

```
                Icon: 19,0,0,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.saveposition;
        }

        ManageDestinationsButton
        {
                Class: PushButton;
                Coordinates: 240,176,240,48;
                TextId: 53002;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 11,0,60,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.managedestinations;
        }

}


MapMenuRoutingSubform
{
        Coordinates:  0,0,480,224;
        TextColor: 0,0,0;
        Font: 7;
        ResizeBehaviour: Both;
        Visibility: Hidden;
        TapMode: TapOn;
        DisableFocus: yo;

        TitleBar
        {
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
        }
        Title
        {
                Class: SkinText;
                Coordinates: $TITLE_COORDS$;
                //          TextColor: 255,255,255;
                TextColor: 0,0,0;
                TextId: 54003;
                HAlign: left;
                VAlign: center;
                Font: 1;
        }
        TitlebarExitButton
        {
                Class: PushButton;
                Coordinates: 0,0,50,35;
                Enabled: 207,0,0,50,35,0,0;
                Focussed: 207,0,0,50,35,0,0;
                Pushed:207,0,35,50,35,0,0;
                Action:MainMenu.1;
```

```
        Layer: OnTop;
    }

    TitlebarHelpButton
    {
        Class: PushButton;
        Coordinates: $TITLEBAR_HELP_BTN_COORDS$;
        Enabled: $TITLEBAR_HELP_BTN_ENABLED$;
        Focussed: $TITLEBAR_HELP_BTN_ENABLED$;
        Pushed: $TITLEBAR_HELP_BTN_ENABLED$;
        Action: SettingSC.10251;
        Layer: OnTop;
    }

    GotoButton
    {
        Class: PushButton;
        Coordinates: 0,80,240,48;
        TextId: 50251;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 131,0,0,30,30,22,9,255,0,255;
        PYOffset: 2;
        Wordbreak: yes;
        Action: MapMenu.goto;
    }

    LocationPlanButton
    {
        Class: PushButton;
        Coordinates: 0,176,240,48;
        TextId: 50248;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 23,0,90,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        Action: MapMenu.locationplan;
    }
    ChangeTourButton
    {
        Class: PushButton;
        Coordinates: 0,128,240,48;
        TextId: 53004;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
```

```
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 237,0,180,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                KPush: enter,left;
                Action: MapMenu.changetour;
        }


        RouteOptionsButton
        {
                Class: PushButton;
                Coordinates: 240,128,240,48;
                TextId: 20211;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 22,0,0,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                KPush: enter;
                Action: MapMenu.routeoptions;
                //          Action: DestinationSC.10085
        }

//      BlockSectionButton
//      {
//              Class: PushButton;
//              Coordinates: 0,176,240,48;
//              //TextId:   53016;
//              EnabledState: disabled;
//              TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
//              HAlign:     left;
//              VAlign:     center;
//              Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//              Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//              Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//              Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
//              //PYOffset: 2;
//              PYOffset: 0;
//              Wordbreak: yes;
//              //Action:   MapMenu.blocksection;
//      }

        //        RouteSimulationButton
        //        {
        //            Class: PushButton;
        //                    Coordinates:  0,176,240,48;
        //            TextId: 53013;
        //            EnabledState: disabled;
        //            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        //            HAlign: left;
        //            VAlign: center;
//              Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//              Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//              Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//              Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        //            PYOffset: 2;
```

```
        //            Wordbreak: yes;
        //            Action: MapMenu.routesimulation;
        //        }

        StopGuidanceButton
        {
              Class: PushButton;
              Coordinates: 240,176,240,48;
              TextID: 50257;
              TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
              TextColor: $BUTTON_5x1_TEXT_COLOR$;
              HAlign: left;
              VAlign: center;
              Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
              Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
              Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
              Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
              Icon: 23,0,150,30,30,22,9;
              PYOffset: 2;
              Wordbreak: yes;
              Action: MapMenu.stopguidance;
              //          Action: NavigationMenu.stopGuidance;
        }
  }


  MapMenuSettings1Subform
  {
        Coordinates:  0,0,480,224;
        TextColor: 0,0,0;
        Font: 7;
        ResizeBehaviour: Both;
        Visibility: Hidden;
        TapMode: TapOn;
        DisableFocus: yo;

        TitleBar
        {
              Class: SkinIcon;
              Coordinates: $TITLEBAR_CORDS$;
              BitmapReference: $TITLEBAR_ICON$;
        }
        Title
        {
              Class: SkinText;
              Coordinates: $TITLE_COORDS$;
              //          TextColor: 255,255,255;
              TextColor: 0,0,0;
              TextId: 54004;
              HAlign: left;
              VAlign: center;
              Font: 1;
        }
        TitlebarExitButton
        {
              Class: PushButton;
              Coordinates: 0,0,50,35;
              Enabled: 207,0,0,50,35,0,0;
              Focussed: 207,0,0,50,35,0,0;
              Pushed:207,0,35,50,35,0,0;
              Action:MainMenu.1;
              Layer: OnTop;
        }
```

```
TitlebarHelpButton
{
	Class: PushButton;
	Coordinates: $TITLEBAR_HELP_BTN_COORDS$;
	Enabled: $TITLEBAR_HELP_BTN_ENABLED$;
	Focussed: $TITLEBAR_HELP_BTN_ENABLED$;
	Pushed: $TITLEBAR_HELP_BTN_ENABLED$;
	Action: SettingSC.10251;
	Layer: OnTop;
}

Settings2Button
{
	Class: PushButton;
	Coordinates: 240,37,240,40;
	TextID: 51280;
	HAlign: center;
	VAlign: center;
	Enabled:  211,0,0,240,40,0,0;
	Pushed:   211,0,40,240,40,0,0;
	PYOffset: 2;
	Wordbreak: yes;
	Action: MapMenu.settings2;
	TextColor: 255,255,255;
	DisableFocus: yo;
	Font: 7;
}

PresentationButton
{
	Class: PushButton;
	Coordinates: 0,80,240,48;
	TextId: 51221;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 8,0,0,30,30,22,9;
	PYOffset: 2;
	Wordbreak: yes;
	Action: MapMenu.presentation;
}

TMCSenderButton
{
	Class: PushButton;
	Coordinates: 240,80,240,48;
	TextId: 51241;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 165,0,0,30,30,22,9;
	PYOffset: 2;
	Wordbreak: yes;
	Action: MapMenu.tmcsender;
```

```
        }

        SettingsButton
        {
                Class: LauncherButton;
                Coordinates: 0,80,240,48;
                TextId:     53015;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign:     left;
                VAlign:     center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 8,0,300,30,30,22,9,255,0,255;
                PYOffset: 2;
                Wordbreak: yes;
                KPush: enter,left;
                //Action:   MapMenu.hardwaresettings;
                launchtype: relative;
                launch: "setting.exe";
        }

        TMCSenderButton
        {
                Class: PushButton;
                Coordinates: 240,80,240,48;
                TextId: 51241;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 165,0,0,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.tmcsender;
        }

        PresentationButton
        {
                Class: PushButton;
                Coordinates: $PRESENTATION_BUTTON_COORDS$;
                TextId: 51221;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 8,0,0,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.presentation;
        }

        VolumeButton
```

Gelöscht: 128

```
{
	Class: PushButton;
	Coordinates: 240,128,240,48;
	TextId: 51224;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 8,0,90,30,30,22,9;
	PYOffset: 2;
	Wordbreak: yes;
	KPush: enter,left;
	Action: MapMenu.volume;
}

FastSearchCategoryButton
{
	Class: PushButton;
	Coordinates: 0,176,240,48;
	TextId: 53006;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 33,0,120,30,30,22,9;
	PYOffset: 2;
	Wordbreak: yes;
	Action: MapMenu.fastcategory;
}

FavouredPetrolStationButton
{
	Class: PushButton;
	Coordinates: 240,176,240,48;
	TextId: 53005;
	TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
	TextColor: $BUTTON_5x1_TEXT_COLOR$;
	HAlign: left;
	VAlign: center;
	Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
	Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
	Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
	Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
	Icon: 11,0,210,30,30,22,9;
	PYOffset: 2;
	Wordbreak: yes;
	KPush: enter;
	Action: MapMenu.favouredgarage;
}



//	MaximumVelocityButton
//	{
//	    Class: PushButton;
```

```
            //                Coordinates: 240,128,240,48;
            //            TextId: 51244;
            //            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
            //            HAlign: left;
            //            VAlign: center;
//                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
            //            Icon: 8,0,270,30,30,22,9;
            //            PYOffset: 2;
            //            Wordbreak: yes;
            //            KPush: enter;
            //            Action: MapMenu.maxvelocity;
            //        }
            //
      }

      PreferredPetrolArea
      {
            Background: 51,0,0,480,272,0,0;
            DefaultFont: 7;

            TitleBar
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  //TextColor: 255,255,255;
                  TextColor: 0,0,0;
                  TextId: 53005;
                  BGMode: Transparent;
                  Align: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }
            BrandList
            {
                  Class: ListBox;
                  Coordinates: $LISTBOX_COORDS$;
                  BGColor: $AREA_HIGHLIGHT_COLOR$;
                  BGMode: opaque;
                  TextColor: 0,0,0;
                  BitmapReference: 241,0,0,30,30,9,9,255,0,255;
                  TextSpace: $LISTBOX_TEXT_SPACE$;
                  HighlightedTextColor: 255,255,255;
                  HighlightedBGColor: $FOCUS_COLOR$;
                  DistBetweenEntries: $LISTBOX_ELEM_DIST$;
```

```
      LineSeparator: full_line;
      VAlign: center;
      HAlign: left;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      HKUp: Up;
      HKDown: Down;
      HKSelect: UpDown;
      HKExecute: Enter;
      //ExecuteAction: SettingSC.10077;
      Border:$LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}
BrandListSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: BrandList;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
BrandListSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: BrandListSimpleScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled:  $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:   $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled: $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon: $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
BrandListSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: BrandListSimpleScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled:  $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:   $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled: $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon: $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}
BackButton
{
      ID: 10077;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; //backarrow
      PYOffset: 2;
      DisableFocus: yo;
      BGMode: Transparent;
```

```
                Action: MapMenu.back;
                HKPush: $KEY_EVENT_CANCEL$;
          }
//        SelectAll
//        {
//              ID: 10073;
//              Class: PushButton;
//              Coordinates: $RIGHT_MIDDLE_BUTTON_COORDS$;
//              Enabled:  184,0,0,;
//              Pushed:   $CORNER_BUTTON_PUSHED$;
//              Icon: $BACK_ARROW_ICON$; //backarrow
//              PYOffset: 2;
//              DisableFocus: yo;
//              BGMode: Transparent;
//    Action: SettingSC.10077;
//              Action: MapMenu.leave;
//              HKPush: $KEY_EVENT_CANCEL$;
//        }
      }

      MapMenuSettings2Subform
      {
            Coordinates:  0,0,480,224;
            TextColor: 0,0,0;
            Font: 7;
            ResizeBehaviour: Both;
            Visibility: Hidden;
            TapMode: TapOn;
            DisableFocus: yo;

            TitleBar
            {
                  Class: SkinIcon;
                  Coordinates: $TITLEBAR_CORDS$;
                  BitmapReference: $TITLEBAR_ICON$;
            }
            Title
            {
                  Class: SkinText;
                  Coordinates: $TITLE_COORDS$;
                  //          TextColor: 255,255,255;
                  TextColor: 0,0,0;
                  TextId: 54005;
                  HAlign: left;
                  VAlign: center;
                  Font: 1;
            }
            TitlebarExitButton
            {
                  Class: PushButton;
                  Coordinates: 0,0,50,35;
                  Enabled: 207,0,0,50,35,0,0;
                  Focussed: 207,0,0,50,35,0,0;
                  Pushed:207,0,35,50,35,0,0;
                  Action:MainMenu.1;
                  Layer: OnTop;
            }

            TitlebarHelpButton
            {
                  Class: PushButton;
                  Coordinates: $TITLEBAR_HELP_BTN_COORDS$;
                  Enabled: $TITLEBAR_HELP_BTN_ENABLED$;
```

```
        Focussed: $TITLEBAR_HELP_BTN_ENABLED$;
        Pushed: $TITLEBAR_HELP_BTN_ENABLED$;
        Action: SettingSC.10251;
        Layer: OnTop;
    }

    Settings1Button
    {
        Class: PushButton;
        Coordinates: 240,37,240,40;
        TextID: 51280;
        HAlign: center;
        VAlign: center;
        Enabled:  211,0,0,240,40,0,0;
        Pushed:   211,0,40,240,40,0,0;
        PYOffset: 2;
        DisableFocus: yo;
        Wordbreak: yes;
        Action:     MapMenu.settings1;
        TextColor: 255,255,255;
        Font: 7;
    }

    KeyboardButton
    {
        Class: PushButton;
        Coordinates: 0,80,240,48;
        TextId: 51242;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 167,0,0,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        KPush: enter,left;
        Action: MapMenu.keyboard;
        //Visibility: $SETTINGS_KEYBOARD_BUTTON_VISIBILITY$;
    }

    MaximumVelocityButton
    {
        ID: 10250;
        Class: PushButton;
        Coordinates: 240,80,240,48;
        TextId:     51244;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign:     left;
        VAlign:     center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 8,0,270,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        KPush: enter;
        Action:     MapMenu.maxvelocity;
```

```
        Visibility: $SETTINGS_SPEED_LIMIT_WARNING_VISIBILITY$;
    }

    LanguageButton
    {
        Class: PushButton;
        Coordinates: 0,128,240,48;
        TextId: 51229;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 8,0,210,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        Action: MapMenu.language;
    }

    TimezoneButton
    {
        Class: PushButton;
        Coordinates: 240,128,240,48;
        TextId: 51227;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        PYOffset: 2;
        Icon: 8,0,180,30,30,22,9;
        Visibility: $SETTINGS_TIMEZONE_BUTTON_VISIBILITY$;
        Wordbreak: yes;
        Action: MapMenu.timezone;
    }

    ChooseMapButton
    {
        Class: PushButton;
        Coordinates: 0,176,240,48;
        TextId: 51240;
        TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        TextColor: $BUTTON_5x1_TEXT_COLOR$;
        HAlign: left;
        VAlign: center;
        Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
        Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
        Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
        Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        Icon: 8,0,240,30,30,22,9;
        PYOffset: 2;
        Wordbreak: yes;
        Action: MapMenu.choosemap;
    }

    InfoButton
    {
```

```
                Class: PushButton;
                Coordinates: 240,176,240,48;
                TextId: 51226;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 8,0,150,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.info;
                Visibility: $SETTINGS_INFO_BUTTON_VISIBILITY$;
        }

        //      FavouredGarageButton
        //      {
        //          Class: PushButton;
        //                  Coordinates: 240,128,240,48;
        //          TextId: 53005;
        //          EnabledState: disabled;
        //          TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        //          HAlign: left;
        //          VAlign: center;
//              Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//              Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//              Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//              Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        //          PYOffset: 2;
        //          Wordbreak: yes;
        //          KPush: enter;
        //          Action: MapMenu.favouredgarage;
        //      }
        //
        //      FastSearchCategoryButton
        //      {
        //          Class: PushButton;
        //          Coordinates: 0,176,240,48;
        //          TextId: 53006;
        //          EnabledState: disabled;
        //          TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        //          HAlign: left;
        //          VAlign: center;
//              Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//              Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//              Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//              Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        //          PYOffset: 2;
        //          Wordbreak: yes;
        //          Action: MapMenu.fastcategory;
        //      }

        PositioningButton
        {
                Class: PushButton;
                Coordinates: $POSITIONING_BUTTON_COORDS$;
                TextId: 51223;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: left;
```

Gelöscht: 0,32,240,48

```
                VAlign: center;
                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
                Icon: 8,0,60,30,30,22,9;
                PYOffset: 2;
                Wordbreak: yes;
                KPush: enter;
                Visibility: $SETTINGS_POSITIONING_BUTTON_VISIBILITY$;
                Action: MapMenu.positioning;
        }

        //        Settings3Button
        //        {
        //            Class: PushButton;
        //            Coordinates: 240,176,240,48;
        //            TextID: 51280;
        //            TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
        //            HAlign: left;
        //            VAlign: center;
//                Enabled: $MAPMENU_BUTTON_STATE_ENABLED$;
//                Focussed: $MAPMENU_BUTTON_STATE_FOCUSSED$;
//                Pushed: $MAPMENU_BUTTON_STATE_PUSHED$;
//                Disabled: $MAPMENU_BUTTON_STATE_DISABLED$;
        //            Disabled: 186,0,192,240,48,0,0;
        //            PYOffset: 2;
        //            Wordbreak: yes;
        //            Action: MapMenu.settings3;
        //        }
    }


    MapMenuSettings3Subform
    {
                    Coordinates:  0,0,480,224;
        TextColor: 0,0,0;
        Font: 7;
        ResizeBehaviour: Both;
        Visibility: Hidden;
                    TapMode: TapOn;
        DisableFocus: yo;

        TitleBar
        {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
        }
        Title
        {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //          TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 54006;
            HAlign: left;
            VAlign: center;
            Font: 1;
        }
        TitlebarExitButton
        {
            Class: PushButton;
```

```
		Coordinates: 0,0,50,35;
		Enabled: 207,0,0,50,35,0,0;
		Focussed: 207,0,0,50,35,0,0;
		Pushed:207,0,35,50,35,0,0;
		Action:MainMenu.1;
		Layer: OnTop;
	}

	DummyButton
	{
		Class: PushButton;
		Coordinates: 0,128,240,48;
		TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
		TextColor: $BUTTON_5x1_TEXT_COLOR$;
		HAlign: center;
		VAlign: center;
		EnabledState: disabled;
		Enabled:  186,0,0,240,48,0,0;
		Focussed: 186,0,96,240,48,0,0;
		Pushed:   186,0,144,240,48,0,0;
		Disabled: 186,0,48,240,48,0,0;
		PYOffset: 2;
		Wordbreak: yes;
		KPush: enter;
		Visibility: $SETTINGS_POSITIONING_BUTTON_VISIBILITY$;
	}
	PositioningButton
	{
		Class: PushButton;
		Coordinates: 240,128,240,48;
		TextId: 51223;
		TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
		TextColor: $BUTTON_5x1_TEXT_COLOR$;
		HAlign: center;
		VAlign: center;
		Enabled:  186,0,0,240,48,0,0;
		Focussed: 186,0,96,240,48,0,0;
		Pushed:   186,0,144,240,48,0,0;
		Disabled: 186,0,48,240,48,0,0;
		Icon: 8,0,60,30,30,22,9;
		PYOffset: 2;
		Wordbreak: yes;
		KPush: enter;
		Visibility: $SETTINGS_POSITIONING_BUTTON_VISIBILITY$;
		Action: MapMenu.positioning;
	}

	InfoButton
	{
		Class: PushButton;
		Coordinates: 0,176,240,48;
		TextId: 51226;
		TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
		TextColor: $BUTTON_5x1_TEXT_COLOR$;
		HAlign: left;
		VAlign: center;
		Enabled:  186,0,0,240,48,0,0;
		Focussed: 186,0,96,240,48,0,0;
		Pushed:   186,0,144,240,48,0,0;
		Disabled: 186,0,48,240,48,0,0;
		Icon: 8,0,150,30,30,22,9;
		PYOffset: 2;
		Wordbreak: yes;
```

```
                Action: MapMenu.info;
                Visibility: $SETTINGS_INFO_BUTTON_VISIBILITY$;
        }
        Settings1Button
        {
                Class: PushButton;
                Coordinates: 240,176,240,48;
                TextID: 51280;
                TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
                TextColor: $BUTTON_5x1_TEXT_COLOR$;
                HAlign: center;
                VAlign: center;
                Enabled:  186,0,0,240,48,0,0;
                Focussed: 186,0,96,240,48,0,0;
                Pushed:   186,0,144,240,48,0,0;
                Disabled: 186,0,48,240,48,0,0;
                Icon: 11,0,90,30,30,22,59;
                PYOffset: 2;
                Wordbreak: yes;
                Action: MapMenu.settings1;
        }

}


GotoView
{
        Background: 51,0,0,480,272,0,0;
        DefaultFont: 7;

        TitleBar
        {
                ID: 112233;
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
        }
        Title
        {
                ID: 6677;
                Class: SkinText;
                Coordinates: $TITLE_COORDS$;
                TextColor: 0,0,0;
                TextId: 50251;
                BGMode: Transparent;
                Align: left;
                VAlign: center;
                Font: 1;
        }
        TitlebarExitButton
        {
                Class: PushButton;
                Coordinates: 0,0,50,35;
                Enabled: 207,0,0,50,35,0,0;
                Focussed: 207,0,0,50,35,0,0;
                Pushed:207,0,35,50,35,0,0;
                Action:MainMenu.1;
                Layer: OnTop;
        }
        PictureBackground
        {
                Class: SkinContainer;
                Form: BackgroundSubform;
```

```
}

ActualPosition
{
      ID: 10033;
      Class: PushButton;
      Coordinates: 0,80,480,48;
      TextId: 50244;
      TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
      Enabled: 189,0,0,480,48,0,0,255,0,255;
      Focussed: 189,0,48,480,48,0,0,255,0,255;
      Pushed: 189,0,96,480,48,0,0,255,0,255;
      Icon: 131,0,30,30,30,22,9,255,0,255;
      PYOffset: 2;
      Wordbreak: yes;
      KPush: enter;
      Action: MapMenu.acPos;
      HAlign: left;
      VAlign: center;
}
DestinationArea
{
      ID: 10034;
      Class: PushButton;
      Coordinates: 0,128,480,48;
      TextId: 50245;
      TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
      Enabled: 189,0,0,480,48,0,0,255,0,255;
      Focussed: 189,0,48,480,48,0,0,255,0,255;
      Pushed: 189,0,96,480,48,0,0,255,0,255;
      Icon: 131,0,60,30,30,22,9,255,0,255;
      PYOffset: 2;
      Wordbreak: yes;
      KPush: enter;
      Action: MapMenu.dest;
      HAlign: left;
      VAlign: center;
}
Overview
{
      //ID:   10035;
      Class: PushButton;
      Coordinates: 0,176,480,48;
      TextId: 50246;
      TextCoordinates: $BUTTONTEXT_COORDS_480x48$;
      HAlign: left;
      VAlign: center;
      Enabled: 189,0,0,480,48,0,0,255,0,255;
      Focussed: 189,0,48,480,48,0,0,255,0,255;
      Pushed: 189,0,96,480,48,0,0,255,0,255;
      Icon: 131,0,90,30,30,22,9,255,0,255;
      PYOffset: 2;
      Wordbreak: yes;
      KPush: enter;
      Action: MapMenu.overview;
}
BackButton
{
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Icon: $BACK_ARROW_ICON$; // BACK arrow
```

```
            PYOffset: 2;
            DisableFocus: yo;
            Action: MapMenu.leave;
            MoveBehaviour: vertical;
            HKPush: hk3;
      }

}


TripInfoView
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: $TITLEBAR_CORDS$;
            BitmapReference: $TITLEBAR_ICON$;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            //TextColor: 255,255,255;
            TextColor: 0,0,0;
            TextId: 53007;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }
      TitlebarExitButton
      {
            Class: PushButton;
            Coordinates: 0,0,50,35;
            Enabled: 207,0,0,50,35,0,0;
            Focussed: 207,0,0,50,35,0,0;
            Pushed:207,0,35,50,35,0,0;
            Action:MainMenu.1;
            Layer: OnTop;
      }
      TMax
      {
            Class: SkinText;
            Coordinates: 340,50,130,40;
            TextColor: 0,0,0;
            HAlign: right;
            VAlign: center;
            Font: 1;
      }
      TAve
      {
            Class: SkinText;
            Coordinates: 340,90,130,40;
            TextColor: 0,0,0;
            HAlign: right;
            VAlign: center;
            Font: 1;
      }
      TDist
      {
            Class: SkinText;
```

```
      Coordinates: 340,130,130,40;
      TextColor: 0,0,0;
      HAlign: right;
      VAlign: center;
      Font: 1;
}
TTime
{
      Class: SkinText;
      Coordinates: 340,170,130,40;
      TextColor: 0,0,0;
      HAlign: right;
      VAlign: center;
      Font: 1;
}
TMaxLabel
{
      Class: SkinText;
      Coordinates: 15,50,300,40;
      TextColor: 0,0,0;
      TextID: 53030;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TAveLabel
{
      Class: SkinText;
      Coordinates: 15,90,300,40;
      TextColor: 0,0,0;
      TextID: 53031;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TDistLabel
{
      Class: SkinText;
      Coordinates: 15,130,300,40;
      TextID: 53032;
      TextColor: 0,0,0;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
TTimeLabel
{
      Class: SkinText;
      Coordinates: 15,170,300,40;
      TextID: 53033;
      TextColor: 0,0,0;
      HAlign: left;
      VAlign: center;
      Font: 1;
}
Reset
{
      Class: PushButton;
      TextCoordinates: $BUTTONTEXT_COORDS_5x1$;
      Coordinates: $BUTTON_BOTTOM_COORDS$;
      Enabled: $BUTTON_ENABLED_9x1$;
      Pushed: $BUTTON_PUSHED_9x1$;
      Icon: 256,0,30,30,30,40,9,255,0,255;
```

```
            TextID: 53034;
            Font: 7;
            PYOffset: 2;
            VAlign: center;
            HAlign: left;
            BGMode: Transparent;
      }

      BackButton
      {
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: MapMenu.leave;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

VoicInputScreen
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: 0,0,480,35;
            BitmapReference: 70,0,0,480,48,0,0;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 30086;
            HAlign: left;
            VAlign: center;
            Font: 1;
      }


      LoadingProgressIcon
      {
            Class: NStateIconAnimation;
            Coordinates: 90,40,220,40;
            States: 11;
            BitmapReference1: 49,0,0,290,40,0,0,255,0,255;
            BitmapReference2: 49,0,40,290,40,0,0,255,0,255;
            BitmapReference3: 49,0,80,290,40,0,0,255,0,255;
            BitmapReference4: 49,0,120,290,40,0,0,255,0,255;
            BitmapReference5: 49,0,160,290,40,0,0,255,0,255;
            BitmapReference6: 49,0,200,290,40,0,0,255,0,255;
            BitmapReference7: 49,0,240,290,40,0,0,255,0,255;
            BitmapReference8: 49,0,280,290,40,0,0,255,0,255;
            BitmapReference9: 49,0,320,290,40,0,0,255,0,255;
            BitmapReference10: 49,0,360,290,40,0,0,255,0,255;
            BitmapReference11: 49,0,400,290,40,0,0,255,0,255;
            //  CyclicRuns: 1;
```

```
            //  Visibility: Hidden;
            ShowOnMapState: 10;
            ShowOnDesignMode: 1;
            ShowOnStarting: yo;
            HideOnStopping: yo;
            AnimationArea: 90,143,290,40;
      }

      SpeakSomethingIcon
      {
            Class: SkinIcon;
            Coordinates: 90,40,290,40;
            BitmapReference: 30,0,0,220,40,0,0,255,0,255;
            Visibility: Hidden;
      }

      VoiceInfoText
      {
            ID: 10263;
            Class: SkinText;
            Coordinates: 5,90,390,50;
            TextColor: 0,0,0;
            TextId: 20900;
            HAlign: center;
            VAlign: center;
            TextCoordinates: 15,10,280,80;
            Wordbreak: yes;
            Font: 2;
      }

      VoiceInfoAdditionalText
      {
            Class: SkinText;
            Coordinates: 5,140,390,50;
            TextColor: 0,0,0;
            TextId: 20905;
            HAlign: center;
            VAlign: center;
            TextCoordinates: 15,10,280,40;
            Wordbreak: yes;
            Font: 2;
      }


      BackButton
      {
            ID: 10264;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled: 3,0,0,50,50,0,0,255,0,255;
            Pushed:  3,0,50,50,50,0,0,255,0,255;
            Disabled: 3,50,100,50,50,0,0,255,0,255;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

VoicInputResultScreen
{
```

```
Background: 51,0,0,480,272,0,0;
DefaultFont: 7;

TitleBar
{
      Class: SkinIcon;
      Coordinates: 0,0,480,35;
      BitmapReference: 70,0,0,480,35,0,0;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      TextColor: 0,0,0;
      TextId: 30010;
      HAlign: left;
      VAlign: center;
      Font: 1;
}

ResultList
{
      ID: 10266;
      Class: ListBox;
      Coordinates: $LISTBOX_COORDS$;
      Font: 2;
      BGColor: $AREA_HIGHLIGHT_COLOR$;
      BGMode: opaque;
      BitmapReference: 58,0,0,38,38,1,1,255,0,255;
      TextColor: 0,0,0;
      DistBetweenEntries: $LISTBOX_ELEM_DIST$;
      LineSeparator: full_line;
      TextHasIconIndex: yo;
      ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
      //          HighlightedBGColor: $FOCUS_COLOR$;
      HKUp: Up;
      HKDown: Down;
      HKSelect: UpDown;
      HKExecute: Enter;
      ExecuteAction: DestinationSC.10266;
      Wordbreak: yes;
      WordbreakChars: "/";
      TextSpace: $LISTBOX_TEXT_SPACE$;
      VAlign: center;
      Border: $LISTBOX_ELEM_BORDER$;
      FocussedTextColor: 0,0,0;
}
ResultListSimpleScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: ResultList;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
ResultListSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: ResultListSimpleScrollbar;
```

```
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
            //HKPush: left;

      }
      ResultListSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: ResultListSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            //HKPush: right;
      }

      BackButton
      {
            ID: 10265;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled: 3,0,0,50,50,0,0,255,0,255;
            Pushed:  3,0,50,50,50,0,0,255,0,255;
            Disabled: 3,50,100,50,50,0,0,255,0,255;
            Icon: $BACK_ARROW_ICON$; // BACK arrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: DestinationSC.65;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}

VoiceInputErrorScreen
{
      Background: 51,0,0,480,272,0,0;
      DefaultFont: 7;

      TitleBar
      {
            Class: SkinIcon;
            Coordinates: 0,0,400,30;
            BitmapReference: 70,0,0,400,30,0,0;
      }
      Title
      {
            Class: SkinText;
            Coordinates: $TITLE_COORDS$;
            TextColor: 0,0,0;
            TextId: 30073;
            HAlign: left;
            VAlign: center;
```

```
      Font: 1;
}

VoiceErrorText
{
      ID: 10267;
      Class: SkinText;
      Coordinates: 5,40,390,140;
      TextColor: 0,0,0;
      TextId: 20563;
      HAlign: center;
      VAlign: center;
      TextCoordinates: 15,10,280,160;
      Wordbreak: yes;
      Font: 2;
}

ErrorTextScrollbar
{
      Class: SimpleScrollbar;
      Coordinates: $SCROLLBAR_COORDS$;
      ScrollbarOwner: VoiceErrorText;
      AddScrollbarSizeToOwner: yo;
      BGColor: $AREA_BG_COLOR$;
      ThumbColor: $AREA_HIGHLIGHT_COLOR$;
      Layer: ontop;
      TextColor: $SCROLLBAR_BORDER_COLOR$;
}
ErrorTextSimpleScrollbarUpButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
      Scrollbar: ErrorTextScrollbar;
      Type: up;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
      PYOffset: 2;
      Layer: ontop;
}
ErrorTextSimpleScrollbarDownButton
{
      Class: SkinScrollbarButton;
      Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
      Scrollbar: ErrorTextScrollbar;
      Type: down;
      BGMode: opaque;
      Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
      Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
      Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
      Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
      PYOffset: 2;
      Layer: ontop;
      FocussedTextColor: 0,0,0;
}

BackButton
{
      ID: 10268;
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
```

```
                Enabled: 3,0,0,50,50,0,0,255,0,255;
                Pushed:  3,0,50,50,50,0,0,255,0,255;
                Disabled: 3,50,100,50,50,0,0,255,0,255;
                Icon: $BACK_ARROW_ICON$; // BACK arrow
                PYOffset: 2;
                DisableFocus: yo;
                BGMode: Transparent;
                Action: DestinationSC.65;
                HKPush: $KEY_EVENT_CANCEL$;
          }
    }
    SelectFastPoiAmbitSearchCategory
    {
          Background: 51,0,0,480,272,0,0;
          DefaultFont: 7;

          TitleBar
          {
                Class: SkinIcon;
                Coordinates: $TITLEBAR_CORDS$;
                BitmapReference: $TITLEBAR_ICON$;
          }
          Title
          {
                Class: SkinText;
                Coordinates: $TITLE_COORDS$;
                //TextColor: 255,255,255;
                TextColor: 0,0,0;
                TextId: 30094;
                HAlign: left;
                VAlign: center;
                Font: 1;
          }
          TitlebarExitButton
          {
                Class: PushButton;
                Coordinates: 0,0,50,35;
                Enabled: 207,0,0,50,35,0,0;
                Focussed: 207,0,0,50,35,0,0;
                Pushed:207,0,35,50,35,0,0;
                Action:MainMenu.1;
                Layer: OnTop;
          }
          FastPoiAmbitSearchTextListBox
          {
                Class: ListBox;
                Coordinates: $LISTBOX_COORDS$;
                BGColor: $AREA_HIGHLIGHT_COLOR$;
                BGMode: opaque;
                BitmapReference: 21,0,0,30,18,5,14,255,0,255;//catagory list
first icon
                TextColor: 0,0,0;
                HighlightedTextColor: 255,255,255;
                HighlightedBGColor: $FOCUS_COLOR$;
                DistBetweenEntries: $LISTBOX_ELEM_DIST$;
                LineSeparator: full_line;
                TextHasIconIndex: yo;
                TextSpace: $LISTBOX_WBMP_TEXT_SPACE$;
                Font: 2;
                ElemMinHeight: $LISTBOX_ELEM_MINHEIGHT$;
                VAlign: center;
                HKUp: Up;
                HKDown: Down;
```

```
            HKExecute: Enter;
            ExecuteAction: MapMenu.leave;
            AlwaysConsumeKHK: yo;
            Border: $LISTBOX_ELEM_BORDER$;
            FocussedTextColor: 0,0,0;
      }
      FastPoiAmbitSearchSimpleScrollbar
      {
            Class: SimpleScrollbar;
            Coordinates: $SCROLLBAR_COORDS$;
            ScrollbarOwner: FastPoiAmbitSearchTextListBox;
            AddScrollbarSizeToOwner: yo;
            BGColor: $AREA_BG_COLOR$;
            ThumbColor: $AREA_HIGHLIGHT_COLOR$;
            Layer: ontop;
            TextColor: $SCROLLBAR_BORDER_COLOR$;
      }
      FastPoiAmbitSearchSimpleScrollbarUpButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_UP_COORDS$;
            Scrollbar: FastPoiAmbitSearchSimpleScrollbar;
            Type: up;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_UP_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_UP_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_UP_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_UP_ICON$;
            PYOffset: 2;
            Layer: ontop;
      }
      FastPoiAmbitSearchSimpleScrollbarDownButton
      {
            Class: SkinScrollbarButton;
            Coordinates: $SCROLLBAR_BUTTON_DOWN_COORDS$;
            Scrollbar: FastPoiAmbitSearchSimpleScrollbar;
            Type: down;
            BGMode: opaque;
            Enabled: $SCROLLBAR_BUTTON_DOWN_ENABLED$;
            Pushed:  $SCROLLBAR_BUTTON_DOWN_PUSHED$;
            Disabled:  $SCROLLBAR_BUTTON_DOWN_DISABLED$;
            Icon:  $SCROLLBAR_BUTTON_DOWN_ICON$;
            PYOffset: 2;
            Layer: ontop;
            FocussedTextColor: 0,0,0;
      }
      BackButton
      {
            ID: 10077;
            Class: PushButton;
            Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
            Enabled:  $CORNER_BUTTON_ENABLED$;
            Pushed:   $CORNER_BUTTON_PUSHED$;
            Icon: $BACK_ARROW_ICON$; //backarrow
            PYOffset: 2;
            DisableFocus: yo;
            BGMode: Transparent;
            Action: MapMenu.back;
            HKPush: $KEY_EVENT_CANCEL$;
      }
}
GettingStartedQuestionForm
{
```

```
Background: 51,0,0,480,272,0,0;
DefaultFont: 7;

TitleBar
{
      Class: SkinIcon;
      Coordinates: $TITLEBAR_CORDS$;
      BitmapReference: $TITLEBAR_ICON$;
}
Title
{
      Class: SkinText;
      Coordinates: $TITLE_COORDS$;
      TextColor: 0,0,0;
      TextId: 20401;
      BGMode: Transparent;
      Align: left;
      VAlign: center;
      Font: 1;
}
PictureBackground
{
      Class: SkinContainer;
      Form: BackgroundSubform;
}
TitlebarExitButton
{
      Class: PushButton;
      Coordinates: 0,0,50,35;
      Enabled: 207,0,0,50,35,0,0;
      Focussed: 207,0,0,50,35,0,0;
      Pushed:207,0,35,50,35,0,0;
      Action:MainMenu.1;
      Layer: OnTop;
}
Question
{
      Class: SkinText;
      TextId: 20402;
      Coordinates: $PICTURE_MESSAGE_COORDS$;
      TextCoordinates: $PICTURE_MESSAGE_TEXT$;
      TextColor: $PICTURE_MESSAGE_TEXT_COLOR$;
      Font: $PICTURE_MESSAGE_FONT$;
      HAlign: center;
      VAlign: center;
      Wordbreak: yes;
}
CancelButton
{
      Class: PushButton;
      Coordinates: $LEFT_CORNER_BUTTON_COORDS$;
      Enabled:  $CORNER_BUTTON_ENABLED$;
      Pushed:   $CORNER_BUTTON_PUSHED$;
      Disabled: $CORNER_BUTTON_DISABLED$;
      Icon: $CANCEL_ICON$; //cancel
      PYOffset: 2;
      DisableFocus: yo;
      Action: SettingSC.73;
      HKPush: $KEY_EVENT_CANCEL$;
}
NextButton
{
      Class: PushButton;
```

```
                Coordinates: $RIGHT_CORNER_BUTTON_COORDS$;
                Enabled:  $CORNER_BUTTON_ENABLED$;
                Pushed:   $CORNER_BUTTON_PUSHED$;
                Disabled: $CORNER_BUTTON_DISABLED$;
                Icon: $OK_ICON$; //ok
                PYOffset: 2;
                DisableFocus: yo;
                Action: SettingSC.10251;
                HKPush: $KEY_EVENT_OK$;
            }
        }
}
```