

PHP Version 5.0.3

System	Linux dmzams3043 2.4.21-27.ELsmp #1 SMP Wed Dec 1 21:59:02 EST 2004 i686
Build Date	Sep 13 2005 10:12:49
Configure Command	'./configure' '--with-curl' '--with-iconv-dir=/usr/include/' '--with-mssql=/usr/local/' '--with-unixODBC=/usr/lib/' '--with-mysql=/usr' '--enable-shmop' '--enable-xslt' '--with-xslt-sablot' '--with-expat-dir=/usr/include/' '--with-xsl=/usr' '--with-zlib' '--with-zlib-dir=/usr/include/' '--with-gd' '--enable-gd-native-ttf' '--with-jpeg-dir=/usr/local' '--with-png-dir=/usr/local/lib' '--with-mhash' '--with-apxs2=/usr/sbin/apxs' '--with-freetype-dir=/usr/local/lib/' '--enable-mbstring=all' '--enable-mbstr-enc-trans' '--enable-mbregex'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/lib/php.ini
PHP API	20031224
PHP Extension	20041030
Zend Extension	220040412
Debug Build	no
Thread Safety	disabled
IPv6 Support	enabled
Registered PHP Streams	php, file, http, ftp, compress.zlib
Registered Stream Socket Transports	tcp, udp, unix, udg

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.0.3, Copyright (c) 1998-2004 Zend Technologies

**PHP Credits****Configuration****PHP Core**

Directive	Local Value	Master V
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	iso-8859-1	iso-8859-1
default_mimetype	text/html	text/html

define_syslog_variables	Off	Off
disable_classes	no value	no value
disable_functions	no value	no value
display_errors	On	On
display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	On	On
error_append_string	no value	no value
error_log	/log/php/node1/error_log	/log/php/node1/error_log
error_prepend_string	no value	no value
error_reporting	69	69
expose_php	On	On
extension_dir	/usr/lib/php5/extensions	/usr/lib/php5/extensions
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./data/it/lib:/data/plus/lib:/data/infoserver/lib:/data/shared/lib:/data/it/etc	./data/it/lib:/data/plus/lib:/data/infoserver/lib:/data/shared/lib:/data/it/etc
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	no value	no value
max_execution_time	30	30
max_input_time	60	60
open_basedir	no value	no value
output_buffering	no value	no value
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
register_argc_argv	On	On
register_globals	On	On
register_long_arrays	On	On
report_memleaks	On	On
report zend debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	no value	no value
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i -f no_reply@tomtom.com	/usr/sbin/sendmail -t -i -f no_reply@to

serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	16M	16M
upload_tmp_dir	no value	no value
user_dir	no value	no value
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.0.46 (Red Hat)
Apache API Version	20020903
Server Administrator	root@localhost
Hostname:Port	tomtom.com:0
User/Group	apache(48)/48
Max Requests	Per Child: 1000 - Keep Alive: off - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core prefork http_core mod_so mod_jk mod_access mod_auth mod_auth_anon mod_auth_dbm mod_auth_digest mod_include mod_log_config mod_env mod_mime_magic mod_cern_meta mod_expires mod_deflate mod_headers mod_usertrack mod_unique_id mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_proxy proxy_ftp proxy_http proxy_connect mod_cache mod_suexec mod_disk_cache mod_file_cache mod_mem_cache mod_cgi mod_php5 mod_ssl

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	1N8nLcCoMRUAAaigH60AAAAAN
HTTP_HOST	www.tomtom.com
HTTP_USER_AGENT	Mozilla/5.0 (Windows; U; Windows NT 5.1; de-DE; rv:1.7.6) Gecko/20050321 Firefox/1.0.2
HTTP_ACCEPT	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip,deflate
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	300
HTTP_CONNECTION	keep-alive

HTTP_COOKIE	tt_publication=2; tt_language=3; tt_auth=2b393b395f282438592d24247b3c433039624a4b4a6277247b24352b3f3d2b
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
SERVER_SIGNATURE	<address>Apache/2.0.46 (Red Hat) Server at www.tomtom.com Port 80</address>
SERVER_SOFTWARE	Apache/2.0.46 (Red Hat)
SERVER_NAME	www.tomtom.com
SERVER_ADDR	192.168.49.29
SERVER_PORT	80
REMOTE_ADDR	80.142.7.11
DOCUMENT_ROOT	/data/it/www/tomtom.com
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/data/it/www/tomtom.com/index.php
REMOTE_PORT	63289
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/
SCRIPT_NAME	/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET / HTTP/1.1
Host	www.tomtom.com
User-Agent	Mozilla/5.0 (Windows; U; Windows NT 5.1; de-DE; rv:1.7.6) Gecko/20050321 Firefox/1.0.2
Accept	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding	gzip,deflate
Accept-Charset	ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive
Cookie	tt_publication=2; tt_language=3; tt_auth=2b393b395f282438592d24247b3c433039624a4b4a6277247b24352b3f3d2b
HTTP Response Headers	
X-Powered-By	PHP/5.0.3
Content-Encoding	gzip
Vary	Accept-Encoding

ctype

ctype functions	enabled
-----------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.10.6 OpenSSL/0.9.7a ipv6 zlib/1.1.4

dom

DOM/XML	enabled
---------	---------

DOM/XML API Version	20031129
libxml Version	2.5.10
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.10
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.3.2

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

libxml

libXML support	active
libXML Version	2.5.10
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	2.2.4

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off

mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20020524

mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	7.0

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	100	100
mssql.min_error_severity	10	10
mssql.min_message_severity	11	11
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	4.1.12
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/usr/local/include/mysql
MYSQL_LIBS	-L/usr/local/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	-1	-1
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>

mysql.default_socket	no value	no value
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-lusr/lib/include
ODBC_LFLAGS	-Lusr/lib/lib
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	no value	no value
odbc.default_pw	no value	no value
odbc.default_user	no value	no value
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	4.5 01-December-2003

posix

Revision	\$Revision: 1.60 \$
----------	---------------------

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_lifetime	0	0
session.cookie_path	/	/

session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	10	10
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	TT	TT
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/data/apache/php_sessions	/data/apache/php_sessions
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	1	1

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.139.2.4 \$
Schema support	enabled

SPL

SPL support	enabled
Interfaces	RecursiveIterator, SeekableIterator
Classes	ArrayObject, ArrayIterator, CachingIterator, CachingRecursiveIterator, DirectoryIterator, FilterIterator, LimitIterator, ParentIterator, RecursiveDirectoryIterator, RecursiveIteratorIterator, SimpleXMLIterator

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.146.2.3 2004/09/26 01:41:40 wez Exp \$
SQLite Library	2.8.14
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i -f no_reply@tomtom.com

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.83	90.83
date.sunset_zenith	90.83	90.83
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.5.10

xsl

XSL	enabled
libxslt Version	1.0.33
libxslt compiled against libxml Version	2.5.10
EXSLT	enabled
libexslt Version	1.0.33

zlib

ZLib Support	enabled
Compiled Version	1.1.4
Linked Version	1.1.4

Directive	Local Value	Master Value
zlib.output_compression	On	On
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
CONSOLE	/dev/console
TERM	linux
INIT_VERSION	sysvinit-2.85
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
RUNLEVEL	3
runlevel	3
PWD	/
LANG	en_US.UTF-8
PREVLEVEL	N
previous	N
SHLVL	2
_	/sbin/initlog

PHP Variables

Variable	Value
PHP_SELF	/index.php
_REQUEST["tt_publication"]	2
_REQUEST["tt_language"]	3
_REQUEST["tt_auth"]	2b393b395f282438592d24247b3c433039624a4b4a6277247b24352b3f3d2b
_COOKIE["tt_publication"]	2
_COOKIE["tt_language"]	3
_COOKIE["tt_auth"]	2b393b395f282438592d24247b3c433039624a4b4a6277247b24352b3f3d2b
_SERVER["UNIQUE_ID"]	1N8nLcCoMRUAAaigH60AAAAAN
_SERVER["HTTP_HOST"]	www.tomtom.com
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 5.1; de-DE; rv:1.7.6) Gecko/20050321 Firefox/1.0.2
_SERVER["HTTP_ACCEPT"]	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_KEEP_ALIVE"]	300
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_COOKIE"]	tt_publication=2; tt_language=3; tt_auth=2b393b395f282438592d24247b3c433039624a4b4a6277247b24352b3f3d2b
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.0.46 (Red Hat) Server at www.tomtom.com Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.0.46 (Red Hat)
_SERVER["SERVER_NAME"]	www.tomtom.com
_SERVER["SERVER_ADDR"]	192.168.49.29
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	80.142.7.11
_SERVER["DOCUMENT_ROOT"]	/data/it/www/tomtom.com
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SCRIPT_FILENAME"]	/data/it/www/tomtom.com/index.php
_SERVER["REMOTE_PORT"]	63289
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	no value
_SERVER["REQUEST_URI"]	/

_SERVER["SCRIPT_NAME"]	/index.php
_SERVER["PHP_SELF"]	/index.php
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["CONSOLE"]	/dev/console
_ENV["TERM"]	linux
_ENV["INIT_VERSION"]	sysvinit-2.85
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_ENV["RUNLEVEL"]	3
_ENV["runlevel"]	3
_ENV["PWD"]	/
_ENV["LANG"]	en_US.UTF-8
_ENV["PREVLEVEL"]	N
_ENV["previous"]	N
_ENV["SHLVL"]	2
ENV[""]	/sbin/initlog

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.